

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM102623\
 Data File : BM042464.D
 Acq On : 26 Oct 2023 22:15
 Operator : MA/JU
 Sample : 05010-04
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 72-11985

Quant Time: Oct 27 00:47:28 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM102123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Oct 21 02:32:53 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.993	152	198360	20.000	ng	0.00
21) Naphthalene-d8	10.816	136	788759	20.000	ng	0.00
39) Acenaphthene-d10	14.633	164	455382	20.000	ng	-0.01
64) Phenanthrene-d10	17.386	188	906396	20.000	ng	-0.01
76) Chrysene-d12	21.568	240	630953	20.000	ng	#-0.01
86) Perylene-d12	24.027	264	661294	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.528	112	1688126	120.279	ng	0.00
7) Phenol-d6	7.151	99	2002915	106.489	ng	0.00
23) Nitrobenzene-d5	9.192	82	1644154	92.175	ng	0.00
42) 2,4,6-Tribromophenol	16.133	330	873343	170.554	ng	0.00
45) 2-Fluorobiphenyl	13.263	172	3219333	95.199	ng	0.00
79) Terphenyl-d14	19.998	244	4142414	116.436	ng	-0.01
Target Compounds						
						Qvalue
32) Benzoic acid	10.063	122	61115	11.365	ng	99
35) Caprolactam	11.816	113	7801	7.540	ng	# 88
74) Di-n-butylphthalate	18.327	149	4158	2.885	ng	# 96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM102623\
Data File : BM042464.D
Acq On : 26 Oct 2023 22:15
Operator : MA/JU
Sample : 05010-04
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
72-11985

Quant Time: Oct 27 00:47:28 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM102123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Oct 21 02:32:53 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.993 min Scan# 81
Delta R.T. -0.005 min
Lab File: BM042464.D
Acq: 26 Oct 2023 22:15




Instrument :
BNA_M
ClientSampleId :
72-11985


Tgt Ion:152 Resp: 198360
Ion Ratio Lower Upper
152 100
150 155.7 126.2 189.4
115 59.7 51.9 77.9



#5
2-Fluorophenol
Concen: 120.279 ng
RT: 5.528 min Scan# 398
Delta R.T. 0.006 min
Lab File: BM042464.D
Acq: 26 Oct 2023 22:15

Tgt Ion:112 Resp: 1688126
Ion Ratio Lower Upper
112 100
64 62.1 52.7 79.1
63 32.6 28.3 42.5









#7
Phenol-d6
Concen: 106.489 ng
RT: 7.151 min Scan# 61
Delta R.T. 0.000 min
Lab File: BM042464.D
Acq: 26 Oct 2023 22:15




Instrument :
BNA_M
ClientSampleId :
72-11985


Tgt Ion: 99 Resp: 2002915
Ion Ratio Lower Upper
99 100
42 21.2 18.5 27.7
71 34.7 27.7 41.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.816 min Scan# 1297
Delta R.T. -0.006 min
Lab File: BM042464.D
Acq: 26 Oct 2023 22:15

Tgt Ion:136 Resp: 788759
Ion Ratio Lower Upper
136 100
137 10.8 8.5 12.7
54 9.3 8.6 12.8
68 6.8 6.4 9.6









#23
Nitrobenzene-d5
Concen: 92.175 ng
RT: 9.192 min Scan# 10
Delta R.T. -0.006 min
Lab File: BM042464.D
Acq: 26 Oct 2023 22:15




Instrument :
BNA_M
ClientSampleId :
72-11985


Tgt Ion: 82 Resp: 1644154
Ion Ratio Lower Upper
82 100
128 39.8 29.0 43.6
54 53.7 43.7 65.5



#32
Benzoic acid
Concen: 11.365 ng
RT: 10.063 min Scan# 1169
Delta R.T. -0.047 min
Lab File: BM042464.D
Acq: 26 Oct 2023 22:15

Tgt Ion:122 Resp: 61115
Ion Ratio Lower Upper
122 100
105 123.4 104.9 144.9
77 103.0 83.4 123.4









#35
Caprolactam
Concen: 7.540 ng
RT: 11.816 min Scan# 1467
Delta R.T. -0.012 min
Lab File: BM042464.D
Acq: 26 Oct 2023 22:15




Instrument :
BNA_M
ClientSampleId :
72-11985


Tgt Ion:113 Resp: 7801
Ion Ratio Lower Upper
113 100
55 192.8 185.6 225.6
56 137.1 137.8 177.8#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.633 min Scan# 1946
Delta R.T. -0.012 min
Lab File: BM042464.D
Acq: 26 Oct 2023 22:15


Tgt Ion:164 Resp: 455382
Ion Ratio Lower Upper
164 100
162 97.5 83.0 124.4
160 43.6 37.0 55.4








#42
2,4,6-Tribromophenol
Concen: 170.554 ng
RT: 16.133 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM042464.D
Acq: 26 Oct 2023 22:15

Instrument :
BNA_M
ClientSampleId :
72-11985







Tgt Ion:330 Resp: 873343
Ion Ratio Lower Upper
330 100
332 96.9 77.6 116.4
141 32.9 38.0 57.0#



#45
2-Fluorobiphenyl
Concen: 95.199 ng
RT: 13.263 min Scan# 1713
Delta R.T. -0.006 min
Lab File: BM042464.D
Acq: 26 Oct 2023 22:15

Tgt Ion:172 Resp: 3219333
Ion Ratio Lower Upper
172 100
171 35.0 28.1 42.1
170 23.7 18.9 28.3









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.386 min Scan# 2416
Delta R.T. -0.012 min
Lab File: BM042464.D
Acq: 26 Oct 2023 22:15




Instrument :
BNA_M
ClientSampleId :
72-11985


Tgt Ion:188 Resp: 906396
Ion Ratio Lower Upper
188 100
94 10.3 9.4 14.0
80 11.7 10.7 16.1



#74
Di-n-butylphthalate
Concen: 2.885 ng
RT: 18.327 min Scan# 2574
Delta R.T. -0.012 min
Lab File: BM042464.D
Acq: 26 Oct 2023 22:15

Tgt Ion:149 Resp: 4158
Ion Ratio Lower Upper
149 100
150 11.5 7.4 11.0#
104 6.3 4.6 7.0









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.568 min Scan# 31
Delta R.T. -0.012 min
Lab File: BM042464.D
Acq: 26 Oct 2023 22:15




Instrument :
BNA_M
ClientSampleId :
72-11985


Tgt Ion:240 Resp: 630953
Ion Ratio Lower Upper
240 100
120 10.5 10.7 16.1#
236 26.1 20.7 31.1



#79
Terphenyl-d14
Concen: 116.436 ng
RT: 19.998 min Scan# 2858
Delta R.T. -0.011 min
Lab File: BM042464.D
Acq: 26 Oct 2023 22:15


Tgt Ion:244 Resp: 4142414
Ion Ratio Lower Upper
244 100
212 6.8 5.6 8.4
122 9.7 8.8 13.2





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 24.027 min Scan# 3
 Delta R.T. -0.018 min
 Lab File: BM042464.D
 Acq: 26 Oct 2023 22:15

Instrument :
 BNA_M
 ClientSampleId :
 72-11985



Tgt Ion:264 Resp: 661294
 Ion Ratio Lower Upper
 264 100
 260 23.4 18.6 27.8
 265 21.9 17.8 26.8

