

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM102718\
 Data File : BM017382.D
 Acq On : 27 Oct 2018 11:46
 Operator : MJ/SJ
 Sample : J5673-18
 Misc : GCMS Confirmation
 ALS Vial : 64 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 C0BM2

Quant Time: Oct 29 02:31:32 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM102418MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Oct 26 01:13:26 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.65	152	335695	20.00	ng/ul	0.00
18) Naphthalene-d8	10.42	136	1423016	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.29	164	845601	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.05	188	1848977	20.00	ng/ul	0.00
78) Chrysene-d12	21.24	240	1947791	20.00	ng/ul	0.00
86) Perylene-d12	23.45	264	1865079	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0d	0.00	ng/uL
5) Phenol-d5	0.00	99	0	0.00	ng/ul
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0	0.00	ng/ul
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul
13) 4-Methylphenol-d8	0.00	113	0d	0.00	ng/ul
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul
44) Dimethylphthalate-d6	0.00	166	0d	0.00	ng/ul
47) Acenaphthylene-d8	0.00	160	0d	0.00	ng/ul
52) 4-Nitrophenol-d4	0.00	143	0d	0.00	ng/ul
58) Fluorene-d10	0.00	176	0d	0.00	ng/ul
63) 4,6-Dinitro-2-methylphenol	0.00	200	0d	0.00	ng/ul
71) Anthracene-d10	0.00	188	0d	0.00	ng/ul
79) Pyrene-d10	0.00	212	0d	0.00	ng/ul
90) Benzo(a)pyrene-d12	0.00	264	0d	0.00	ng/ul


Target Compounds				Ovalue
70) Phenanthrene	17.09	178	142125	1.339 ng/ul# 62


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM102718\
Data File : BM017382.D
Acq On : 27 Oct 2018 11:46
Operator : MJ/SJ
Sample : J5673-18
Misc : GCMS Confirmation
ALS Vial : 64 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
C0BM2

Quant Time: Oct 29 02:31:32 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM102418MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Oct 26 01:13:26 2018
Response via : Initial Calibration





#70

Phenanthrene

Concen: 1.339 ng/ul

RT: 17.09 min Scan# 2398

Delta R.T. 0.00 min

Lab File: BM017382.D

Acq: 27 Oct 2018 11:46

Instrument :

BNA_M

ClientSampleId :

C0BM2


Tot Ion:178 Resp: 142125

Ion Ratio Lower Upper

178 100

179 45.1 12.2 18.2#

176 23.7 14.9 22.3#



Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E

