

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM110118\
 Data File : BM017469.D
 Acq On : 01 Nov 2018 17:23
 Operator : MJ/SJ
 Sample : J5704-22
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 A40J0

Manual Integrations
 APPROVED

Sohil
 11/2/2018 4:12:10 PM

Quant Time: Nov 02 02:59:07 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM102418MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Nov 02 02:41:22 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.64	152	218909	20.00	ng/ul	0.00
18) Naphthalene-d8	10.42	136	1059141	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.29	164	670321	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.04	188	1626579	20.00	ng/ul	0.00
78) Chrysene-d12	21.23	240	1911820	20.00	ng/ul	0.00
86) Perylene-d12	23.44	264	1805364	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.22	96	16825	3.54	ng/uL	0.00
5) Phenol-d5	6.82	99	403002	20.15	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.99	67	244725	20.98	ng/ul	0.00
9) 2-Chlorophenol-d4	7.17	132	328812	21.21	ng/ul	0.00
13) 4-Methylphenol-d8	8.35	113	332104	21.00	ng/ul	0.00
19) Nitrobenzene-d5	8.79	128	173774	20.99	ng/ul	0.00
22) 2-Nitrophenol-d4	9.51	143	196723	21.19	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.05	165	333313	19.33	ng/ul	0.00
29) 4-Chloroaniline-d4	10.56	131	460387	32.71	ng/ul	0.00
44) Dimethylphthalate-d6	13.70	166	1276383	22.20	ng/ul	0.00
47) Acenaphthylene-d8	13.97	160	1552281	22.24	ng/ul	0.00
52) 4-Nitrophenol-d4	14.52	143	198203m	18.46	ng/ul	0.00
58) Fluorene-d10	15.28	176	1134345	22.72	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.41	200	186660	16.47	ng/ul	0.00
71) Anthracene-d10	17.13	188	1832549	22.76	ng/ul	0.00
79) Pyrene-d10	19.44	212	2113589	23.86	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.30	264	2215293	23.23	ng/ul	0.00

Target Compounds					Ovalue	
6) Phenol	6.85	94	89228	4.494	ng/ul	98
45) Dimethylphthalate	13.75	163	231394	4.155	ng/ul	98
84) Bis(2-ethylhexyl)phthalate	21.16	149	780698	12.054	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM110118\
Data File : BM017469.D
Acq On : 01 Nov 2018 17:23
Operator : MJ/SJ
Sample : J5704-22
Misc :
ALS Vial : 13 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
A40J0

Manual Integrations
APPROVED

Sohil
11/2/2018 4:12:10 PM

Quant Time: Nov 02 02:59:07 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM102418MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Nov 02 02:41:22 2018
Response via : Initial Calibration





#6

Phenol

Concen: 4.494 ng/ul

RT: 6.85 min Scan# 657

Delta R.T. -0.00 min

Lab File: BM017469.D

Acq: 01 Nov 2018 17:23

Instrument :

BNA_M





ClientSampleId :

A40J0

Tot Ion:	94	Resp:	89228
Ion Ratio	Lower	Upper	
94	100		
65	27.9	24.0	36.0
66	39.1	31.1	46.7

Manual Integrations
APPROVED

Sohil
11/2/2018 4:12:10 PM



#45

Dimethylphthalate

Concen: 4.155 ng/ul




RT: 13.75 min Scan# 1830


Delta R.T. -0.00 min

Lab File: BM017469.D

Acq: 01 Nov 2018 17:23

Tgt Ion:	163	Resp:	231394
Ion Ratio	Lower	Upper	
163	100		
194	4.3	3.2	4.8
164	10.9	8.1	12.1





#84

Bis(2-ethylhexyl)phthalate

Concen: 12.054 ng/ul

RT: 21.16 min Scan# 3089

Delta R.T. -0.01 min

Lab File: BM017469.D

Acq: 01 Nov 2018 17:23

Instrument :

BNA_M

ClientSampleId :

A40J0

Tot Ion:	149	Resp:	780698
Ion Ratio	Lower	Upper	
149	100		
167	28.4	23.0	34.6
279	4.7	4.1	6.1

Manual Integrations
APPROVED

Sohil
11/2/2018 4:12:10 PM

