

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM110123\
 Data File : BM042539.D
 Acq On : 01 Nov 2023 14:44
 Operator : MA/JU
 Sample : PB156734TB
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB156734TB

Quant Time: Nov 01 23:42:28 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM103023.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Oct 31 02:55:18 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.922	152	86623	20.000	ng	0.00
21) Naphthalene-d8	10.739	136	311400	20.000	ng	-0.01
39) Acenaphthene-d10	14.569	164	186275	20.000	ng	-0.01
64) Phenanthrene-d10	17.321	188	366846	20.000	ng	0.00
76) Chrysene-d12	21.503	240	308302	20.000	ng	0.00
86) Perylene-d12	23.921	264	348181	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.457	112	767582	143.009	ng	0.00
7) Phenol-d6	7.087	99	959564	130.355	ng	-0.01
23) Nitrobenzene-d5	9.122	82	653663	97.853	ng	-0.01
42) 2,4,6-Tribromophenol	16.068	330	359889	147.982	ng	0.00
45) 2-Fluorobiphenyl	13.192	172	1340178	96.811	ng	0.00
79) Terphenyl-d14	19.939	244	1943695	106.900	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM110123\
Data File : BM042539.D
Acq On : 01 Nov 2023 14:44
Operator : MA/JU
Sample : PB156734TB
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB156734TB

Quant Time: Nov 01 23:42:28 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM103023.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Oct 31 02:55:18 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.922 min Scan# 806
Delta R.T. -0.006 min
Lab File: BM042539.D
Acq: 01 Nov 2023 14:44




Instrument :
BNA_M
ClientSampleId :
PB156734TB


Tgt Ion:152 Resp: 86623
Ion Ratio Lower Upper
152 100
150 157.7 127.4 191.0
115 61.2 47.9 71.9



#5
2-Fluorophenol
Concen: 143.009 ng
RT: 5.457 min Scan# 386
Delta R.T. -0.006 min
Lab File: BM042539.D
Acq: 01 Nov 2023 14:44

Tgt Ion:112 Resp: 767582
Ion Ratio Lower Upper
112 100
64 66.2 52.1 78.1
63 38.4 28.3 42.5









#7
Phenol-d6
Concen: 130.355 ng
RT: 7.087 min Scan# 61
Delta R.T. -0.012 min
Lab File: BM042539.D
Acq: 01 Nov 2023 14:44




Instrument :
BNA_M
ClientSampleId :
PB156734TB


Tgt Ion: 99 Resp: 959564
Ion Ratio Lower Upper
99 100
42 27.0 18.7 28.1
71 41.0 29.1 43.7



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.739 min Scan# 1284
Delta R.T. -0.012 min
Lab File: BM042539.D
Acq: 01 Nov 2023 14:44

Tgt Ion: 136 Resp: 311400
Ion Ratio Lower Upper
136 100
137 10.7 9.0 13.6
54 10.2 8.0 12.0
68 6.4 5.7 8.5





#23

Nitrobenzene-d5

Concen: 97.853 ng

RT: 9.122 min Scan# 1009

Delta R.T. -0.012 min

Lab File: BM042539.D

Acq: 01 Nov 2023 14:44

Instrument :

BNA_M

ClientSampleId :

PB156734TB





Tgt Ion: 82 Resp: 653663

Ion Ratio Lower Upper

82 100

128 37.2 30.7 46.1

54 59.9 45.3 67.9



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.569 min Scan# 1935

Delta R.T. -0.011 min

Lab File: BM042539.D

Acq: 01 Nov 2023 14:44




Tgt Ion: 164 Resp: 186275


Ion Ratio Lower Upper

164 100

162 98.6 81.6 122.4

160 45.2 36.2 54.4









#42
2,4,6-Tribromophenol
Concen: 147.982 ng
RT: 16.068 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM042539.D
Acq: 01 Nov 2023 14:44




Instrument :
BNA_M
ClientSampleId :
PB156734TB


Tgt Ion:330 Resp: 359889
Ion Ratio Lower Upper
330 100
332 96.5 78.8 118.2
141 37.6 31.1 46.7



#45
2-Fluorobiphenyl
Concen: 96.811 ng
RT: 13.192 min Scan# 1701
Delta R.T. -0.006 min
Lab File: BM042539.D
Acq: 01 Nov 2023 14:44

Tgt Ion:172 Resp: 1340178
Ion Ratio Lower Upper
172 100
171 35.2 28.2 42.2
170 24.0 19.0 28.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.321 min Scan# 24

Delta R.T. -0.006 min

Lab File: BM042539.D

Acq: 01 Nov 2023 14:44

Instrument :

BNA_M

ClientSampleId :

PB156734TB





Tgt Ion:188 Resp: 366846

Ion Ratio Lower Upper

188 100

94 8.7 8.2 12.4

80 9.9 9.4 14.2



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.503 min Scan# 3114

Delta R.T. -0.006 min

Lab File: BM042539.D

Acq: 01 Nov 2023 14:44




Tgt Ion:240 Resp: 308302


Ion Ratio Lower Upper

240 100

120 8.6 8.3 12.5

236 25.5 20.8 31.2









#79
 Terphenyl-d14
 Concen: 106.900 ng
 RT: 19.939 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM042539.D
 Acq: 01 Nov 2023 14:44

Instrument :
 BNA_M
 ClientSampleId :
 PB156734TB

Tgt Ion:244 Resp: 1943695
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.4 8.2
 122 8.6 7.2 10.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.921 min Scan# 3525
 Delta R.T. -0.012 min
 Lab File: BM042539.D
 Acq: 01 Nov 2023 14:44

Tgt Ion:264 Resp: 348181
 Ion Ratio Lower Upper
 264 100
 260 23.1 19.0 28.4
 265 22.4 18.7 28.1

