

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM110519\
 Data File : BM023608.D
 Acq On : 05 Nov 2019 15:24
 Operator : JU
 Sample : K5567-06
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 JLNC6

Quant Time: Nov 06 05:50:56 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM102319MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Nov 06 05:47:35 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.60	152	388163	20.00	ng/ul	0.00
18) Naphthalene-d8	10.37	136	1599887	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.25	164	956829	20.00	ng/ul	0.00
62) Phenanthrene-d10	17.00	188	2032850	20.00	ng/ul	0.00
78) Chrysene-d12	21.20	240	2040493	20.00	ng/ul	0.00
86) Perylene-d12	23.39	264	2560576	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.14	96	46251	5.66	ng/uL	0.00
5) Phenol-d5	6.78	99	169416	5.20	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.95	67	503359	26.34	ng/ul	0.00
9) 2-Chlorophenol-d4	7.14	132	507523	19.91	ng/ul	0.00
13) 4-Methylphenol-d8	8.31	113	305628	11.54	ng/ul	0.00
19) Nitrobenzene-d5	8.75	128	314646	26.12	ng/ul	0.00
22) 2-Nitrophenol-d4	9.47	143	319144	23.88	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	10.00	165	538668	20.51	ng/ul	0.00
29) 4-Chloroaniline-d4	10.52	131	45013	1.49	ng/ul	0.00
44) Dimethylphthalate-d6	13.67	166	1945977	26.78	ng/ul	0.00
47) Acenaphthylene-d8	13.94	160	2278829	27.38	ng/ul	0.00
52) 4-Nitrophenol-d4	14.47	143	29931	2.38	ng/ul	0.00
58) Fluorene-d10	15.24	176	1701387	27.65	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.37	200	196048	15.49	ng/ul	0.00
71) Anthracene-d10	17.10	188	2877579	29.95	ng/ul	0.00
79) Pyrene-d10	19.40	212	3230842	28.79	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.24	264	3963642	30.39	ng/ul	0.00


Target Compounds					Ovalue
45) Dimethylphthalate	13.72	163	106544	1.460	ng/ul 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM110519\
Data File : BM023608.D
Acq On : 05 Nov 2019 15:24
Operator : JU
Sample : K5567-06
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampled :
JLNC6

Quant Time: Nov 06 05:50:56 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM102319MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Nov 06 05:47:35 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 1.460 ng/ul

RT: 13.72 min Scan# 1824

Delta R.T. -0.00 min

Lab File: BM023608.D

Acq: 05 Nov 2019 15:24

Instrument :

BNA_M

ClientSampleId :

JLNC6

Tot Ion:163 Resp: 106544

Ion Ratio Lower Upper

163 100

194 4.6 3.3 4.9

164 11.4 7.9 11.9

