

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM110718\
 Data File : BM017546.D
 Acq On : 07 Nov 2018 02:40
 Operator : MJ/SJ
 Sample : J5816-12
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Nov 07 08:38:28 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM101718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 29 15:08:36 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.63	152	255348	20.00	ng	-0.02
21) Naphthalene-d8	10.40	136	974954	20.00	ng	-0.02
39) Acenaphthene-d10	14.27	164	581753	20.00	ng	-0.02
64) Phenanthrene-d10	17.02	188	1479854	20.00	ng	-0.02
76) Chrysene-d12	21.22	240	1887033	20.00	ng	-0.02
87) Perylene-d12	23.42	264	2025810	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	1083314	71.75	ng	-0.01
7) Phenol-d6	6.81	99	1230526	59.85	ng	-0.02
23) Nitrobenzene-d5	8.78	82	1168164	70.08	ng	-0.02
42) 2,4,6-Tribromophenol	15.77	330	730474	92.85	ng	-0.02
45) 2-Fluorobiphenyl	12.88	172	2672149	61.12	ng	-0.02
79) Terphenyl-d14	19.66	244	5452751	65.13	ng	-0.02
Target Compounds						
80) Butylbenzylphthalate	20.37	149	1116	7.20	ng	# 74
84) Bis(2-ethylhexyl)phthalate	21.15	149	5060	5.38	ng	# 84
85) Di-n-octyl phthalate	22.01	149	605	5.58	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM110718\
Data File : BM017546.D
Acq On : 07 Nov 2018 02:40
Operator : MJ/SJ
Sample : J5816-12
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Nov 07 08:38:28 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM101718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 29 15:08:36 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 7.63 min Scan# 789
Delta R.T. -0.02 min
Lab File: BM017546.D
Acq: 07 Nov 2018 02:40

Instrument :
BNA_M
ClientSampleId :

Tot Ion	Ratio	Lower	Upper
152	100		
150	152.6	124.3	186.5
115	59.7	48.1	72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 71.75 ng
RT: 5.25 min Scan# 385
Delta R.T. -0.01 min
Lab File: BM017546.D
Acq: 07 Nov 2018 02:40

Tgt Ion	Ratio	Lower	Upper
112	100		
64	62.3	41.7	62.5
63	33.7	23.0	34.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 59.85 ng

RT: 6.81 min Scan# 650

Delta R.T. -0.02 min

Lab File: BM017546.D

Acq: 07 Nov 2018 02:40





Instrument :

BNA_M

ClientSampleId :

Tot Ion: 99 Resp: 1230526

Ion	Ratio	Lower	Upper
99	100		
42	21.1	13.3	19.9#
71	38.2	28.0	42.0



#21

Naphthalene-d8

Concen: 20.00 ng

RT: 10.40 min Scan# 1260




Delta R.T. -0.02 min


Lab File: BM017546.D

Acq: 07 Nov 2018 02:40

Tgt Ion: 136 Resp: 974954

Ion	Ratio	Lower	Upper
136	100		
137	10.5	9.2	13.8
54	8.2	6.7	10.1
68	5.6	4.7	7.1









#23
Nitrobenzene-d5
Concen: 70.08 ng
RT: 8.78 min Scan# 985
Delta R.T. -0.02 min
Lab File: BM017546.D
Acq: 07 Nov 2018 02:40




Instrument :
BNA_M
ClientSampled :


Tot Ion: 82 Resp: 1168164
Ion Ratio Lower Upper
82 100
128 41.8 37.0 55.6
54 53.4 40.7 61.1



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 14.27 min Scan# 1918
Delta R.T. -0.02 min
Lab File: BM017546.D
Acq: 07 Nov 2018 02:40

Tgt Ion:164 Resp: 581753
Ion Ratio Lower Upper
164 100
162 103.3 82.1 123.1
160 44.8 40.2 60.2









#42
 2,4,6-Tribromophenol
 Concen: 92.85 ng
 RT: 15.77 min Scan# 2173
 Delta R.T. -0.02 min
 Lab File: BM017546.D
 Acq: 07 Nov 2018 02:40

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion:330 Resp: 730474
 Ion Ratio Lower Upper
 330 100
 332 96.5 77.3 115.9
 141 36.4 27.4 41.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 61.12 ng
 RT: 12.88 min Scan# 1682
 Delta R.T. -0.02 min
 Lab File: BM017546.D
 Acq: 07 Nov 2018 02:40

Tgt Ion:172 Resp: 2672149
 Ion Ratio Lower Upper
 172 100
 171 34.9 28.3 42.5
 170 22.5 18.3 27.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.00 ng

RT: 17.02 min Scan# 2386

Delta R.T. -0.02 min

Lab File: BM017546.D

Acq: 07 Nov 2018 02:40

Instrument :

BNA_M

ClientSampled :


Tot Ion:188 Resp: 1479854

Ion Ratio Lower Upper

188 100

94 9.0 7.0 10.4




80 10.4 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0



#76

Chrysene-d12

Concen: 20.00 ng

RT: 21.22 min Scan# 3100

Delta R.T. -0.02 min

Lab File: BM017546.D

Acq: 07 Nov 2018 02:40


Tgt Ion:240 Resp: 1887033

Ion Ratio Lower Upper

240 100

120 9.9 8.1 12.1



236 24.7 19.9 29.9




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 65.13 ng

RT: 19.66 min Scan# 2835

Delta R.T. -0.02 min

Lab File: BM017546.D

Acq: 07 Nov 2018 02:40

Instrument :

BNA_M

ClientSampled :


Tot Ion:244 Resp: 5452751

Ion Ratio Lower Upper

244 100

212 7.3 5.5 8.3




122 11.1 8.4 12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#80

Butylbenzylphthalate

Concen: 7.20 ng

RT: 20.37 min Scan# 2956

Delta R.T. -0.01 min

Lab File: BM017546.D

Acq: 07 Nov 2018 02:40


Tgt Ion:149 Resp: 1116

Ion Ratio Lower Upper

149 100

91 49.0 51.3 76.9#



206 0.0 18.0 27.0#




Abundance Ion 149.00 (148.70 to 149.70): E

Ion 91.00 (90.70 to 91.70): BM0

Ion 206.00 (205.70 to 206.70): E









#84
 Bis(2-ethylhexyl)phthalate
 Concen: 5.38 ng
 RT: 21.15 min Scan# 3088
 Delta R.T. -0.01 min
 Lab File: BM017546.D
 Acq: 07 Nov 2018 02:40




Instrument :
 BNA_M
 ClientSampleId :


Tot Ion:149 Resp: 5060
 Ion Ratio Lower Upper
 149 100
 167 19.0 22.2 33.4#
 279 7.4 3.6 5.4#



#85
 Di-n-octyl phthalate
 Concen: 5.58 ng
 RT: 22.01 min Scan# 3235
 Delta R.T. -0.02 min
 Lab File: BM017546.D
 Acq: 07 Nov 2018 02:40

Tgt Ion:149 Resp: 605
 Ion Ratio Lower Upper
 149 100
 167 0.0 1.4 2.0#
 43 133.4 7.2 10.8#






#87
 Pervlene-d12
 Concen: 20.00 ng
 RT: 23.42 min Scan# 3474
 Delta R.T. -0.03 min
 Lab File: BM017546.D
 Acq: 07 Nov 2018 02:40

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion:264 Resp: 2025810
 Ion Ratio Lower Upper
 264 100
 260 23.1 18.6 27.8
 265 21.3 17.8 26.8



Abundance Ion 264.00 (263.70 to 264.70): E
 Ion 260.00 (259.70 to 260.70): E
 Ion 265.00 (264.70 to 265.70): E

