

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM110818\
 Data File : BM017553.D
 Acq On : 07 Nov 2018 11:00
 Operator : MJ/SJ
 Sample : J5805-03
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 COMP-SAMPLES(11-15)

Quant Time: Nov 07 13:33:27 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM101718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 29 15:08:36 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.63	152	255220	20.00	ng	-0.02
21) Naphthalene-d8	10.40	136	965350	20.00	ng	-0.02
39) Acenaphthene-d10	14.27	164	565033	20.00	ng	-0.02
64) Phenanthrene-d10	17.02	188	1440871	20.00	ng	-0.02
76) Chrysene-d12	21.22	240	1695135	20.00	ng	-0.02
87) Perylene-d12	23.41	264	1632025	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	1731959	114.78	ng	-0.01
7) Phenol-d6	6.81	99	2007612	97.69	ng	-0.02
23) Nitrobenzene-d5	8.78	82	1618301	98.04	ng	-0.02
42) 2,4,6-Tribromophenol	15.77	330	1197301	156.69	ng	-0.02
45) 2-Fluorobiphenyl	12.88	172	3744571	88.18	ng	-0.02
79) Terphenyl-d14	19.67	244	7242962	96.31	ng	-0.02
Target Compounds						
80) Butylbenzylphthalate	20.37	149	654	7.191	ng	# 67
84) Bis(2-ethylhexyl)phthalate	21.15	149	4570	5.382	ng	# 89
85) Di-n-octyl phthalate	22.00	149	271	5.574	ng	# 78


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM110818\
Data File : BM017553.D
Acq On : 07 Nov 2018 11:00
Operator : MJ/SJ
Sample : J5805-03
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
COMP-SAMPLES(11-15)

Quant Time: Nov 07 13:33:27 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM101718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 29 15:08:36 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.63 min Scan# 789
Delta R.T. -0.02 min
Lab File: BM017553.D
Acq: 07 Nov 2018 11:00

Instrument :
BNA_M
ClientSampleId :
COMP-SAMPLES(11-15)

Tgt Ion:152 Resp: 255220
Ion Ratio Lower Upper
152 100
150 150.9 124.3 186.5
115 58.6 48.1 72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 114.776 ng
RT: 5.25 min Scan# 385
Delta R.T. -0.01 min
Lab File: BM017553.D
Acq: 07 Nov 2018 11:00

Tgt Ion:112 Resp: 1731959
Ion Ratio Lower Upper
112 100
64 60.5 41.7 62.5
63 32.3 23.0 34.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 97.687 ng

RT: 6.81 min Scan# 650

Delta R.T. -0.02 min

Lab File: BM017553.D

Acq: 07 Nov 2018 11:00

Instrument :

BNA_M

ClientSampleId :

COMP-SAMPLES(11-15)


Tgt Ion: 99 Resp: 2007612

Ion Ratio Lower Upper

99 100

42 19.3 13.3 19.9




71 37.5 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BM017163.D (-649) (-)

Ion 42.00 (41.70 to 42.70): BM017163.D (-649) (-)

Ion 71.00 (70.70 to 71.70): BM017163.D (-649) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.40 min Scan# 1260

Delta R.T. -0.02 min

Lab File: BM017553.D

Acq: 07 Nov 2018 11:00

Tgt Ion: 136 Resp: 965350


Ion Ratio Lower Upper

136 100

137 10.8 9.2 13.8

54 8.5 6.7 10.1

68 5.9 4.7 7.1






Abundance Ion 136.00 (135.70 to 136.70): BM017163.D (-1260) (-)

Ion 137.00 (136.70 to 137.70): BM017163.D (-1260) (-)

Ion 54.00 (53.70 to 54.70): BM017163.D (-1260) (-)

Ion 68.00 (67.70 to 68.70): BM017163.D (-1260) (-)









#23
 Nitrobenzene-d5
 Concen: 98.045 ng
 RT: 8.78 min Scan# 985
 Delta R.T. -0.02 min
 Lab File: BM017553.D
 Acq: 07 Nov 2018 11:00




Instrument :
 BNA_M
 ClientSampleId :
 COMP-SAMPLES(11-15)


Tgt Ion: 82 Resp: 1618301
 Ion Ratio Lower Upper
 82 100
 128 42.1 37.0 55.6
 54 51.4 40.7 61.1



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.27 min Scan# 1918
 Delta R.T. -0.02 min
 Lab File: BM017553.D
 Acq: 07 Nov 2018 11:00

Tgt Ion: 164 Resp: 565033
 Ion Ratio Lower Upper
 164 100
 162 102.8 82.1 123.1
 160 45.0 40.2 60.2









#42
 2,4,6-Tribromophenol
 Concen: 156.689 ng
 RT: 15.77 min Scan# 2173
 Delta R.T. -0.02 min
 Lab File: BM017553.D
 Acq: 07 Nov 2018 11:00




Instrument :
 BNA_M
 ClientSampleId :
 COMP-SAMPLES(11-15)


Tgt Ion:330 Resp: 1197301
 Ion Ratio Lower Upper
 330 100
 332 97.3 77.3 115.9
 141 35.2 27.4 41.0



#45
 2-Fluorobiphenyl
 Concen: 88.177 ng
 RT: 12.88 min Scan# 1682
 Delta R.T. -0.02 min
 Lab File: BM017553.D
 Acq: 07 Nov 2018 11:00

Tgt Ion:172 Resp: 3744571
 Ion Ratio Lower Upper
 172 100
 171 35.3 28.3 42.5
 170 22.8 18.3 27.5





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.02 min Scan# 2386

Delta R.T. -0.02 min

Lab File: BM017553.D

Acq: 07 Nov 2018 11:00

Instrument :

BNA_M

ClientSampleId :

COMP-SAMPLES(11-15)


Tgt Ion:188 Resp: 1440871

Ion Ratio Lower Upper

188 100

94 9.0 7.0 10.4




80 10.4 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.22 min Scan# 3100

Delta R.T. -0.02 min

Lab File: BM017553.D

Acq: 07 Nov 2018 11:00


Tgt Ion:240 Resp: 1695135

Ion Ratio Lower Upper

240 100

120 9.6 8.1 12.1



236 24.6 19.9 29.9




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E









#79
 Terphenyl-d14
 Concen: 96.309 ng
 RT: 19.67 min Scan# 2836
 Delta R.T. -0.02 min
 Lab File: BM017553.D
 Acq: 07 Nov 2018 11:00




Instrument :
 BNA_M
 ClientSampleId :
 COMP-SAMPLES(11-15)


Tgt Ion:244 Resp: 7242962
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.5 8.3
 122 10.4 8.4 12.6



#80
 Butylbenzylphthalate
 Concen: 7.191 ng
 RT: 20.37 min Scan# 2955
 Delta R.T. -0.02 min
 Lab File: BM017553.D
 Acq: 07 Nov 2018 11:00

Tgt Ion:149 Resp: 654
 Ion Ratio Lower Upper
 149 100
 91 42.3 51.3 76.9#
 206 0.0 18.0 27.0#









#84
 Bis(2-ethylhexyl)phthalate
 Concen: 5.382 ng
 RT: 21.15 min Scan# 3088
 Delta R.T. -0.01 min
 Lab File: BM017553.D
 Acq: 07 Nov 2018 11:00




Instrument :
 BNA_M
 ClientSampleId :
 COMP-SAMPLES(11-15)


Tgt Ion:149 Resp: 4570
 Ion Ratio Lower Upper
 149 100
 167 33.2 22.2 33.4
 279 0.0 3.6 5.4#



#85
 Di-n-octyl phthalate
 Concen: 5.574 ng
 RT: 22.00 min Scan# 3233
 Delta R.T. -0.04 min
 Lab File: BM017553.D
 Acq: 07 Nov 2018 11:00

Tgt Ion:149 Resp: 271
 Ion Ratio Lower Upper
 149 100
 167 0.0 1.4 2.0#
 43 0.0 7.2 10.8#





#87
Perylene-d12
Concen: 20.000 ng
RT: 23.41 min Scan# 3473
Delta R.T. -0.04 min
Lab File: BM017553.D
Acq: 07 Nov 2018 11:00

Instrument :
BNA_M
ClientSampleId :
COMP-SAMPLES(11-15)

Tgt Ion:264 Resp: 1632025

Ion	Ratio	Lower	Upper
264	100		
260	23.0	18.6	27.8
265	22.3	17.8	26.8

