

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM110821\
 Data File : BM032890.D
 Acq On : 08 Nov 2021 12:11
 Operator : CG/JU
 Sample : PB140512TB
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB140512TB

Quant Time: Nov 08 12:51:34 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM110221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 02 16:07:18 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.484	152	108410	20.000	ng	0.00
21) Naphthalene-d8	10.266	136	454881	20.000	ng	# 0.00
39) Acenaphthene-d10	14.142	164	307821	20.000	ng	-0.01
64) Phenanthrene-d10	16.883	188	669363	20.000	ng	-0.01
76) Chrysene-d12	21.065	240	643680	20.000	ng	-0.01
86) Perylene-d12	23.177	264	624464	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.078	112	1043545	167.817	ng	0.00
7) Phenol-d6	6.695	99	1320776	142.627	ng	0.00
23) Nitrobenzene-d5	8.636	82	831738	100.078	ng	-0.01
42) 2,4,6-Tribromophenol	15.642	330	492727	142.927	ng	0.00
45) 2-Fluorobiphenyl	12.760	172	1907055	96.089	ng	0.00
79) Terphenyl-d14	19.518	244	2837848	96.255	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM110821\
Data File : BM032890.D
Acq On : 08 Nov 2021 12:11
Operator : CG/JU
Sample : PB140512TB
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB140512TB

Quant Time: Nov 08 12:51:34 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM110221.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 02 16:07:18 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.484 min Scan# 791
Delta R.T. -0.006 min
Lab File: BM032890.D
Acq: 08 Nov 2021 12:11




Instrument :
BNA_M
ClientSampleId :
PB140512TB


Tgt Ion:152 Resp: 108410
Ion Ratio Lower Upper
152 100
150 154.2 122.4 183.6
115 62.0 53.8 80.8



#5
2-Fluorophenol
Concen: 167.817 ng
RT: 5.078 min Scan# 381
Delta R.T. -0.000 min
Lab File: BM032890.D
Acq: 08 Nov 2021 12:11

Tgt Ion:112 Resp: 1043545
Ion Ratio Lower Upper
112 100
64 58.9 53.7 80.5
63 31.4 33.9 50.9#









#7
Phenol-d6
Concen: 142.627 ng
RT: 6.695 min Scan# 61
Delta R.T. -0.000 min
Lab File: BM032890.D
Acq: 08 Nov 2021 12:11




Instrument :
BNA_M
ClientSampleId :
PB140512TB


Tgt Ion: 99 Resp: 1320776
Ion Ratio Lower Upper
99 100
42 17.8 23.0 34.6#
71 35.7 37.8 56.8#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.266 min Scan# 1263
Delta R.T. -0.006 min
Lab File: BM032890.D
Acq: 08 Nov 2021 12:11

Tgt Ion: 136 Resp: 454881
Ion Ratio Lower Upper
136 100
137 11.0 8.7 13.1
54 8.4 7.4 11.0
68 6.3 3.8 5.8#





#23

Nitrobenzene-d5

Concen: 100.078 ng

RT: 8.636 min Scan# 91

Delta R.T. -0.012 min

Lab File: BM032890.D

Acq: 08 Nov 2021 12:11

Instrument :

BNA_M

ClientSampleId :

PB140512TB





Tgt Ion: 82 Resp: 831738

Ion Ratio Lower Upper

82 100

128 42.0 29.0 43.6

54 51.2 45.8 68.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.142 min Scan# 1922

Delta R.T. -0.012 min

Lab File: BM032890.D

Acq: 08 Nov 2021 12:11




Tgt Ion: 164 Resp: 307821


Ion Ratio Lower Upper

164 100

162 100.0 80.6 121.0

160 43.4 35.1 52.7









#42
2,4,6-Tribromophenol
Concen: 142.927 ng
RT: 15.642 min Scan# 2178
Delta R.T. -0.006 min
Lab File: BM032890.D
Acq: 08 Nov 2021 12:11




Instrument :
BNA_M
ClientSampleId :
PB140512TB


Tgt Ion:330 Resp: 492727
Ion Ratio Lower Upper
330 100
332 97.8 75.7 113.5
141 41.7 50.7 76.1#



#45
2-Fluorobiphenyl
Concen: 96.089 ng
RT: 12.760 min Scan# 1687
Delta R.T. -0.006 min
Lab File: BM032890.D
Acq: 08 Nov 2021 12:11

Tgt Ion:172 Resp: 1907055
Ion Ratio Lower Upper
172 100
171 35.5 28.1 42.1
170 23.8 18.6 27.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 16.883 min Scan# 21

Delta R.T. -0.012 min

Lab File: BM032890.D

Acq: 08 Nov 2021 12:11

Instrument :

BNA_M

ClientSampleId :

PB140512TB





Tgt Ion:188 Resp: 669363

Ion Ratio Lower Upper

188 100

94 9.1 6.3 9.5

80 10.6 7.3 10.9



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.065 min Scan# 3099

Delta R.T. -0.012 min

Lab File: BM032890.D

Acq: 08 Nov 2021 12:11




Tgt Ion:240 Resp: 643680


Ion Ratio Lower Upper

240 100

120 11.4 7.8 11.6

236 25.9 20.9 31.3









#79
 Terphenyl-d14
 Concen: 96.255 ng
 RT: 19.518 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM032890.D
 Acq: 08 Nov 2021 12:11

Instrument :
 BNA_M
 ClientSampleId :
 PB140512TB

Tgt Ion:244 Resp: 2837848
 Ion Ratio Lower Upper
 244 100
 212 7.9 6.5 9.7
 122 10.8 8.7 13.1



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.177 min Scan# 3458
 Delta R.T. -0.012 min
 Lab File: BM032890.D
 Acq: 08 Nov 2021 12:11

Tgt Ion:264 Resp: 624464
 Ion Ratio Lower Upper
 264 100
 260 23.8 19.3 28.9
 265 22.1 18.3 27.5

