

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM110821\
 Data File : BM032903.D
 Acq On : 08 Nov 2021 20:05
 Operator : CG/JU
 Sample : M4477-03
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 T1-EP03-S

Quant Time: Nov 09 00:25:23 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM110221.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 02 16:07:18 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.484	152	86342	20.000	ng	0.00
21) Naphthalene-d8	10.266	136	375836	20.000	ng	# 0.00
39) Acenaphthene-d10	14.142	164	267376	20.000	ng	-0.01
64) Phenanthrene-d10	16.883	188	591916	20.000	ng	-0.01
76) Chrysene-d12	21.065	240	629141	20.000	ng	-0.01
86) Perylene-d12	23.171	264	637414	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.078	112	601837	121.521	ng	0.00
7) Phenol-d6	6.690	99	800717	108.568	ng	0.00
23) Nitrobenzene-d5	8.637	82	487279	70.962	ng	-0.01
42) 2,4,6-Tribromophenol	15.642	330	319934	106.843	ng	0.00
45) 2-Fluorobiphenyl	12.760	172	1235045	71.642	ng	0.00
79) Terphenyl-d14	19.512	244	1994953	69.229	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM110821\
Data File : BM032903.D
Acq On : 08 Nov 2021 20:05
Operator : CG/JU
Sample : M4477-03
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
T1-EP03-S

Quant Time: Nov 09 00:25:23 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM110221.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 02 16:07:18 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.484 min Scan# 791
Delta R.T. -0.006 min
Lab File: BM032903.D
Acq: 08 Nov 2021 20:05




Instrument :
BNA_M
ClientSampleId :
T1-EP03-S


Tgt Ion:152 Resp: 86342
Ion Ratio Lower Upper
152 100
150 155.0 122.4 183.6
115 59.0 53.8 80.8



#5
2-Fluorophenol
Concen: 121.521 ng
RT: 5.078 min Scan# 381
Delta R.T. -0.000 min
Lab File: BM032903.D
Acq: 08 Nov 2021 20:05

Tgt Ion:112 Resp: 601837
Ion Ratio Lower Upper
112 100
64 57.4 53.7 80.5
63 31.0 33.9 50.9#









#7
Phenol-d6
Concen: 108.568 ng
RT: 6.690 min Scan# 61
Delta R.T. -0.006 min
Lab File: BM032903.D
Acq: 08 Nov 2021 20:05




Instrument :
BNA_M
ClientSampleId :
T1-EP03-S


Tgt Ion: 99 Resp: 800717
Ion Ratio Lower Upper
99 100
42 17.8 23.0 34.6#
71 35.5 37.8 56.8#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.266 min Scan# 1263
Delta R.T. -0.006 min
Lab File: BM032903.D
Acq: 08 Nov 2021 20:05

Tgt Ion: 136 Resp: 375836
Ion Ratio Lower Upper
136 100
137 11.1 8.7 13.1
54 8.4 7.4 11.0
68 6.0 3.8 5.8#









#23
Nitrobenzene-d5
Concen: 70.962 ng
RT: 8.637 min Scan# 91
Delta R.T. -0.012 min
Lab File: BM032903.D
Acq: 08 Nov 2021 20:05




Instrument :
BNA_M
ClientSampleId :
T1-EP03-S


Tgt Ion: 82 Resp: 487279
Ion Ratio Lower Upper
82 100
128 41.8 29.0 43.6
54 50.8 45.8 68.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.142 min Scan# 1922
Delta R.T. -0.012 min
Lab File: BM032903.D
Acq: 08 Nov 2021 20:05

Tgt Ion: 164 Resp: 267376
Ion Ratio Lower Upper
164 100
162 99.2 80.6 121.0
160 44.5 35.1 52.7









#42
2,4,6-Tribromophenol
Concen: 106.843 ng
RT: 15.642 min Scan# 2178
Delta R.T. -0.006 min
Lab File: BM032903.D
Acq: 08 Nov 2021 20:05




Instrument :
BNA_M
ClientSampleId :
T1-EP03-S


Tgt Ion:330 Resp: 319934
Ion Ratio Lower Upper
330 100
332 97.4 75.7 113.5
141 41.6 50.7 76.1#



#45
2-Fluorobiphenyl
Concen: 71.642 ng
RT: 12.760 min Scan# 1687
Delta R.T. -0.006 min
Lab File: BM032903.D
Acq: 08 Nov 2021 20:05

Tgt Ion:172 Resp: 1235045
Ion Ratio Lower Upper
172 100
171 34.8 28.1 42.1
170 23.5 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.883 min Scan# 21
Delta R.T. -0.012 min
Lab File: BM032903.D
Acq: 08 Nov 2021 20:05




Instrument :
BNA_M
ClientSampleId :
T1-EP03-S


Tgt Ion:188 Resp: 591916
Ion Ratio Lower Upper
188 100
94 9.1 6.3 9.5
80 9.8 7.3 10.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.065 min Scan# 3099
Delta R.T. -0.012 min
Lab File: BM032903.D
Acq: 08 Nov 2021 20:05

Tgt Ion:240 Resp: 629141
Ion Ratio Lower Upper
240 100
120 10.5 7.8 11.6
236 25.3 20.9 31.3









#79
 Terphenyl-d14
 Concen: 69.229 ng
 RT: 19.512 min Scan# 24
 Delta R.T. -0.012 min
 Lab File: BM032903.D
 Acq: 08 Nov 2021 20:05

Instrument :
 BNA_M
 ClientSampleId :
 T1-EP03-S

Tgt Ion:244 Resp: 1994953
 Ion Ratio Lower Upper
 244 100
 212 7.8 6.5 9.7
 122 11.1 8.7 13.1



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.171 min Scan# 3457
 Delta R.T. -0.018 min
 Lab File: BM032903.D
 Acq: 08 Nov 2021 20:05

Tgt Ion:264 Resp: 637414
 Ion Ratio Lower Upper
 264 100
 260 24.3 19.3 28.9
 265 22.4 18.3 27.5

