

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM110923\
 Data File : BM042673.D
 Acq On : 09 Nov 2023 16:06
 Operator : MA/JU
 Sample : 05256-12
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 WC-10

Quant Time: Nov 09 16:40:09 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM103023.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 09 13:21:00 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.845	152	29337	20.000	ng	0.00
21) Naphthalene-d8	10.663	136	100896	20.000	ng	# 0.00
39) Acenaphthene-d10	14.504	164	60852	20.000	ng	0.00
64) Phenanthrene-d10	17.257	188	123064	20.000	ng	# 0.00
76) Chrysene-d12	21.439	240	117736	20.000	ng	# 0.00
86) Perylene-d12	23.815	264	143642	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.381	112	269518	148.267	ng	0.00
7) Phenol-d6	7.010	99	316615	127.000	ng	0.00
23) Nitrobenzene-d5	9.045	82	253546	117.144	ng	0.00
42) 2,4,6-Tribromophenol	15.998	330	139197	175.206	ng	0.00
45) 2-Fluorobiphenyl	13.121	172	490077	108.369	ng	0.00
79) Terphenyl-d14	19.874	244	781449	112.542	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM110923\
Data File : BM042673.D
Acq On : 09 Nov 2023 16:06
Operator : MA/JU
Sample : 05256-12
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
WC-10

Quant Time: Nov 09 16:40:09 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM103023.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 09 13:21:00 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.845 min Scan# 806
Delta R.T. 0.000 min
Lab File: BM042673.D
Acq: 09 Nov 2023 16:06




Instrument :
BNA_M
ClientSampleId :
WC-10


Tgt Ion:152 Resp: 29337
Ion Ratio Lower Upper
152 100
150 153.0 127.4 191.0
115 62.9 47.9 71.9



#5
2-Fluorophenol
Concen: 148.267 ng
RT: 5.381 min Scan# 407
Delta R.T. 0.006 min
Lab File: BM042673.D
Acq: 09 Nov 2023 16:06

Tgt Ion:112 Resp: 269518
Ion Ratio Lower Upper
112 100
64 68.6 52.1 78.1
63 44.2 28.3 42.5#





#7

Phenol-d6

Concen: 127.000 ng

RT: 7.010 min Scan# 61

Delta R.T. 0.000 min

Lab File: BM042673.D

Acq: 09 Nov 2023 16:06

Instrument :

BNA_M

ClientSampleId :

WC-10





Tgt Ion: 99 Resp: 316615

Ion Ratio Lower Upper

99 100

42 34.0 18.7 28.1#

71 46.6 29.1 43.7#



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.663 min Scan# 1305

Delta R.T. 0.000 min

Lab File: BM042673.D

Acq: 09 Nov 2023 16:06

Tgt Ion: 136 Resp: 100896




Ion Ratio Lower Upper


136 100

137 12.1 9.0 13.6

54 12.9 8.0 12.0#

68 6.5 5.7 8.5









#23
Nitrobenzene-d5
Concen: 117.144 ng
RT: 9.045 min Scan# 1011
Delta R.T. -0.006 min
Lab File: BM042673.D
Acq: 09 Nov 2023 16:06




Instrument :
BNA_M
ClientSampleId :
WC-10

Tgt Ion: 82 Resp: 253546
Ion Ratio Lower Upper
82 100
128 35.0 30.7 46.1
54 63.6 45.3 67.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.504 min Scan# 1958
Delta R.T. 0.000 min
Lab File: BM042673.D
Acq: 09 Nov 2023 16:06

Tgt Ion:164 Resp: 60852
Ion Ratio Lower Upper
164 100
162 95.9 81.6 122.4
160 43.9 36.2 54.4









#42
2,4,6-Tribromophenol
Concen: 175.206 ng
RT: 15.998 min Scan# 2191
Delta R.T. 0.000 min
Lab File: BM042673.D
Acq: 09 Nov 2023 16:06




Instrument :
BNA_M
ClientSampleId :
WC-10


Tgt Ion:330 Resp: 139197
Ion Ratio Lower Upper
330 100
332 96.9 78.8 118.2
141 40.8 31.1 46.7



#45
2-Fluorobiphenyl
Concen: 108.369 ng
RT: 13.121 min Scan# 1723
Delta R.T. 0.000 min
Lab File: BM042673.D
Acq: 09 Nov 2023 16:06

Tgt Ion:172 Resp: 490077
Ion Ratio Lower Upper
172 100
171 35.5 28.2 42.2
170 23.6 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.257 min Scan# 24
Delta R.T. 0.000 min
Lab File: BM042673.D
Acq: 09 Nov 2023 16:06




Instrument :
BNA_M
ClientSampleId :
WC-10

Tgt Ion:188 Resp: 123064
Ion Ratio Lower Upper
188 100
94 7.4 8.2 12.4#
80 8.7 9.4 14.2#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.439 min Scan# 3137
Delta R.T. 0.000 min
Lab File: BM042673.D
Acq: 09 Nov 2023 16:06

Tgt Ion:240 Resp: 117736
Ion Ratio Lower Upper
240 100
120 8.2 8.3 12.5#
236 26.6 20.8 31.2









#79
 Terphenyl-d14
 Concen: 112.542 ng
 RT: 19.874 min Scan# 21
 Delta R.T. 0.000 min
 Lab File: BM042673.D
 Acq: 09 Nov 2023 16:06

Instrument :
 BNA_M
 ClientSampleId :
 WC-10

Tgt Ion:244 Resp: 781449
 Ion Ratio Lower Upper
 244 100
 212 7.9 5.4 8.2
 122 8.1 7.2 10.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.815 min Scan# 3541
 Delta R.T. 0.000 min
 Lab File: BM042673.D
 Acq: 09 Nov 2023 16:06

Tgt Ion:264 Resp: 143642
 Ion Ratio Lower Upper
 264 100
 260 22.7 19.0 28.4
 265 22.4 18.7 28.1

