

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111018\
 Data File : BM017596.D
 Acq On : 09 Nov 2018 18:00
 Operator : MJ/SJ
 Sample : PB114669BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB114669BL

Quant Time: Nov 12 01:10:59 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM101718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 29 15:08:36 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	242686	20.00	ng	-0.02
21) Naphthalene-d8	10.39	136	931332	20.00	ng	-0.03
39) Acenaphthene-d10	14.26	164	541016	20.00	ng	-0.03
64) Phenanthrene-d10	17.02	188	1248144	20.00	ng	-0.02
76) Chrysene-d12	21.22	240	1283592	20.00	ng	-0.03
87) Perylene-d12	23.41	264	1142133	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	1741368	121.36	ng	-0.02
7) Phenol-d6	6.81	99	2302875	117.84	ng	-0.02
23) Nitrobenzene-d5	8.77	82	1398300	87.81	ng	-0.03
42) 2,4,6-Tribromophenol	15.76	330	918795	125.58	ng	-0.03
45) 2-Fluorobiphenyl	12.88	172	3248591	79.89	ng	-0.02
79) Terphenyl-d14	19.66	244	4951208	86.94	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111018\
Data File : BM017596.D
Acq On : 09 Nov 2018 18:00
Operator : MJ/SJ
Sample : PB114669BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB114669BL

Quant Time: Nov 12 01:10:59 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM101718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 29 15:08:36 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.62 min Scan# 788
Delta R.T. -0.02 min
Lab File: BM017596.D
Acq: 09 Nov 2018 18:00

Instrument :
BNA_M
ClientSampleId :
PB114669BL

Tot Ion:152 Resp: 242686
Ion Ratio Lower Upper
152 100
150 157.2 124.3 186.5
115 60.8 48.1 72.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 121.360 ng
RT: 5.25 min Scan# 384
Delta R.T. -0.02 min
Lab File: BM017596.D
Acq: 09 Nov 2018 18:00

Tgt Ion:112 Resp: 1741368
Ion Ratio Lower Upper
112 100
64 60.1 41.7 62.5
63 32.7 23.0 34.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 117.841 ng

RT: 6.81 min Scan# 650

Delta R.T. -0.02 min

Lab File: BM017596.D

Acq: 09 Nov 2018 18:00

Instrument :


BNA_M

ClientSampleId :

PB114669BL

Tot Ion: 99 Resp: 2302875

Ion	Ratio	Lower	Upper
99	100		
42	19.9	13.3	19.9
71	36.7	28.0	42.0






Abundance

Ion 99.00 (98.70 to 99.70): BM017163.D (-649) (-)

Ion 42.00 (41.70 to 42.70): BM017163.D (-649) (-)

Ion 71.00 (70.70 to 71.70): BM017163.D (-649) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.39 min Scan# 1259


Delta R.T. -0.03 min

Lab File: BM017596.D

Acq: 09 Nov 2018 18:00

Tgt Ion: 136 Resp: 931332

Ion	Ratio	Lower	Upper
136	100		
137	11.0	9.2	13.8
54	8.7	6.7	10.1
68	6.2	4.7	7.1





Abundance


Ion 136.00 (135.70 to 136.70): BM017163.D (-1260) (-)

Ion 137.00 (136.70 to 137.70): BM017163.D (-1260) (-)

Ion 54.00 (53.70 to 54.70): BM017163.D (-1260) (-)

Ion 68.00 (67.70 to 68.70): BM017163.D (-1260) (-)









#23
 Nitrobenzene-d5
 Concen: 87.810 ng
 RT: 8.77 min Scan# 984
 Delta R.T. -0.03 min
 Lab File: BM017596.D
 Acq: 09 Nov 2018 18:00

Instrument :
 BNA_M
 ClientSampled :
 PB114669BL

Tot Ion: 82 Resp: 1398300




Ion	Ratio	Lower	Upper
82	100		
128	40.8	37.0	55.6
54	51.9	40.7	61.1




#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.26 min Scan# 1917
 Delta R.T. -0.03 min
 Lab File: BM017596.D
 Acq: 09 Nov 2018 18:00

Tgt Ion: 164 Resp: 541016

Ion	Ratio	Lower	Upper
164	100		
162	103.4	82.1	123.1
160	46.5	40.2	60.2









#42
 2,4,6-Tribromophenol
 Concen: 125.579 ng
 RT: 15.76 min Scan# 2172
 Delta R.T. -0.03 min
 Lab File: BM017596.D
 Acq: 09 Nov 2018 18:00

Instrument :
 BNA_M
 ClientSampleId :
 PB114669BL

Tot Ion:330 Resp: 918795
 Ion Ratio Lower Upper
 330 100
 332 97.2 77.3 115.9
 141 35.4 27.4 41.0




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 79.894 ng
 RT: 12.88 min Scan# 1682
 Delta R.T. -0.02 min
 Lab File: BM017596.D
 Acq: 09 Nov 2018 18:00

Tgt Ion:172 Resp: 3248591
 Ion Ratio Lower Upper
 172 100
 171 35.1 28.3 42.5
 170 22.5 18.3 27.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.02 min Scan# 2386
Delta R.T. -0.02 min
Lab File: BM017596.D
Acq: 09 Nov 2018 18:00

Instrument :
BNA_M
ClientSampleId :
PB114669BL

Tot Ion:188 Resp: 1248144
Ion Ratio Lower Upper
188 100
94 8.4 7.0 10.4
80 10.1 7.7 11.5




Abundance Ion 188.00 (187.70 to 188.70): E
1000000 Ion 94.00 (93.70 to 94.70): BM
Ion 80.00 (79.70 to 80.70): BM






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.22 min Scan# 3099
Delta R.T. -0.03 min
Lab File: BM017596.D
Acq: 09 Nov 2018 18:00

Tgt Ion:240 Resp: 1283592
Ion Ratio Lower Upper
240 100
120 10.2 8.1 12.1
236 25.5 19.9 29.9



Abundance Ion 240.00 (239.70 to 240.70): E
1200000 Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 86.944 ng

RT: 19.66 min Scan# 2835

Delta R.T. -0.02 min

Lab File: BM017596.D

Acq: 09 Nov 2018 18:00

Instrument :

BNA_M

ClientSampleId :

PB114669BL


Tot Ion:244 Resp: 4951208

Ion Ratio Lower Upper

244 100

212 7.1 5.5 8.3




122 10.0 8.4 12.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.41 min Scan# 3472

Delta R.T. -0.04 min

Lab File: BM017596.D

Acq: 09 Nov 2018 18:00


Tgt Ion:264 Resp: 1142133

Ion Ratio Lower Upper

264 100

260 23.0 18.6 27.8

265 22.3 17.8 26.8



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

