

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111018\
 Data File : BM017602.D
 Acq On : 09 Nov 2018 21:36
 Operator : MJ/SJ
 Sample : J5887-07
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 W-1-D

Quant Time: Nov 12 01:31:54 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM101718.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Oct 29 15:08:36 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	254410	20.00	ng	-0.03
21) Naphthalene-d8	10.39	136	1048272	20.00	ng	-0.03
39) Acenaphthene-d10	14.26	164	596114	20.00	ng	-0.03
64) Phenanthrene-d10	17.02	188	1342209	20.00	ng	-0.03
76) Chrysene-d12	21.22	240	1438657	20.00	ng	-0.03
87) Perylene-d12	23.41	264	1260047	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.25	112	1917837	127.50	ng	-0.02
7) Phenol-d6	6.81	99	2609897	127.40	ng	-0.02
23) Nitrobenzene-d5	8.77	82	1602302	89.40	ng	-0.03
42) 2,4,6-Tribromophenol	15.76	330	1041968	129.25	ng	-0.03
45) 2-Fluorobiphenyl	12.87	172	3211875	71.69	ng	-0.03
79) Terphenyl-d14	19.66	244	4709530	73.79	ng	-0.02
Target Compounds						
10) Phenol	6.83	94	144267	6.543	ng	95
50) Dimethylphthalate	13.74	163	145882	3.172	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111018\
Data File : BM017602.D
Acq On : 09 Nov 2018 21:36
Operator : MJ/SJ
Sample : J5887-07
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
W-1-D

Quant Time: Nov 12 01:31:54 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM101718.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Oct 29 15:08:36 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.62 min Scan# 787
Delta R.T. -0.03 min
Lab File: BM017602.D
Acq: 09 Nov 2018 21:36

Instrument :
BNA_M
ClientSampleId :
W-1-D

Tot Ion	Ratio	Lower	Upper
152	100		
150	161.1	124.3	186.5
115	61.7	48.1	72.1






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 127.499 ng
RT: 5.25 min Scan# 384
Delta R.T. -0.02 min
Lab File: BM017602.D
Acq: 09 Nov 2018 21:36

Tgt Ion	Ratio	Lower	Upper
112	100		
64	60.4	41.7	62.5
63	32.0	23.0	34.4








Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 127.397 ng

RT: 6.81 min Scan# 650

Delta R.T. -0.02 min

Lab File: BM017602.D

Acq: 09 Nov 2018 21:36

Instrument :

BNA_M

ClientSampleId :

W-1-D





Tot Ion: 99 Resp: 2609897

Ion Ratio Lower Upper

99 100

42 20.0 13.3 19.9#

71 36.6 28.0 42.0



#10

Phenol

Concen: 6.543 ng

RT: 6.83 min Scan# 654

Delta R.T. -0.02 min

Lab File: BM017602.D

Acq: 09 Nov 2018 21:36


Tgt Ion: 94 Resp: 144267


Ion Ratio Lower Upper

94 100

65 30.6 9.4 49.4

66 43.5 19.0 59.0









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.39 min Scan# 1259
Delta R.T. -0.03 min
Lab File: BM017602.D
Acq: 09 Nov 2018 21:36

Instrument :
BNA_M
ClientSampleId :
W-1-D

Tot Ion:136	Resp: 1048272
Ion Ratio	Lower Upper
136 100	
137 10.7	9.2 13.8
54 8.7	6.7 10.1
68 5.9	4.7 7.1




Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BM
Ion 68.00 (67.70 to 68.70): BM






#23
Nitrobenzene-d5
Concen: 89.396 ng
RT: 8.77 min Scan# 984
Delta R.T. -0.03 min
Lab File: BM017602.D
Acq: 09 Nov 2018 21:36

Tgt Ion: 82	Resp: 1602302
Ion Ratio	Lower Upper
82 100	
128 41.3	37.0 55.6
54 51.5	40.7 61.1



Abundance Ion 82.00 (81.70 to 82.70): BM
Ion 128.00 (127.70 to 128.70): E
Ion 54.00 (53.70 to 54.70): BM









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.26 min Scan# 1917
Delta R.T. -0.03 min
Lab File: BM017602.D
Acq: 09 Nov 2018 21:36




Instrument :
BNA_M
ClientSampleId :
W-1-D


Tot Ion:164 Resp: 596114
Ion Ratio Lower Upper
164 100
162 103.3 82.1 123.1
160 45.3 40.2 60.2



#42
2,4,6-Tribromophenol
Concen: 129.251 ng
RT: 15.76 min Scan# 2172
Delta R.T. -0.03 min
Lab File: BM017602.D
Acq: 09 Nov 2018 21:36

Tgt Ion:330 Resp: 1041968
Ion Ratio Lower Upper
330 100
332 96.4 77.3 115.9
141 35.0 27.4 41.0









#45
2-Fluorobiphenyl
Concen: 71.690 ng
RT: 12.87 min Scan# 1681
Delta R.T. -0.03 min
Lab File: BM017602.D
Acq: 09 Nov 2018 21:36




Instrument :
BNA_M
ClientSampled :
W-1-D


Tot Ion:172 Resp: 3211875
Ion Ratio Lower Upper
172 100
171 35.1 28.3 42.5
170 22.7 18.3 27.5



#50
Dimethylphthalate
Concen: 3.172 ng
RT: 13.74 min Scan# 1828
Delta R.T. -0.02 min
Lab File: BM017602.D
Acq: 09 Nov 2018 21:36

Tgt Ion:163 Resp: 145882
Ion Ratio Lower Upper
163 100
194 4.3 3.3 4.9
164 9.5 7.8 11.8





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.02 min Scan# 2385

Delta R.T. -0.03 min

Lab File: BM017602.D

Acq: 09 Nov 2018 21:36

Instrument :

BNA_M

ClientSampleID :

W-1-D


Tot Ion:188 Resp: 1342209

Ion Ratio Lower Upper

188 100

94 9.3 7.0 10.4




80 10.5 7.7 11.5



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM

Ion 80.00 (79.70 to 80.70): BM



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.22 min Scan# 3099

Delta R.T. -0.03 min

Lab File: BM017602.D

Acq: 09 Nov 2018 21:36


Tgt Ion:240 Resp: 1438657

Ion Ratio Lower Upper

240 100

120 10.0 8.1 12.1



236 24.5 19.9 29.9




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 73.786 ng

RT: 19.66 min Scan# 2835

Delta R.T. -0.02 min

Lab File: BM017602.D

Acq: 09 Nov 2018 21:36

Instrument :

BNA_M

ClientSampleId :

W-1-D


Tot Ion:244 Resp: 4709530

Ion Ratio Lower Upper




244 100

212 6.9 5.5 8.3

122 10.0 8.4 12.6



Abundance Ion 244.00 (243.70 to 244.70): E
5000000
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.41 min Scan# 3472

Delta R.T. -0.04 min

Lab File: BM017602.D

Acq: 09 Nov 2018 21:36


Tgt Ion:264 Resp: 1260047

Ion Ratio Lower Upper

264 100

260 23.1 18.6 27.8

265 22.1 17.8 26.8



Abundance Ion 264.00 (263.70 to 264.70): E
800000
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

