

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM111023\
 Data File : BM042686.D
 Acq On : 10 Nov 2023 11:58
 Operator : MA/JU
 Sample : PB156988BL
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 PB156988BL

Quant Time: Nov 10 12:41:47 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM103023.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 09 13:21:00 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.845	152	43917	20.000	ng	0.00
21) Naphthalene-d8	10.663	136	172623	20.000	ng	0.00
39) Acenaphthene-d10	14.504	164	124259	20.000	ng	0.00
64) Phenanthrene-d10	17.256	188	294477	20.000	ng	# 0.00
76) Chrysene-d12	21.439	240	298625	20.000	ng	# 0.00
86) Perylene-d12	23.815	264	316215	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.381	112	451756	166.013	ng	0.00
7) Phenol-d6	7.016	99	593540	159.040	ng	0.00
23) Nitrobenzene-d5	9.051	82	412905	111.504	ng	0.00
42) 2,4,6-Tribromophenol	16.004	330	335200	206.619	ng	0.00
45) 2-Fluorobiphenyl	13.121	172	1015765	109.997	ng	0.00
79) Terphenyl-d14	19.874	244	2170220	123.226	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM111023\
Data File : BM042686.D
Acq On : 10 Nov 2023 11:58
Operator : MA/JU
Sample : PB156988BL
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
PB156988BL

Quant Time: Nov 10 12:41:47 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM103023.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 09 13:21:00 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.845 min Scan# 80
Delta R.T. 0.000 min
Lab File: BM042686.D
Acq: 10 Nov 2023 11:58




Instrument :
BNA_M
ClientSampleId :
PB156988BL


Tgt Ion:152 Resp: 43917
Ion Ratio Lower Upper
152 100
150 159.1 127.4 191.0
115 61.7 47.9 71.9



#5
2-Fluorophenol
Concen: 166.013 ng
RT: 5.381 min Scan# 407
Delta R.T. 0.006 min
Lab File: BM042686.D
Acq: 10 Nov 2023 11:58

Tgt Ion:112 Resp: 451756
Ion Ratio Lower Upper
112 100
64 69.2 52.1 78.1
63 43.6 28.3 42.5#









#7
Phenol-d6
Concen: 159.040 ng
RT: 7.016 min Scan# 61
Delta R.T. 0.006 min
Lab File: BM042686.D
Acq: 10 Nov 2023 11:58




Instrument :
BNA_M
ClientSampleId :
PB156988BL


Tgt Ion: 99 Resp: 593540
Ion Ratio Lower Upper
99 100
42 32.8 18.7 28.1#
71 45.1 29.1 43.7#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.663 min Scan# 1305
Delta R.T. -0.000 min
Lab File: BM042686.D
Acq: 10 Nov 2023 11:58

Tgt Ion:136 Resp: 172623
Ion Ratio Lower Upper
136 100
137 11.3 9.0 13.6
54 11.9 8.0 12.0
68 6.3 5.7 8.5









#23
Nitrobenzene-d5
Concen: 111.504 ng
RT: 9.051 min Scan# 1011
Delta R.T. -0.000 min
Lab File: BM042686.D
Acq: 10 Nov 2023 11:58




Instrument :
BNA_M
ClientSampleId :
PB156988BL


Tgt Ion: 82 Resp: 412905
Ion Ratio Lower Upper
82 100
128 35.7 30.7 46.1
54 63.0 45.3 67.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.504 min Scan# 1958
Delta R.T. -0.000 min
Lab File: BM042686.D
Acq: 10 Nov 2023 11:58


Tgt Ion:164 Resp: 124259
Ion Ratio Lower Upper
164 100
162 100.4 81.6 122.4
160 44.9 36.2 54.4








#42
2,4,6-Tribromophenol
Concen: 206.619 ng
RT: 16.004 min Scan# 2191
Delta R.T. 0.006 min
Lab File: BM042686.D
Acq: 10 Nov 2023 11:58


Instrument :
BNA_M
ClientSampleId :
PB156988BL





Tgt Ion:330 Resp: 335200
Ion Ratio Lower Upper
330 100
332 97.2 78.8 118.2
141 39.8 31.1 46.7




#45
2-Fluorobiphenyl
Concen: 109.997 ng
RT: 13.121 min Scan# 1723
Delta R.T. -0.000 min
Lab File: BM042686.D
Acq: 10 Nov 2023 11:58



Tgt Ion:172 Resp: 1015765
Ion Ratio Lower Upper
172 100
171 35.5 28.2 42.2
170 23.6 19.0 28.4





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.256 min Scan# 24

Delta R.T. -0.000 min

Lab File: BM042686.D

Acq: 10 Nov 2023 11:58

Instrument :

BNA_M

ClientSampleId :

PB156988BL





Tgt Ion:188 Resp: 294477

Ion Ratio Lower Upper

188 100

94 7.4 8.2 12.4#

80 8.6 9.4 14.2#



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.439 min Scan# 3137

Delta R.T. -0.000 min

Lab File: BM042686.D

Acq: 10 Nov 2023 11:58




Tgt Ion:240 Resp: 298625


Ion Ratio Lower Upper

240 100

120 8.0 8.3 12.5#

236 26.1 20.8 31.2









#79
 Terphenyl-d14
 Concen: 123.226 ng
 RT: 19.874 min Scan# 21
 Delta R.T. -0.000 min
 Lab File: BM042686.D
 Acq: 10 Nov 2023 11:58

Instrument :
 BNA_M
 ClientSampleId :
 PB156988BL

Tgt Ion:244 Resp: 2170220
 Ion Ratio Lower Upper
 244 100
 212 7.8 5.4 8.2
 122 9.1 7.2 10.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.815 min Scan# 3541
 Delta R.T. -0.000 min
 Lab File: BM042686.D
 Acq: 10 Nov 2023 11:58

Tgt Ion:264 Resp: 316215
 Ion Ratio Lower Upper
 264 100
 260 23.4 19.0 28.4
 265 22.4 18.7 28.1

