

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM111318\
 Data File : BM017633.D
 Acq On : 13 Nov 2018 22:37
 Operator : MJ/SJ
 Sample : J5920-01
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DSN001

Quant Time: Nov 14 03:34:29 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM111218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 12 18:37:25 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	241190	20.00	ng	0.00
21) Naphthalene-d8	10.39	136	970086	20.00	ng	0.00
39) Acenaphthene-d10	14.26	164	555726	20.00	ng	0.00
64) Phenanthrene-d10	17.02	188	1290730	20.00	ng	0.00
76) Chrysene-d12	21.22	240	1297640	20.00	ng	0.00
87) Perylene-d12	23.40	264	845389	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.24	112	684985	47.93	ng	0.00
7) Phenol-d6	6.80	99	522918	26.20	ng	0.00
23) Nitrobenzene-d5	8.77	82	1506716	80.18	ng	0.00
42) 2,4,6-Tribromophenol	15.76	330	913841	114.44	ng	0.00
45) 2-Fluorobiphenyl	12.87	172	3382157	78.96	ng	0.00
79) Terphenyl-d14	19.66	244	5222784	91.22	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.73	163	100329	2.221	ng	Qvalue # 98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM111318\
Data File : BM017633.D
Acq On : 13 Nov 2018 22:37
Operator : MJ/SJ
Sample : J5920-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DSN001

Quant Time: Nov 14 03:34:29 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM111218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 12 18:37:25 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.62 min Scan# 787
Delta R.T. -0.00 min
Lab File: BM017633.D
Acq: 13 Nov 2018 22:37

Instrument :
BNA_M
ClientSampleId :
DSN001

Tgt Ion:152 Resp: 241190
Ion Ratio Lower Upper
152 100
150 155.3 126.4 189.6
115 61.6 49.4 74.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 47.930 ng
RT: 5.24 min Scan# 383
Delta R.T. 0.00 min
Lab File: BM017633.D
Acq: 13 Nov 2018 22:37

Tgt Ion:112 Resp: 684985
Ion Ratio Lower Upper
112 100
64 63.8 49.3 73.9
63 33.8 26.2 39.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 26.198 ng

RT: 6.80 min Scan# 648

Delta R.T. -0.01 min

Lab File: BM017633.D

Acq: 13 Nov 2018 22:37

Instrument :

BNA_M

ClientSampleId :

DSN001


Tgt Ion: 99 Resp: 522918

Ion Ratio Lower Upper

99 100

42 22.0 16.3 24.5

71 39.0 29.8 44.8






Abundance

Ion 99.00 (98.70 to 99.70): BM017613.D (-641) (-)

Ion 42.00 (41.70 to 42.70): BM017613.D (-641) (-)

Ion 71.00 (70.70 to 71.70): BM017613.D (-641) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.39 min Scan# 1258

Delta R.T. -0.00 min

Lab File: BM017633.D

Acq: 13 Nov 2018 22:37

Tgt Ion: 136 Resp: 970086


Ion Ratio Lower Upper

136 100

137 10.9 8.6 12.8

54 9.6 7.0 10.6

68 5.5 4.9 7.3





Abundance

Ion 136.00 (135.70 to 136.70): BM017613.D (-1250) (-)

Ion 137.00 (136.70 to 137.70): BM017613.D (-1250) (-)

Ion 54.00 (53.70 to 54.70): BM017613.D (-1250) (-)

Ion 68.00 (67.70 to 68.70): BM017613.D (-1250) (-)








#23
Nitrobenzene-d5
Concen: 80.183 ng
RT: 8.77 min Scan# 983
Delta R.T. -0.01 min
Lab File: BM017633.D
Acq: 13 Nov 2018 22:37




Instrument :
BNA_M
ClientSampleID :
DSN001

Tgt Ion: 82 Resp: 1506716
Ion Ratio Lower Upper
82 100
128 40.6 33.0 49.4
54 53.5 41.4 62.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.26 min Scan# 1917
Delta R.T. -0.00 min
Lab File: BM017633.D
Acq: 13 Nov 2018 22:37

Tgt Ion: 164 Resp: 555726
Ion Ratio Lower Upper
164 100
162 101.3 81.4 122.0
160 45.4 35.6 53.4









#42
 2,4,6-Tribromophenol
 Concen: 114.445 ng
 RT: 15.76 min Scan# 2172
 Delta R.T. -0.00 min
 Lab File: BM017633.D
 Acq: 13 Nov 2018 22:37

Instrument :
 BNA_M
 ClientSampleId :
 DSN001

Tgt Ion:330 Resp: 913841
 Ion Ratio Lower Upper
 330 100
 332 96.0 77.9 116.9
 141 37.3 27.5 41.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 78.956 ng
 RT: 12.87 min Scan# 1681
 Delta R.T. -0.00 min
 Lab File: BM017633.D
 Acq: 13 Nov 2018 22:37

Tgt Ion:172 Resp: 3382157
 Ion Ratio Lower Upper
 172 100
 171 35.4 28.7 43.1
 170 22.8 18.3 27.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 2.221 ng

RT: 13.73 min Scan# 1827

Delta R.T. -0.00 min

Lab File: BM017633.D

Acq: 13 Nov 2018 22:37

Instrument :

BNA_M

ClientSampleId :

DSN001


Tgt Ion:163 Resp: 100329

Ion Ratio Lower Upper

163 100

194 4.9 3.1 4.7#

164 10.9 8.2 12.4






Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.02 min Scan# 2385

Delta R.T. -0.00 min

Lab File: BM017633.D

Acq: 13 Nov 2018 22:37


Tgt Ion:188 Resp: 1290730

Ion Ratio Lower Upper

188 100

94 8.7 7.5 11.3

80 10.0 8.6 13.0






Abundance

Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.22 min Scan# 3099
Delta R.T. -0.00 min
Lab File: BM017633.D
Acq: 13 Nov 2018 22:37




Instrument :
BNA_M
ClientSampleId :
DSN001


Tgt Ion:240 Resp: 1297640
Ion Ratio Lower Upper
240 100
120 9.6 8.5 12.7
236 24.9 20.4 30.6



#79
Terphenyl-d14
Concen: 91.220 ng
RT: 19.66 min Scan# 2834
Delta R.T. -0.00 min
Lab File: BM017633.D
Acq: 13 Nov 2018 22:37

Tgt Ion:244 Resp: 5222784
Ion Ratio Lower Upper
244 100
212 7.5 5.8 8.6
122 10.6 9.0 13.6





#87
Perylene-d12
Concen: 20.000 ng
RT: 23.40 min Scan# 3471
Delta R.T. -0.01 min
Lab File: BM017633.D
Acq: 13 Nov 2018 22:37

Instrument :
BNA_M
ClientSampleId :
DSN001

Tgt Ion: 264 Resp: 845389
Ion Ratio Lower Upper
264 100
260 23.7 18.2 27.2
265 22.1 17.5 26.3

