

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111318\
 Data File : BM017629.D
 Acq On : 13 Nov 2018 20:12
 Operator : MJ/SJ
 Sample : J5916-10
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 110918-DBRI-F-U-B

Quant Time: Nov 14 03:34:00 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM111218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 12 18:37:25 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	237503	20.00	ng	0.00
21) Naphthalene-d8	10.39	136	971048	20.00	ng	0.00
39) Acenaphthene-d10	14.26	164	565772	20.00	ng	0.00
64) Phenanthrene-d10	17.02	188	1322024	20.00	ng	0.00
76) Chrysene-d12	21.22	240	1275080	20.00	ng	0.00
87) Perylene-d12	23.41	264	1095868	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.24	112	591318	42.02	ng	0.00
7) Phenol-d6	6.80	99	446054	22.69	ng	0.00
23) Nitrobenzene-d5	8.77	82	1930840	102.65	ng	0.00
42) 2,4,6-Tribromophenol	15.76	330	810219	99.67	ng	0.00
45) 2-Fluorobiphenyl	12.87	172	4372598	100.27	ng	0.00
79) Terphenyl-d14	19.66	244	5837695	103.76	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111318\
Data File : BM017629.D
Acq On : 13 Nov 2018 20:12
Operator : MJ/SJ
Sample : J5916-10
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
110918-DBRI-F-U-B

Quant Time: Nov 14 03:34:00 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM111218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 12 18:37:25 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.62 min Scan# 787
Delta R.T. 0.00 min
Lab File: BM017629.D
Acq: 13 Nov 2018 20:12

Instrument :
BNA_M
ClientSampleId :
110918-DBRI-F-U-B

Tot Ion	Ratio	Lower	Upper
152	100		
150	157.8	126.4	189.6
115	62.8	49.4	74.0






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 42.018 ng
RT: 5.24 min Scan# 383
Delta R.T. 0.00 min
Lab File: BM017629.D
Acq: 13 Nov 2018 20:12

Tgt Ion	Ratio	Lower	Upper
112	100		
64	62.0	49.3	73.9
63	34.6	26.2	39.4






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 22.694 ng

RT: 6.80 min Scan# 648

Delta R.T. -0.01 min

Lab File: BM017629.D

Acq: 13 Nov 2018 20:12

Instrument :

BNA_M

ClientSampleId :

110918-DBRI-F-U-B


Tot Ion: 99 Resp: 446054

Ion Ratio Lower Upper

99 100

42 22.8 16.3 24.5




71 39.7 29.8 44.8



Abundance Ion 99.00 (98.70 to 99.70): BM017613.D (-641) (-)

Ion 42.00 (41.70 to 42.70): BM017613.D (-641) (-)

Ion 71.00 (70.70 to 71.70): BM017613.D (-641) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.39 min Scan# 1258

Delta R.T. 0.00 min

Lab File: BM017629.D

Acq: 13 Nov 2018 20:12

Tgt Ion: 136 Resp: 971048


Ion Ratio Lower Upper

136 100

137 10.9 8.6 12.8

54 8.6 7.0 10.6

68 5.5 4.9 7.3





Abundance Ion 136.00 (135.70 to 136.70): BM017613.D (-1250) (-)

Ion 137.00 (136.70 to 137.70): BM017613.D (-1250) (-)

Ion 54.00 (53.70 to 54.70): BM017613.D (-1250) (-)

Ion 68.00 (67.70 to 68.70): BM017613.D (-1250) (-)








#23
Nitrobenzene-d5
Concen: 102.652 ng
RT: 8.77 min Scan# 984
Delta R.T. 0.00 min
Lab File: BM017629.D
Acq: 13 Nov 2018 20:12




Instrument :
BNA_M
ClientSampleId :
110918-DBRI-F-U-B


Tot Ion: 82 Resp: 1930840
Ion Ratio Lower Upper
82 100
128 41.4 33.0 49.4
54 54.3 41.4 62.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.26 min Scan# 1916
Delta R.T. -0.01 min
Lab File: BM017629.D
Acq: 13 Nov 2018 20:12

Tgt Ion:164 Resp: 565772
Ion Ratio Lower Upper
164 100
162 102.2 81.4 122.0
160 45.4 35.6 53.4









#42
 2,4,6-Tribromophenol
 Concen: 99.666 ng
 RT: 15.76 min Scan# 2172
 Delta R.T. 0.00 min
 Lab File: BM017629.D
 Acq: 13 Nov 2018 20:12

Instrument :
 BNA_M
 ClientSampleId :
 110918-DBRI-F-U-B

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.0	77.9	116.9
141	37.3	27.5	41.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 100.265 ng
 RT: 12.87 min Scan# 1681
 Delta R.T. 0.00 min
 Lab File: BM017629.D
 Acq: 13 Nov 2018 20:12

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.9	28.7	43.1
170	22.9	18.3	27.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.02 min Scan# 2385

Delta R.T. 0.00 min

Lab File: BM017629.D

Acq: 13 Nov 2018 20:12

Instrument :

BNA_M

ClientSampleId :

110918-DBRI-F-U-B





Tot Ion:188 Resp: 1322024

Ion Ratio Lower Upper

188 100

94 8.2 7.5 11.3

80 10.1 8.6 13.0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.22 min Scan# 3099

Delta R.T. 0.00 min

Lab File: BM017629.D

Acq: 13 Nov 2018 20:12




Tgt Ion:240 Resp: 1275080


Ion Ratio Lower Upper

240 100

120 9.6 8.5 12.7

236 25.1 20.4 30.6





#79

Terphenyl-d14

Concen: 103.763 ng

RT: 19.66 min Scan# 2834

Delta R.T. 0.00 min

Lab File: BM017629.D

Acq: 13 Nov 2018 20:12

Instrument :

BNA_M

ClientSampleId :

110918-DBRI-F-U-B


Tot Ion:244 Resp: 5837695

Ion Ratio Lower Upper




244 100

212 7.3 5.8 8.6

122 10.9 9.0 13.6



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.41 min Scan# 3472

Delta R.T. 0.00 min

Lab File: BM017629.D

Acq: 13 Nov 2018 20:12


Tgt Ion:264 Resp: 1095868

Ion Ratio Lower Upper

264 100

260 23.5 18.2 27.2

265 21.7 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

