

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111318\
 Data File : BM017631.D
 Acq On : 13 Nov 2018 21:25
 Operator : MJ/SJ
 Sample : J5916-12
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 110918-DBRI-F-U-S

Quant Time: Nov 14 03:34:14 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM111218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 12 18:37:25 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.62	152	212130	20.00	ng	0.00
21) Naphthalene-d8	10.39	136	862073	20.00	ng	0.00
39) Acenaphthene-d10	14.26	164	507316	20.00	ng	0.00
64) Phenanthrene-d10	17.02	188	1185786	20.00	ng	0.00
76) Chrysene-d12	21.22	240	1160905	20.00	ng	0.00
87) Perylene-d12	23.41	264	992504	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.24	112	561817	44.70	ng	0.00
7) Phenol-d6	6.80	99	429114	24.44	ng	0.00
23) Nitrobenzene-d5	8.77	82	1896467	113.57	ng	0.00
42) 2,4,6-Tribromophenol	15.76	330	758775	104.09	ng	0.00
45) 2-Fluorobiphenyl	12.87	172	4220722	107.93	ng	0.00
79) Terphenyl-d14	19.66	244	5849456	114.20	ng	0.00
Target Compounds						
50) Dimethylphthalate	13.74	163	90309	2.189	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111318\
Data File : BM017631.D
Acq On : 13 Nov 2018 21:25
Operator : MJ/SJ
Sample : J5916-12
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
110918-DBRI-F-U-S

Quant Time: Nov 14 03:34:14 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM111218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 12 18:37:25 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.62 min Scan# 787
Delta R.T. 0.00 min
Lab File: BM017631.D
Acq: 13 Nov 2018 21:25

Instrument :
BNA_M
ClientSampleId :
110918-DBRI-F-U-S

Tot Ion	Ratio	Lower	Upper
152	100		
150	154.7	126.4	189.6
115	59.7	49.4	74.0






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 44.697 ng
RT: 5.24 min Scan# 383
Delta R.T. 0.00 min
Lab File: BM017631.D
Acq: 13 Nov 2018 21:25

Tgt Ion	Ratio	Lower	Upper
112	100		
64	62.3	49.3	73.9
63	33.9	26.2	39.4






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 24.444 ng

RT: 6.80 min Scan# 648

Delta R.T. -0.01 min

Lab File: BM017631.D

Acq: 13 Nov 2018 21:25

Instrument :

BNA_M

ClientSampleId :

110918-DBRI-F-U-S


Tot Ion: 99 Resp: 429114

Ion Ratio Lower Upper

99 100

42 21.9 16.3 24.5




71 38.1 29.8 44.8



Abundance Ion 99.00 (98.70 to 99.70): BM017613.D (-641) (-)

Ion 42.00 (41.70 to 42.70): BM017613.D (-641) (-)

Ion 71.00 (70.70 to 71.70): BM017613.D (-641) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.39 min Scan# 1258

Delta R.T. 0.00 min

Lab File: BM017631.D

Acq: 13 Nov 2018 21:25

Tgt Ion: 136 Resp: 862073


Ion Ratio Lower Upper

136 100

137 10.6 8.6 12.8

54 9.1 7.0 10.6

68 5.6 4.9 7.3






Abundance Ion 136.00 (135.70 to 136.70): BM017613.D (-1250) (-)

Ion 137.00 (136.70 to 137.70): BM017613.D (-1250) (-)

Ion 54.00 (53.70 to 54.70): BM017613.D (-1250) (-)

Ion 68.00 (67.70 to 68.70): BM017613.D (-1250) (-)









#23
 Nitrobenzene-d5
 Concen: 113.570 ng
 RT: 8.77 min Scan# 984
 Delta R.T. 0.00 min
 Lab File: BM017631.D
 Acq: 13 Nov 2018 21:25




Instrument :
 BNA_M
 ClientSampleId :
 110918-DBRI-F-U-S


Tot Ion	Ratio	Lower	Upper
82	100		
128	41.6	33.0	49.4
54	52.5	41.4	62.2



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.26 min Scan# 1917
 Delta R.T. 0.00 min
 Lab File: BM017631.D
 Acq: 13 Nov 2018 21:25

Tgt Ion	Ratio	Lower	Upper
164	100		
162	103.4	81.4	122.0
160	44.9	35.6	53.4






#42
 2,4,6-Tribromophenol
 Concen: 104.093 ng
 RT: 15.76 min Scan# 2172
 Delta R.T. 0.00 min
 Lab File: BM017631.D
 Acq: 13 Nov 2018 21:25

Instrument :
 BNA_M
 ClientSampleId :
 110918-DBRI-F-U-S

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.1	77.9	116.9
141	37.9	27.5	41.3






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 107.934 ng
 RT: 12.87 min Scan# 1681
 Delta R.T. 0.00 min
 Lab File: BM017631.D
 Acq: 13 Nov 2018 21:25

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.2	28.7	43.1
170	22.9	18.3	27.5






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E





#50

Dimethylphthalate

Concen: 2.189 ng

RT: 13.74 min Scan# 1828

Delta R.T. 0.01 min

Lab File: BM017631.D

Acq: 13 Nov 2018 21:25

Instrument :

BNA_M

ClientSampleId :

110918-DBRI-F-U-S


Tot Ion:163 Resp: 90309

Ion Ratio Lower Upper

163 100

194 4.2 3.1 4.7




164 10.3 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 17.02 min Scan# 2385

Delta R.T. 0.00 min

Lab File: BM017631.D

Acq: 13 Nov 2018 21:25


Tgt Ion:188 Resp: 1185786

Ion Ratio Lower Upper

188 100

94 8.5 7.5 11.3



80 10.1 8.6 13.0




Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BM0

Ion 80.00 (79.70 to 80.70): BM0









#76
 Chrysene-d12
 Concen: 20.000 ng
 RT: 21.22 min Scan# 3099
 Delta R.T. 0.00 min
 Lab File: BM017631.D
 Acq: 13 Nov 2018 21:25




Instrument :
 BNA_M
 ClientSampleId :
 110918-DBRI-F-U-S


Tot Ion:240 Resp: 1160905
 Ion Ratio Lower Upper
 240 100
 120 9.3 8.5 12.7
 236 25.1 20.4 30.6



#79
 Terphenyl-d14
 Concen: 114.198 ng
 RT: 19.66 min Scan# 2834
 Delta R.T. 0.00 min
 Lab File: BM017631.D
 Acq: 13 Nov 2018 21:25

Tgt Ion:244 Resp: 5849456
 Ion Ratio Lower Upper
 244 100
 212 7.6 5.8 8.6
 122 11.2 9.0 13.6






#87
Pervlene-d12
Concen: 20.000 ng
RT: 23.41 min Scan# 3472
Delta R.T. 0.00 min
Lab File: BM017631.D
Acq: 13 Nov 2018 21:25

Instrument :
BNA_M
ClientSampleId :
110918-DBRI-F-U-S

Tot Ion	Ratio	Lower	Upper
264	100		
260	23.6	18.2	27.2
265	22.2	17.5	26.3



Abundance

Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

