

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111323\  
 Data File : BM042810.D  
 Acq On : 16 Nov 2023 17:20  
 Operator : MA/JU  
 Sample : 05259-06  
 Misc :  
 ALS Vial : 50 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 YCG95

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 11/17/2023  
 Supervised By :mohammad ahmed 11/19/2023

Quant Time: Nov 17 04:25:49 2023  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM111323.MA.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Wed Nov 15 22:28:07 2023  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| -----                         |        |      |          |        |       |          |
| Internal Standards            |        |      |          |        |       |          |
| 1) 1,4-Dichlorobenzene-d4     | 7.822  | 152  | 29434    | 20.000 | ng/u1 | 0.00     |
| 20) Naphthalene-d8            | 10.634 | 136  | 113284   | 20.000 | ng/u1 | # 0.00   |
| 38) Acenaphthene-d10          | 14.480 | 164  | 70904    | 20.000 | ng/u1 | 0.00     |
| 64) Phenanthrene-d10          | 17.233 | 188  | 150631   | 20.000 | ng/u1 | 0.00     |
| 79) Chrysene-d12              | 21.415 | 240  | 149449   | 20.000 | ng/u1 | # 0.00   |
| 88) Perylene-d12              | 23.780 | 264  | 189148   | 20.000 | ng/u1 | 0.00     |
| System Monitoring Compounds   |        |      |          |        |       |          |
| 3) 1,4-Dioxane-d8             | 3.175  | 96   | 2970     | 3.166  | ng/uL | 0.00     |
| 4) Pyridine-d5                | 3.622  | 84   | 18390    | 7.881  | ng/u1 | 0.00     |
| 7) Phenol-d5                  | 6.998  | 99   | 13243    | 4.623  | ng/u1 | 0.00     |
| 9) Bis-(2-Chloroethyl)eth...  | 7.175  | 67   | 59908    | 29.761 | ng/u1 | 0.00     |
| 11) 2-Chlorophenol-d4         | 7.346  | 132  | 44671    | 20.209 | ng/u1 | 0.00     |
| 15) 4-Methylphenol-d8         | 8.545  | 113  | 25002    | 11.085 | ng/u1 | 0.00     |
| 21) Nitrobenzene-d5           | 9.028  | 128  | 26023    | 26.201 | ng/u1 | 0.00     |
| 24) 2-Nitrophenol-d4          | 9.739  | 143  | 27438    | 23.615 | ng/u1 | 0.00     |
| 28) 2,4-Dichlorophenol-d3     | 10.263 | 165  | 45972    | 21.279 | ng/u1 | 0.00     |
| 31) 4-Chloroaniline-d4        | 10.816 | 131  | 55530    | 20.244 | ng/u1 | 0.00     |
| 46) Dimethylphthalate-d6      | 13.904 | 166  | 203870   | 30.380 | ng/u1 | 0.00     |
| 49) Acenaphthylene-d8         | 14.180 | 160  | 211691   | 29.483 | ng/u1 | 0.00     |
| 54) 4-Nitrophenol-d4          | 14.792 | 143  | 542m     | 0.715  | ng/u1 | 0.05     |
| 60) Fluorene-d10              | 15.474 | 176  | 178464   | 32.116 | ng/u1 | 0.00     |
| 65) 4,6-Dinitro-2-methylph... | 15.621 | 200  | 22666    | 19.865 | ng/u1 | 0.00     |
| 73) Anthracene-d10            | 17.333 | 188  | 291093   | 34.482 | ng/u1 | 0.00     |
| 81) Pyrene-d10                | 19.627 | 212  | 389501   | 39.800 | ng/u1 | 0.00     |
| 92) Benzo(a)pyrene-d12        | 23.621 | 264  | 413058   | 36.508 | ng/u1 | 0.00     |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111323\  
Data File : BM042810.D  
Acq On : 16 Nov 2023 17:20  
Operator : MA/JU  
Sample : 05259-06  
Misc :  
ALS Vial : 50 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
YCG95

Quant Time: Nov 17 04:25:49 2023  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM111323.MA.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Wed Nov 15 22:28:07 2023  
Response via : Initial Calibration

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 11/17/2023  
Supervised By :mohammad ahmed 11/19/2023

