

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM111323\
 Data File : BM042821.D
 Acq On : 17 Nov 2023 00:33
 Operator : MA/JU
 Sample : 05268-12
 Misc :
 ALS Vial : 63 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DCKD4

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 11/17/2023
 Supervised By :mohammad ahmed 11/19/2023

Quant Time: Nov 17 01:26:21 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM111323.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Nov 15 22:28:07 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.822	152	22729	20.000	ng/u1	0.00
20) Naphthalene-d8	10.634	136	92891	20.000	ng/u1	# 0.00
38) Acenaphthene-d10	14.480	164	60581	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.233	188	142535	20.000	ng/u1	0.00
79) Chrysene-d12	21.415	240	154511	20.000	ng/u1	0.00
88) Perylene-d12	23.774	264	199272	20.000	ng/u1	-0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.175	96	2199	3.036	ng/uL	0.00
4) Pyridine-d5	3.622	84	17468	9.695	ng/u1	0.00
7) Phenol-d5	6.999	99	9430	4.263	ng/u1	0.00
9) Bis-(2-Chloroethyl)eth...	7.169	67	55556	35.741	ng/u1	0.00
11) 2-Chlorophenol-d4	7.346	132	38803	22.733	ng/u1	0.00
15) 4-Methylphenol-d8	8.545	113	23096	13.260	ng/u1	0.00
21) Nitrobenzene-d5	9.028	128	24427	29.993	ng/u1	0.00
24) 2-Nitrophenol-d4	9.740	143	26406	27.716	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.263	165	48188	27.202	ng/u1	0.00
31) 4-Chloroaniline-d4	10.816	131	38436m	17.088	ng/u1	0.00
46) Dimethylphthalate-d6	13.898	166	219541	38.290	ng/u1	0.00
49) Acenaphthylene-d8	14.180	160	219300	35.748	ng/u1	0.00
54) 4-Nitrophenol-d4	14.780	143	1179m	1.820	ng/u1	0.04
60) Fluorene-d10	15.474	176	188994	39.806	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.621	200	27210	25.202	ng/u1	0.00
73) Anthracene-d10	17.333	188	317320	39.724	ng/u1	0.00
81) Pyrene-d10	19.627	212	455554	45.024	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.621	264	497031	41.699	ng/u1	0.00
Target Compounds						
71) Pentachlorophenol	16.874	266	6214m	4.653	ng/u1	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM111323\
Data File : BM042821.D
Acq On : 17 Nov 2023 00:33
Operator : MA/JU
Sample : 05268-12
Misc :
ALS Vial : 63 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
DCKD4

Quant Time: Nov 17 01:26:21 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM111323.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Nov 15 22:28:07 2023
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 11/17/2023
Supervised By :mohammad ahmed 11/19/2023





#71
Pentachlorophenol
Concen: 4.653 ng/ul m
RT: 16.874 min Scan# 21
Delta R.T. -0.000 min
Lab File: BM042821.D
Acq: 17 Nov 2023 00:33

Instrument :
BNA_M
ClientSampleId :
DCKD4



Tgt Ion:266 Resp: 6214
Ion Ratio Lower Upper
266 100
264 46.8 50.3 75.5
268 58.9 52.1 78.1

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 11/17/2023
Supervised By :mohammad ahmed 11/19/2023

