

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111419\
 Data File : BM023735.D
 Acq On : 15 Nov 2019 02:54
 Operator : JU
 Sample : K5700-11
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BEGZ0

Quant Time: Nov 15 07:57:34 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM11119MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Nov 15 07:53:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.53	152	344828	20.00	ng/ul	0.00
18) Naphthalene-d8	10.30	136	1406343	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.19	164	897937	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.94	188	1950667	20.00	ng/ul	0.00
78) Chrysene-d12	21.13	240	1960848	20.00	ng/ul	0.00
86) Perylene-d12	23.29	264	2276967	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.06	96	52495	6.28	ng/uL	0.00
5) Phenol-d5	6.72	99	162205	5.16	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.87	67	456082	25.25	ng/ul	0.00
9) 2-Chlorophenol-d4	7.07	132	504216	22.14	ng/ul	0.00
13) 4-Methylphenol-d8	8.25	113	319184	12.73	ng/ul	0.00
19) Nitrobenzene-d5	8.68	128	320454	31.83	ng/ul	0.00
22) 2-Nitrophenol-d4	9.40	143	364468	34.45	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.93	165	636234	26.37	ng/ul	0.00
29) 4-Chloroaniline-d4	10.46	131	43534	1.64	ng/ul	0.01
44) Dimethylphthalate-d6	13.60	166	2256715	32.23	ng/ul	0.00
47) Acenaphthylene-d8	13.87	160	2536580	31.74	ng/ul	0.00
52) 4-Nitrophenol-d4	14.42	143	59479	4.98	ng/ul	0.00
58) Fluorene-d10	15.19	176	1946848	31.48	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.32	200	348634	30.90	ng/ul	0.00
71) Anthracene-d10	17.03	188	3266108	35.30	ng/ul	0.00
79) Pyrene-d10	19.34	212	3688654	36.08	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.16	264	4378056	36.54	ng/ul	0.00


Target Compounds					Ovalue	
45) Dimethylphthalate	13.65	163	154929	2.258	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111419\
Data File : BM023735.D
Acq On : 15 Nov 2019 02:54
Operator : JU
Sample : K5700-11
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BEGZ0

Quant Time: Nov 15 07:57:34 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM11119MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Nov 15 07:53:56 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 2.258 ng/ul

RT: 13.65 min Scan# 1830

Delta R.T. -0.01 min

Lab File: BM023735.D

Acq: 15 Nov 2019 02:54

Instrument :

BNA_M

ClientSampleId :

BEGZ0


Tot Ion:163 Resp: 154929

Ion Ratio Lower Upper

163 100

194 4.1 3.4 5.2

164 10.2 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E

150000 Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

