

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111419\
 Data File : BM023736.D
 Acq On : 15 Nov 2019 03:30
 Operator : JU
 Sample : K5700-12
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BEHP7

Quant Time: Nov 15 07:57:41 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111119MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Nov 15 07:53:56 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.53	152	358822	20.00	ng/ul	0.00
18) Naphthalene-d8	10.30	136	1465755	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.19	164	953351	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.93	188	2110534	20.00	ng/ul	0.00
78) Chrysene-d12	21.14	240	2131367	20.00	ng/ul	0.00
86) Perylene-d12	23.29	264	2525819	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.06	96	55033	6.32	ng/uL	0.00
5) Phenol-d5	6.72	99	193716	5.92	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.88	67	500011	26.60	ng/ul	0.00
9) 2-Chlorophenol-d4	7.06	132	561740	23.71	ng/ul	0.00
13) 4-Methylphenol-d8	8.25	113	365537	14.01	ng/ul	0.00
19) Nitrobenzene-d5	8.68	128	344567	32.84	ng/ul	0.00
22) 2-Nitrophenol-d4	9.39	143	395430	35.86	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.93	165	684687	27.23	ng/ul	0.00
29) 4-Chloroaniline-d4	10.45	131	48295	1.75	ng/ul	0.00
44) Dimethylphthalate-d6	13.60	166	2420642	32.56	ng/ul	0.00
47) Acenaphthylene-d8	13.87	160	2724990	32.12	ng/ul	0.00
52) 4-Nitrophenol-d4	14.42	143	70409	5.55	ng/ul	0.00
58) Fluorene-d10	15.19	176	2096681	31.94	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.32	200	378430	31.00	ng/ul	0.00
71) Anthracene-d10	17.03	188	3552217	35.48	ng/ul	0.00
79) Pyrene-d10	19.34	212	4037229	36.33	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.16	264	4855939	36.53	ng/ul	0.00


Target Compounds					Ovalue
45) Dimethylphthalate	13.65	163	132492	1.819	ng/ul 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM111419\
Data File : BM023736.D
Acq On : 15 Nov 2019 03:30
Operator : JU
Sample : K5700-12
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BEHP7

Quant Time: Nov 15 07:57:41 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM11119MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Nov 15 07:53:56 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 1.819 ng/ul

RT: 13.65 min Scan# 1830

Delta R.T. -0.01 min

Lab File: BM023736.D

Acq: 15 Nov 2019 03:30

Instrument :

BNA_M

ClientSampleId :

BEHP7


Tot Ion:163 Resp: 132492

Ion Ratio Lower Upper

163 100

194 4.3 3.4 5.2

164 11.8 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

