

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM111723\
 Data File : BM042912.D
 Acq On : 19 Nov 2023 19:13
 Operator : MA/JU
 Sample : 05369-06
 Misc :
 ALS Vial : 67 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Nov 19 21:51:40 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM111323.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Nov 18 22:06:09 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.810	152	26712	20.000	ng/u1	0.00
20) Naphthalene-d8	10.622	136	105457	20.000	ng/u1	0.00
38) Acenaphthene-d10	14.468	164	69047	20.000	ng/u1	0.00
64) Phenanthrene-d10	17.221	188	150352	20.000	ng/u1	0.00
79) Chrysene-d12	21.409	240	157359	20.000	ng/u1	0.00
88) Perylene-d12	23.768	264	201165	20.000	ng/u1	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.169	96	4127	4.848	ng/uL	0.00
4) Pyridine-d5	3.616	84	23765	11.223	ng/u1	0.01
7) Phenol-d5	6.986	99	11388	4.380	ng/u1	0.01
9) Bis-(2-Chloroethyl)eth...	7.157	67	63133	34.560	ng/u1	0.00
11) 2-Chlorophenol-d4	7.334	132	47977	23.917	ng/u1	0.00
15) 4-Methylphenol-d8	8.533	113	27637	13.501	ng/u1	0.00
21) Nitrobenzene-d5	9.016	128	27132	29.345	ng/u1	0.00
24) 2-Nitrophenol-d4	9.727	143	30553	28.248	ng/u1	0.00
28) 2,4-Dichlorophenol-d3	10.251	165	52330	26.020	ng/u1	0.00
31) 4-Chloroaniline-d4	10.804	131	55905	21.893	ng/u1	0.00
46) Dimethylphthalate-d6	13.892	166	211378	32.346	ng/u1	0.00
49) Acenaphthylene-d8	14.168	160	226705	32.423	ng/u1	0.00
54) 4-Nitrophenol-d4	14.792	143	342	0.463	ng/u1	0.07
60) Fluorene-d10	15.462	176	182828	33.786	ng/u1	0.00
65) 4,6-Dinitro-2-methylph...	15.615	200	23945	21.025	ng/u1	0.00
73) Anthracene-d10	17.321	188	293586	34.842	ng/u1	0.00
81) Pyrene-d10	19.621	212	400314	38.849	ng/u1	0.00
92) Benzo(a)pyrene-d12	23.609	264	425501	35.362	ng/u1	0.00
Target Compounds						
45) 2-Nitroaniline	13.692	65	3771	2.496	ng/u1#	Qvalue 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM111723\
Data File : BM042912.D
Acq On : 19 Nov 2023 19:13
Operator : MA/JU
Sample : 05369-06
Misc :
ALS Vial : 67 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Nov 19 21:51:40 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM111323.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Nov 18 22:06:09 2023
Response via : Initial Calibration





#45
 2-Nitroaniline
 Concen: 2.496 ng/ul
 RT: 13.692 min Scan# 11
 Delta R.T. 0.088 min
 Lab File: BM042912.D
 Acq: 19 Nov 2023 19:13

Instrument :
 BNA_M
 ClientSampleId :

Tgt Ion: 65 Resp: 3771
 Ion Ratio Lower Upper
 65 100
 92 0.0 49.1 73.7#
 138 5877.0 61.8 92.8#

