

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111723\  
 Data File : BM042868.D  
 Acq On : 18 Nov 2023 06:26  
 Operator : MA/JU  
 Sample : PB156975BL  
 Misc :  
 ALS Vial : 22 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 SBLK975

Manual Integrations  
 APPROVED

Reviewed By :Yogesh Patel 11/19/2023  
 Supervised By :mohammad ahmed 11/20/2023

Quant Time: Nov 18 21:19:59 2023  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM111323.MA.M  
 Quant Title : SVOA CALIBRATION  
 QLast Update : Wed Nov 15 22:28:07 2023  
 Response via : Initial Calibration

| Compound                      | R.T.   | QIon | Response | Conc   | Units | Dev(Min) |
|-------------------------------|--------|------|----------|--------|-------|----------|
| -----                         |        |      |          |        |       |          |
| Internal Standards            |        |      |          |        |       |          |
| 1) 1,4-Dichlorobenzene-d4     | 7.816  | 152  | 25019    | 20.000 | ng/u1 | -0.01    |
| 20) Naphthalene-d8            | 10.628 | 136  | 103151   | 20.000 | ng/u1 | #-0.01   |
| 38) Acenaphthene-d10          | 14.474 | 164  | 65547    | 20.000 | ng/u1 | -0.01    |
| 64) Phenanthrene-d10          | 17.227 | 188  | 144194   | 20.000 | ng/u1 | -0.01    |
| 79) Chrysene-d12              | 21.415 | 240  | 137022   | 20.000 | ng/u1 | 0.00     |
| 88) Perylene-d12              | 23.768 | 264  | 169674   | 20.000 | ng/u1 | -0.02    |
| System Monitoring Compounds   |        |      |          |        |       |          |
| 3) 1,4-Dioxane-d8             | 3.169  | 96   | 5218     | 6.544  | ng/uL | -0.01    |
| 4) Pyridine-d5                | 3.610  | 84   | 71097    | 35.847 | ng/u1 | 0.00     |
| 7) Phenol-d5                  | 6.981  | 99   | 76958    | 31.605 | ng/u1 | -0.01    |
| 9) Bis-(2-Chloroethyl)eth...  | 7.163  | 67   | 62227    | 36.369 | ng/u1 | -0.01    |
| 11) 2-Chlorophenol-d4         | 7.340  | 132  | 59294    | 31.559 | ng/u1 | -0.01    |
| 15) 4-Methylphenol-d8         | 8.539  | 113  | 56705    | 29.576 | ng/u1 | -0.01    |
| 21) Nitrobenzene-d5           | 9.022  | 128  | 27594    | 30.512 | ng/u1 | 0.00     |
| 24) 2-Nitrophenol-d4          | 9.733  | 143  | 28673    | 27.102 | ng/u1 | 0.00     |
| 28) 2,4-Dichlorophenol-d3     | 10.257 | 165  | 50870    | 25.860 | ng/u1 | 0.00     |
| 31) 4-Chloroaniline-d4        | 10.810 | 131  | 63960    | 25.608 | ng/u1 | 0.00     |
| 46) Dimethylphthalate-d6      | 13.898 | 166  | 200692   | 32.351 | ng/u1 | 0.00     |
| 49) Acenaphthylene-d8         | 14.174 | 160  | 208048   | 31.344 | ng/u1 | -0.01    |
| 54) 4-Nitrophenol-d4          | 14.733 | 143  | 14891m   | 21.246 | ng/u1 | 0.00     |
| 60) Fluorene-d10              | 15.468 | 176  | 168887   | 32.876 | ng/u1 | -0.01    |
| 65) 4,6-Dinitro-2-methylph... | 15.621 | 200  | 21661    | 19.832 | ng/u1 | 0.00     |
| 73) Anthracene-d10            | 17.327 | 188  | 257884   | 31.912 | ng/u1 | -0.01    |
| 81) Pyrene-d10                | 19.621 | 212  | 348968   | 38.892 | ng/u1 | -0.01    |
| 92) Benzo(a)pyrene-d12        | 23.615 | 264  | 355286   | 35.006 | ng/u1 | -0.01    |

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111723\  
Data File : BM042868.D  
Acq On : 18 Nov 2023 06:26  
Operator : MA/JU  
Sample : PB156975BL  
Misc :  
ALS Vial : 22 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
SBLK975

Quant Time: Nov 18 21:19:59 2023  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM111323.MA.M  
Quant Title : SVOA CALIBRATION  
QLast Update : Wed Nov 15 22:28:07 2023  
Response via : Initial Calibration

Manual Integrations  
APPROVED

Reviewed By :Yogesh Patel 11/19/2023  
Supervised By :mohammad ahmed 11/20/2023

