

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111723\  
 Data File : BM042862.D  
 Acq On : 18 Nov 2023 02:10  
 Operator : MA/JU  
 Sample : 05233-01  
 Misc :  
 ALS Vial : 15 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 BH376

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0.1 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM111323.MA.M  
 Title : SVOA CALIBRATION

Signal : TIC: BM042862.D\data.ms

| peak<br># | R.T.<br>min | first<br>scan | max<br>scan | last<br>scan | PK<br>TY | peak<br>height | corr.<br>area | corr.<br>% max. | % of<br>total |
|-----------|-------------|---------------|-------------|--------------|----------|----------------|---------------|-----------------|---------------|
| 1         | 3.170       | 29            | 31          | 36           | rBV3     | 7338           | 7974          | 0.93%           | 0.109%        |
| 2         | 3.622       | 105           | 108         | 117          | rBV      | 30409          | 53848         | 6.29%           | 0.737%        |
| 3         | 3.911       | 155           | 157         | 164          | rVB3     | 3363           | 4927          | 0.58%           | 0.067%        |
| 4         | 5.069       | 352           | 354         | 357          | rBV3     | 1408           | 1284          | 0.15%           | 0.018%        |
| 5         | 6.146       | 535           | 537         | 539          | rVV2     | 958            | 1025          | 0.12%           | 0.014%        |
| 6         | 6.169       | 539           | 541         | 544          | rVB4     | 1310           | 1335          | 0.16%           | 0.018%        |
| 7         | 6.769       | 640           | 643         | 645          | rBV4     | 949            | 865           | 0.10%           | 0.012%        |
| 8         | 6.999       | 677           | 682         | 696          | rBV2     | 14101          | 42603         | 4.98%           | 0.583%        |
| 9         | 7.169       | 704           | 711         | 726          | rBV      | 105775         | 198389        | 23.17%          | 2.714%        |
| 10        | 7.293       | 730           | 732         | 734          | rVB2     | 1425           | 909           | 0.11%           | 0.012%        |
| 11        | 7.340       | 734           | 740         | 752          | rBV      | 106068         | 199556        | 23.31%          | 2.729%        |
| 12        | 7.610       | 783           | 786         | 787          | rBV2     | 1004           | 877           | 0.10%           | 0.012%        |
| 13        | 7.634       | 787           | 790         | 795          | rVV4     | 680            | 1360          | 0.16%           | 0.019%        |
| 14        | 7.822       | 815           | 822         | 835          | rVV      | 84839          | 160973        | 18.80%          | 2.202%        |
| 15        | 8.475       | 932           | 933         | 936          | rVB3     | 1177           | 1044          | 0.12%           | 0.014%        |
| 16        | 8.546       | 939           | 945         | 957          | rBV2     | 50028          | 113180        | 13.22%          | 1.548%        |
| 17        | 8.828       | 992           | 993         | 996          | rVV2     | 979            | 925           | 0.11%           | 0.013%        |
| 18        | 8.875       | 998           | 1001        | 1004         | rVB4     | 752            | 1016          | 0.12%           | 0.014%        |
| 19        | 9.022       | 1019          | 1026        | 1042         | rBV      | 132714         | 262691        | 30.68%          | 3.593%        |
| 20        | 9.416       | 1090          | 1093        | 1096         | rVB4     | 968            | 918           | 0.11%           | 0.013%        |
| 21        | 9.499       | 1104          | 1107        | 1110         | rBV4     | 898            | 1315          | 0.15%           | 0.018%        |
| 22        | 9.563       | 1116          | 1118        | 1121         | rBV4     | 753            | 889           | 0.10%           | 0.012%        |
| 23        | 9.734       | 1141          | 1147        | 1163         | rBV      | 105785         | 210766        | 24.62%          | 2.883%        |
| 24        | 10.257      | 1231          | 1236        | 1253         | rBV      | 104657         | 241455        | 28.20%          | 3.303%        |
| 25        | 10.434      | 1265          | 1266        | 1269         | rVB3     | 1289           | 1001          | 0.12%           | 0.014%        |
| 26        | 10.487      | 1274          | 1275        | 1278         | rVB3     | 1532           | 1155          | 0.13%           | 0.016%        |
| 27        | 10.581      | 1289          | 1291        | 1293         | rBV2     | 928            | 891           | 0.10%           | 0.012%        |
| 28        | 10.634      | 1293          | 1300        | 1310         | rBV      | 120085         | 211473        | 24.70%          | 2.892%        |
| 29        | 10.810      | 1324          | 1330        | 1349         | rBV2     | 79850          | 219337        | 25.62%          | 3.000%        |
| 30        | 11.057      | 1370          | 1372        | 1375         | rVV4     | 1150           | 1104          | 0.13%           | 0.015%        |
| 31        | 11.087      | 1375          | 1377        | 1382         | rVB4     | 1160           | 1319          | 0.15%           | 0.018%        |
| 32        | 11.681      | 1475          | 1478        | 1480         | rBV2     | 996            | 1064          | 0.12%           | 0.015%        |
| 33        | 12.269      | 1574          | 1578        | 1581         | rBV3     | 821            | 1177          | 0.14%           | 0.016%        |
| 34        | 12.792      | 1663          | 1667        | 1670         | rVV3     | 674            | 959           | 0.11%           | 0.013%        |
| 35        | 13.328      | 1751          | 1758        | 1760         | rBV5     | 1674           | 2795          | 0.33%           | 0.038%        |
| 36        | 13.569      | 1796          | 1799        | 1801         | rBV      | 739            | 897           | 0.10%           | 0.012%        |

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111723\  
 Data File : BM042862.D  
 Acq On : 18 Nov 2023 02:10  
 Operator : MA/JU  
 Sample : 05233-01  
 Misc :  
 ALS Vial : 15 Sample Multiplier: 1

Instrument :  
 BNA\_M  
 ClientSampleId :  
 BH376

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0.1 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM111323.MA.M  
 Title : SVOA CALIBRATION

|    |        |      |      |      |      |        |        |         |         |
|----|--------|------|------|------|------|--------|--------|---------|---------|
| 37 | 13.898 | 1849 | 1855 | 1869 | rBV  | 302687 | 438065 | 51.17%  | 5.992%  |
| 38 | 14.175 | 1896 | 1902 | 1919 | rBV  | 329264 | 491973 | 57.47%  | 6.729%  |
| 39 | 14.475 | 1947 | 1953 | 1963 | rBV  | 173516 | 260155 | 30.39%  | 3.558%  |
| 40 | 15.469 | 2116 | 2122 | 2140 | rBV  | 391994 | 605441 | 70.72%  | 8.281%  |
| 41 | 15.622 | 2143 | 2148 | 2162 | rBV  | 83591  | 156505 | 18.28%  | 2.141%  |
| 42 | 15.751 | 2168 | 2170 | 2175 | rVB4 | 771    | 975    | 0.11%   | 0.013%  |
| 43 | 15.816 | 2179 | 2181 | 2186 | rVB4 | 731    | 941    | 0.11%   | 0.013%  |
| 44 | 16.016 | 2213 | 2215 | 2218 | rBV3 | 1032   | 1187   | 0.14%   | 0.016%  |
| 45 | 16.216 | 2246 | 2249 | 2252 | rVB3 | 606    | 870    | 0.10%   | 0.012%  |
| 46 | 16.251 | 2252 | 2255 | 2258 | rBV3 | 725    | 931    | 0.11%   | 0.013%  |
| 47 | 16.428 | 2281 | 2285 | 2287 | rBV2 | 818    | 901    | 0.11%   | 0.012%  |
| 48 | 16.504 | 2296 | 2298 | 2301 | rVB3 | 913    | 899    | 0.11%   | 0.012%  |
| 49 | 16.810 | 2348 | 2350 | 2353 | rBV2 | 776    | 857    | 0.10%   | 0.012%  |
| 50 | 16.904 | 2362 | 2366 | 2367 | rBV2 | 791    | 1058   | 0.12%   | 0.014%  |
| 51 | 17.227 | 2416 | 2421 | 2433 | rVV  | 203783 | 298322 | 34.85%  | 4.080%  |
| 52 | 17.327 | 2433 | 2438 | 2457 | rVV  | 428799 | 663029 | 77.45%  | 9.069%  |
| 53 | 17.469 | 2460 | 2462 | 2468 | rVV5 | 1862   | 3686   | 0.43%   | 0.050%  |
| 54 | 17.774 | 2513 | 2514 | 2518 | rBV4 | 835    | 866    | 0.10%   | 0.012%  |
| 55 | 17.957 | 2542 | 2545 | 2546 | rBV2 | 885    | 1005   | 0.12%   | 0.014%  |
| 56 | 18.010 | 2550 | 2554 | 2555 | rBV2 | 1177   | 1019   | 0.12%   | 0.014%  |
| 57 | 18.080 | 2563 | 2566 | 2574 | rBV4 | 9204   | 18270  | 2.13%   | 0.250%  |
| 58 | 18.516 | 2638 | 2640 | 2643 | rVB3 | 916    | 974    | 0.11%   | 0.013%  |
| 59 | 18.851 | 2696 | 2697 | 2700 | rBV2 | 918    | 858    | 0.10%   | 0.012%  |
| 60 | 18.886 | 2700 | 2703 | 2708 | rVV4 | 889    | 1654   | 0.19%   | 0.023%  |
| 61 | 18.969 | 2714 | 2717 | 2718 | rBV2 | 1466   | 1242   | 0.15%   | 0.017%  |
| 62 | 18.998 | 2718 | 2722 | 2723 | rBV3 | 835    | 998    | 0.12%   | 0.014%  |
| 63 | 19.127 | 2742 | 2744 | 2747 | rVB2 | 1000   | 976    | 0.11%   | 0.013%  |
| 64 | 19.157 | 2747 | 2749 | 2751 | rBV3 | 994    | 859    | 0.10%   | 0.012%  |
| 65 | 19.192 | 2751 | 2755 | 2758 | rVB4 | 4461   | 6027   | 0.70%   | 0.082%  |
| 66 | 19.221 | 2758 | 2760 | 2761 | rBV2 | 1203   | 903    | 0.11%   | 0.012%  |
| 67 | 19.263 | 2761 | 2767 | 2771 | rBV3 | 3380   | 5599   | 0.65%   | 0.077%  |
| 68 | 19.368 | 2781 | 2785 | 2793 | rBV7 | 8297   | 15430  | 1.80%   | 0.211%  |
| 69 | 19.439 | 2795 | 2797 | 2800 | rVB4 | 1490   | 1369   | 0.16%   | 0.019%  |
| 70 | 19.539 | 2811 | 2814 | 2815 | rBV3 | 1170   | 1043   | 0.12%   | 0.014%  |
| 71 | 19.621 | 2823 | 2828 | 2838 | rBV  | 587091 | 812722 | 94.93%  | 11.116% |
| 72 | 19.816 | 2859 | 2861 | 2862 | rBV2 | 1433   | 1111   | 0.13%   | 0.015%  |
| 73 | 21.410 | 3128 | 3132 | 3144 | rBV  | 207385 | 332604 | 38.85%  | 4.549%  |
| 74 | 23.615 | 3500 | 3507 | 3519 | rBV  | 422795 | 856109 | 100.00% | 11.710% |
| 75 | 23.768 | 3527 | 3533 | 3544 | rBV  | 181228 | 370401 | 43.27%  | 5.066%  |

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111723\  
Data File : BM042862.D  
Acq On : 18 Nov 2023 02:10  
Operator : MA/JU  
Sample : 05233-01  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
BH376

Integration Parameters: LSCINT.P  
Integrator: RTE  
Smoothing : OFF Filtering: 5  
Sampling : 1 Min Area: 0.1 % of largest Peak  
Start Thrs: 0.2 Max Peaks: 100  
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >  
Peak separation: 5

Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM111323.MA.M  
Title : SVOA CALIBRATION




Sum of corrected areas: 7311130

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111723\  
Data File : BM042862.D  
Acq On : 18 Nov 2023 02:10  
Operator : MA/JU  
Sample : 05233-01  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
BH376

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM111323.MA.M  
Quant Title : SVOA CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P



Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111723\  
Data File : BM042862.D  
Acq On : 18 Nov 2023 02:10  
Operator : MA/JU  
Sample : 05233-01  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
BH376

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM111323.MA.M  
Quant Title : SVOA CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

\*\*\*\*\*

Data Path : Z:\svoasrv\HPCHEM1\BNA\_M\Data\BM111723\  
Data File : BM042862.D  
Acq On : 18 Nov 2023 02:10  
Operator : MA/JU  
Sample : 05233-01  
Misc :  
ALS Vial : 15 Sample Multiplier: 1

Instrument :  
BNA\_M  
ClientSampleId :  
BH376

Quant Method : Z:\svoasrv\HPCHEM1\BNA\_M\Methods\SFAM-EPA-BM111323.MA.M  
Quant Title : SVOA CALIBRATION

TIC Library : C:\Database\NIST20.L  
TIC Integration Parameters: LSCINT.P

| TIC Top Hit name | RT | EstConc | Units | Response | --Internal Standard-- |
|------------------|----|---------|-------|----------|-----------------------|
|                  |    |         |       | #        | RT Resp Conc          |