

Data File : BM023804.D
Acq On : 19 Nov 2019 19:27
Operator : JU
Sample : K5748-12
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BEGX5

Quant Time: Nov 20 06:58:03 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM11119MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Nov 20 06:55:09 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.52	152	387333	20.00	ng/ul	0.00
18) Naphthalene-d8	10.29	136	1595338	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.17	164	954302	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.93	188	1968346	20.00	ng/ul	0.00
78) Chrysene-d12	21.13	240	1947653	20.00	ng/ul	0.00
86) Perylene-d12	23.29	264	2387917	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.06	96	40026	4.26	ng/uL	0.00
5) Phenol-d5	6.71	99	181552	5.14	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.86	67	483139	23.81	ng/ul	0.00
9) 2-Chlorophenol-d4	7.06	132	514881	20.13	ng/ul	0.00
13) 4-Methylphenol-d8	8.23	113	306110	10.87	ng/ul	0.00
19) Nitrobenzene-d5	8.67	128	300914	26.35	ng/ul	0.00
22) 2-Nitrophenol-d4	9.39	143	333039	27.75	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.92	165	577806	21.11	ng/ul	0.00
29) 4-Chloroaniline-d4	10.45	131	47740	1.59	ng/ul	0.01
44) Dimethylphthalate-d6	13.60	166	1972999	26.51	ng/ul	0.00
47) Acenaphthylene-d8	13.86	160	2205266	25.97	ng/ul	0.00
52) 4-Nitrophenol-d4	14.41	143	50323	3.96	ng/ul	0.00
58) Fluorene-d10	15.17	176	1706598	25.97	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.31	200	292550	25.69	ng/ul	0.00
71) Anthracene-d10	17.03	188	2823231	30.24	ng/ul	0.00
79) Pyrene-d10	19.33	212	3286613	32.36	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.15	264	4000307	31.84	ng/ul	0.00


Target Compounds					Qvalue	
45) Dimethylphthalate	13.64	163	138915	1.905	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BM023804.D
Acq On : 19 Nov 2019 19:27
Operator : JU
Sample : K5748-12
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BEGX5

Quant Time: Nov 20 06:58:03 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM11119MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Nov 20 06:55:09 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 1.905 ng/ul

RT: 13.64 min Scan# 1829

Delta R.T. -0.00 min

Lab File: BM023804.D

Acq: 19 Nov 2019 19:27


Instrument :

BNA_M

ClientSampleId :

BEGX5

Tgt Ion:	163	Resp:	138915
Ion	Ratio	Lower	Upper
163	100		
194	4.6	3.4	5.2
164	10.1	8.0	12.0



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

