

Data File : BM023807.D
Acq On : 19 Nov 2019 21:16
Operator : JU
Sample : K5748-15
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BEGX8

Quant Time: Nov 20 06:58:23 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM11119MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Nov 20 06:55:09 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.52	152	356712	20.00	ng/ul	0.00
18) Naphthalene-d8	10.29	136	1501576	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.17	164	928745	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.93	188	1963781	20.00	ng/ul	0.00
78) Chrysene-d12	21.13	240	1932216	20.00	ng/ul	0.00
86) Perylene-d12	23.29	264	2331195	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.06	96	37449	4.33	ng/uL	0.00
5) Phenol-d5	6.71	99	180775	5.56	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.86	67	472708	25.30	ng/ul	0.00
9) 2-Chlorophenol-d4	7.06	132	500402	21.24	ng/ul	0.00
13) 4-Methylphenol-d8	8.23	113	326513	12.59	ng/ul	0.00
19) Nitrobenzene-d5	8.67	128	298761	27.80	ng/ul	0.00
22) 2-Nitrophenol-d4	9.39	143	321130	28.43	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.92	165	578374	22.45	ng/ul	0.00
29) 4-Chloroaniline-d4	10.45	131	49614	1.75	ng/ul	0.01
44) Dimethylphthalate-d6	13.60	166	1992471	27.51	ng/ul	0.00
47) Acenaphthylene-d8	13.86	160	2222458	26.89	ng/ul	0.00
52) 4-Nitrophenol-d4	14.40	143	51592	4.17	ng/ul	0.00
58) Fluorene-d10	15.17	176	1760183	27.52	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.31	200	309559	27.25	ng/ul	0.00
71) Anthracene-d10	17.03	188	2973402	31.92	ng/ul	0.00
79) Pyrene-d10	19.33	212	3398696	33.74	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.15	264	4115428	33.55	ng/ul	0.00


Target Compounds					Qvalue	
45) Dimethylphthalate	13.65	163	139067	1.959	ng/ul	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BM023807.D
Acq On : 19 Nov 2019 21:16
Operator : JU
Sample : K5748-15
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BEGX8

Quant Time: Nov 20 06:58:23 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM11119MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Nov 20 06:55:09 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 1.959 ng/ul

RT: 13.65 min Scan# 1829

Delta R.T. 0.00 min

Lab File: BM023807.D

Acq: 19 Nov 2019 21:16

Instrument :

BNA_M

ClientSampleId :

BEGX8



Tgt Ion:163 Resp: 139067

Ion Ratio Lower Upper

163 100

194 4.6 3.4 5.2

164 9.1 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

