

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM112023\
 Data File : BM042925.D
 Acq On : 20 Nov 2023 13:18
 Operator : MA/JU
 Sample : 05268-05
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 DCKC3

Quant Time: Nov 20 22:56:44 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM11323.MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Sat Nov 18 22:06:09 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.805	152	30632	20.000	ng/ul	0.00
20) Naphthalene-d8	10.622	136	125990	20.000	ng/ul	# 0.00
38) Acenaphthene-d10	14.463	164	80055	20.000	ng/ul	0.00
64) Phenanthrene-d10	17.216	188	180336	20.000	ng/ul	-0.01
79) Chrysene-d12	21.404	240	194127	20.000	ng/ul	0.00
88) Perylene-d12	23.756	264	226004	20.000	ng/ul	-0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.170	96	4850	4.968	ng/uL	0.00
4) Pyridine-d5	3.611	84	33877	13.951	ng/ul	0.00
7) Phenol-d5	6.981	99	31954	10.718	ng/ul	0.00
9) Bis-(2-Chloroethyl)eth...	7.158	67	67616	32.277	ng/ul	0.00
11) 2-Chlorophenol-d4	7.328	132	52407	22.782	ng/ul	0.00
15) 4-Methylphenol-d8	8.528	113	38482	16.394	ng/ul	0.00
21) Nitrobenzene-d5	9.010	128	30972	28.039	ng/ul	0.00
24) 2-Nitrophenol-d4	9.722	143	33290	25.762	ng/ul	0.00
28) 2,4-Dichlorophenol-d3	10.246	165	60157	25.037	ng/ul	0.00
31) 4-Chloroaniline-d4	10.910	131	204	0.067	ng/ul	0.11
46) Dimethylphthalate-d6	13.887	166	248946	32.857	ng/ul	0.00
49) Acenaphthylene-d8	14.163	160	255160	31.475	ng/ul	0.00
54) 4-Nitrophenol-d4	14.739	143	2081	2.431	ng/ul	0.02
60) Fluorene-d10	15.457	176	206817	32.964	ng/ul	0.00
65) 4,6-Dinitro-2-methylph...	15.610	200	31785	23.269	ng/ul	0.00
73) Anthracene-d10	17.316	188	343580	33.996	ng/ul	-0.01
81) Pyrene-d10	19.616	212	456714	35.927	ng/ul	0.00
92) Benzo(a)pyrene-d12	23.604	264	478469	35.393	ng/ul	-0.01
Target Compounds						
					Qvalue	
19) Hexachloroethane	8.963	117	3312	2.596	ng/ul#	3
30) Naphthalene	10.681	128	3598632	455.921	ng/ul	100
32) 4-Chloroaniline	10.681	127	472119	161.311	ng/ul#	16
36) 2-Methylnaphthalene	12.281	142	135494	25.613	ng/ul	99
37) 1-Methylnaphthalene	12.498	142	84336	15.163	ng/ul	99
43) 1,1'-Biphenyl	13.298	154	59797	8.957	ng/ul#	96
50) Acenaphthylene	14.192	152	22221	2.446	ng/ul	96
52) Acenaphthene	14.528	153	89843	14.625	ng/ul	98
56) Dibenzofuran	14.869	168	172139	20.188	ng/ul	97
58) 2,3,4,6-Tetrachlorophenol	15.098	232	4397	2.287	ng/ul#	99
61) Fluorene	15.516	166	73772	10.191	ng/ul	97
66) 4,6-Dinitro-2-methylph...	15.628	198	3127	2.249	ng/ul#	96
71) Pentachlorophenol	16.857	266	5960	3.527	ng/ul	93
72) Phenanthrene	17.263	178	67391	5.982	ng/ul	98
74) Anthracene	17.263	178	67391	5.947	ng/ul	98
77) Carbazole	17.645	167	256742	27.438	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM112023\
Data File : BM042925.D
Acq On : 20 Nov 2023 13:18
Operator : MA/JU
Sample : 05268-05
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
DCKC3

Quant Time: Nov 20 22:56:44 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\SFAM-EPA-BM111323.MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Sat Nov 18 22:06:09 2023
Response via : Initial Calibration









#19
Hexachloroethane
Concen: 2.596 ng/ul
RT: 8.963 min Scan# 1016
Delta R.T. 0.100 min
Lab File: BM042925.D
Acq: 20 Nov 2023 13:18




Instrument :
BNA_M
ClientSampleId :
DCKC3


Tgt Ion:117 Resp: 3312
Ion Ratio Lower Upper
117 100
201 0.0 90.0 135.0#
199 0.0 52.2 78.4#



#30
Naphthalene
Concen: 455.921 ng/ul
RT: 10.681 min Scan# 1308
Delta R.T. 0.006 min
Lab File: BM042925.D
Acq: 20 Nov 2023 13:18

Tgt Ion:128 Resp: 3598632
Ion Ratio Lower Upper
128 100
129 10.7 8.6 13.0
127 13.2 10.5 15.7









#32
4-Chloroaniline
Concen: 161.311 ng/ul
RT: 10.681 min Scan# 11
Delta R.T. -0.147 min
Lab File: BM042925.D
Acq: 20 Nov 2023 13:18




Instrument :
BNA_M
ClientSampleId :
DCKC3


Tgt Ion:127 Resp: 472119
Ion Ratio Lower Upper
127 100
129 81.3 26.7 40.1#



#36
2-Methylnaphthalene
Concen: 25.613 ng/ul
RT: 12.281 min Scan# 1580
Delta R.T. -0.005 min
Lab File: BM042925.D
Acq: 20 Nov 2023 13:18

Tgt Ion:142 Resp: 135494
Ion Ratio Lower Upper
142 100
141 90.7 73.6 110.4





#37

1-Methylnaphthalene

Concen: 15.163 ng/ul

RT: 12.498 min Scan# 1

Delta R.T. -0.011 min

Lab File: BM042925.D

Acq: 20 Nov 2023 13:18

Instrument :

BNA_M

ClientSampleId :

DCKC3





Tgt Ion:142 Resp: 84336

Ion Ratio Lower Upper

142 100

141 90.7 73.3 109.9

116 5.0 3.9 5.9



#43

1,1'-Biphenyl

Concen: 8.957 ng/ul

RT: 13.298 min Scan# 1753

Delta R.T. -0.005 min

Lab File: BM042925.D

Acq: 20 Nov 2023 13:18




Tgt Ion:154 Resp: 59797


Ion Ratio Lower Upper

154 100

153 42.3 32.4 48.6

76 16.3 10.7 16.1#





#50

Acenaphthylene

Concen: 2.446 ng/ul

RT: 14.192 min Scan# 1905

Delta R.T. -0.005 min

Lab File: BM042925.D

Acq: 20 Nov 2023 13:18

Instrument :

BNA_M

ClientSampleId :

DCKC3





Tgt Ion:152 Resp: 22221

Ion Ratio Lower Upper

152 100

151 22.4 16.0 24.0

153 13.8 10.5 15.7



#52

Acenaphthene

Concen: 14.625 ng/ul

RT: 14.528 min Scan# 1962

Delta R.T. -0.005 min

Lab File: BM042925.D

Acq: 20 Nov 2023 13:18




Tgt Ion:153 Resp: 89843


Ion Ratio Lower Upper

153 100

152 49.8 38.2 57.2

154 88.3 71.3 106.9









#56
Dibenzenofuran
Concen: 20.188 ng/ul
RT: 14.869 min Scan# 20
Delta R.T. -0.005 min
Lab File: BM042925.D
Acq: 20 Nov 2023 13:18




Instrument :
BNA_M
ClientSampleId :
DCKC3


Tgt Ion:168 Resp: 172139
Ion Ratio Lower Upper
168 100
139 40.2 30.8 46.2



#58
2,3,4,6-Tetrachlorophenol
Concen: 2.287 ng/ul
RT: 15.098 min Scan# 2059
Delta R.T. 0.006 min
Lab File: BM042925.D
Acq: 20 Nov 2023 13:18

Tgt Ion:232 Resp: 4397
Ion Ratio Lower Upper
232 100
131 48.4 38.9 58.3
130 0.0 1.9 2.9#
166 30.6 23.9 35.9





#61

Fluorene

Concen: 10.191 ng/ul

RT: 15.516 min Scan# 2130

Delta R.T. -0.005 min

Lab File: BM042925.D

Acq: 20 Nov 2023 13:18

Instrument :

BNA_M

ClientSampleId :

DCKC3





Tgt Ion:166 Resp: 73772

Ion Ratio Lower Upper

166 100

165 95.7 79.3 118.9

167 14.5 10.6 15.8



#66

4,6-Dinitro-2-methylphenol

Concen: 2.249 ng/ul

RT: 15.628 min Scan# 2149

Delta R.T. 0.000 min

Lab File: BM042925.D

Acq: 20 Nov 2023 13:18




Tgt Ion:198 Resp: 3127


Ion Ratio Lower Upper

198 100

182 0.0 3.4 5.0#

77 35.1 26.9 40.3





#71

Pentachlorophenol

Concen: 3.527 ng/ul

RT: 16.857 min Scan# 21

Delta R.T. -0.005 min

Lab File: BM042925.D

Acq: 20 Nov 2023 13:18

Instrument :

BNA_M

ClientSampleId :

DCKC3





Tgt Ion:266 Resp: 5960

Ion Ratio Lower Upper

266 100

264 64.1 50.3 75.5

268 56.0 52.1 78.1



#72

Phenanthrene

Concen: 5.982 ng/ul

RT: 17.263 min Scan# 2427

Delta R.T. -0.005 min

Lab File: BM042925.D

Acq: 20 Nov 2023 13:18




Tgt Ion:178 Resp: 67391


Ion Ratio Lower Upper

178 100

179 15.8 11.4 17.2

176 18.7 15.5 23.3









#74
 Anthracene
 Concen: 5.947 ng/ul
 RT: 17.263 min Scan# 2443
 Delta R.T. -0.100 min
 Lab File: BM042925.D
 Acq: 20 Nov 2023 13:18

Instrument :
 BNA_M
 ClientSampleId :
 DCKC3

Tgt Ion:178 Resp: 67391
 Ion Ratio Lower Upper
 178 100
 179 15.8 12.0 18.0
 176 18.7 15.7 23.5



#77
 Carbazole
 Concen: 27.438 ng/ul
 RT: 17.645 min Scan# 2492
 Delta R.T. -0.011 min
 Lab File: BM042925.D
 Acq: 20 Nov 2023 13:18

Tgt Ion:167 Resp: 256742
 Ion Ratio Lower Upper
 167 100
 166 22.3 17.2 25.8
 139 13.4 10.8 16.2

