

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM112118\
 Data File : BM017734.D
 Acq On : 21 Nov 2018 16:57
 Operator : MJ/SJ
 Sample : J6023-01
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 111918-JETT-E-D-B

Quant Time: Nov 22 01:49:11 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM111218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 12 18:37:25 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	471589	20.00	ng	-0.02
21) Naphthalene-d8	10.36	136	2042770	20.00	ng	-0.02
39) Acenaphthene-d10	14.24	164	1274920	20.00	ng	-0.02
64) Phenanthrene-d10	17.00	188	2901942	20.00	ng	-0.02
76) Chrysene-d12	21.20	240	3287469	20.00	ng	-0.02
87) Perylene-d12	23.39	264	3279938	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.22	112	522425	18.70	ng	-0.02
7) Phenol-d6	6.78	99	442065	11.33	ng	-0.02
23) Nitrobenzene-d5	8.75	82	1713977	43.32	ng	-0.02
42) 2,4,6-Tribromophenol	15.75	330	779764	42.57	ng	-0.02
45) 2-Fluorobiphenyl	12.86	172	4174206	42.48	ng	-0.02
79) Terphenyl-d14	19.64	244	5848884	40.32	ng	-0.01


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM112118\
Data File : BM017734.D
Acq On : 21 Nov 2018 16:57
Operator : MJ/SJ
Sample : J6023-01
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
111918-JETT-E-D-B

Quant Time: Nov 22 01:49:11 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM112118.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 12 18:37:25 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.59 min Scan# 783
Delta R.T. -0.02 min
Lab File: BM017734.D
Acq: 21 Nov 2018 16:57

Instrument :
BNA_M
ClientSampleId :
111918-JETT-E-D-B

Tgt Ion:152 Resp: 471589
Ion Ratio Lower Upper
152 100
150 158.7 126.4 189.6
115 63.5 49.4 74.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 18.696 ng
RT: 5.22 min Scan# 380
Delta R.T. -0.02 min
Lab File: BM017734.D
Acq: 21 Nov 2018 16:57

Tgt Ion:112 Resp: 522425
Ion Ratio Lower Upper
112 100
64 57.7 49.3 73.9
63 31.2 26.2 39.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 11.327 ng

RT: 6.78 min Scan# 645

Delta R.T. -0.02 min

Lab File: BM017734.D

Acq: 21 Nov 2018 16:57

Instrument :

BNA_M

ClientSampleId :

111918-JETT-E-D-B


Tgt Ion: 99 Resp: 442065

Ion Ratio Lower Upper

99 100

42 18.7 16.3 24.5




71 36.2 29.8 44.8



Abundance Ion 99.00 (98.70 to 99.70): BM017613.D (-641) (-)

Ion 42.00 (41.70 to 42.70): BM017613.D (-641) (-)

Ion 71.00 (70.70 to 71.70): BM017613.D (-641) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.36 min Scan# 1254

Delta R.T. -0.02 min

Lab File: BM017734.D

Acq: 21 Nov 2018 16:57

Tgt Ion: 136 Resp: 2042770


Ion Ratio Lower Upper

136 100

137 10.9 8.6 12.8

54 7.7 7.0 10.6

68 5.7 4.9 7.3





Abundance Ion 136.00 (135.70 to 136.70): BM017613.D (-1250) (-)

Ion 137.00 (136.70 to 137.70): BM017613.D (-1250) (-)

Ion 54.00 (53.70 to 54.70): BM017613.D (-1250) (-)

Ion 68.00 (67.70 to 68.70): BM017613.D (-1250) (-)








#23
 Nitrobenzene-d5
 Concen: 43.316 ng
 RT: 8.75 min Scan# 980
 Delta R.T. -0.02 min
 Lab File: BM017734.D
 Acq: 21 Nov 2018 16:57




Instrument :
 BNA_M
 ClientSampleId :
 111918-JETT-E-D-B


Tgt Ion: 82 Resp: 1713977
 Ion Ratio Lower Upper
 82 100
 128 41.6 33.0 49.4
 54 46.9 41.4 62.2



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.24 min Scan# 1913
 Delta R.T. -0.02 min
 Lab File: BM017734.D
 Acq: 21 Nov 2018 16:57

Tgt Ion: 164 Resp: 1274920
 Ion Ratio Lower Upper
 164 100
 162 103.6 81.4 122.0
 160 45.2 35.6 53.4









#42
 2,4,6-Tribromophenol
 Concen: 42.566 ng
 RT: 15.75 min Scan# 2169
 Delta R.T. -0.02 min
 Lab File: BM017734.D
 Acq: 21 Nov 2018 16:57

Instrument :
 BNA_M
 ClientSampleId :
 111918-JETT-E-D-B

Tgt Ion: 330 Resp: 779764
 Ion Ratio Lower Upper
 330 100
 332 96.5 77.9 116.9
 141 35.8 27.5 41.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 42.476 ng
 RT: 12.86 min Scan# 1678
 Delta R.T. -0.02 min
 Lab File: BM017734.D
 Acq: 21 Nov 2018 16:57

Tgt Ion: 172 Resp: 4174206
 Ion Ratio Lower Upper
 172 100
 171 35.3 28.7 43.1
 170 22.7 18.3 27.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.00 min Scan# 2382
Delta R.T. -0.02 min
Lab File: BM017734.D
Acq: 21 Nov 2018 16:57




Instrument :
BNA_M
ClientSampleId :
111918-JETT-E-D-B


Tgt Ion:188 Resp: 2901942
Ion Ratio Lower Upper
188 100
94 8.9 7.5 11.3
80 10.2 8.6 13.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.20 min Scan# 3096
Delta R.T. -0.02 min
Lab File: BM017734.D
Acq: 21 Nov 2018 16:57

Tgt Ion:240 Resp: 3287469
Ion Ratio Lower Upper
240 100
120 10.5 8.5 12.7
236 25.5 20.4 30.6





#79

Terphenyl-d14

Concen: 40.323 ng

RT: 19.64 min Scan# 2832

Delta R.T. -0.01 min

Lab File: BM017734.D

Acq: 21 Nov 2018 16:57

Instrument :

BNA_M

ClientSampleId :

111918-JETT-E-D-B


Tgt Ion:244 Resp: 5848884

Ion Ratio Lower Upper




244 100

212 7.3 5.8 8.6

122 10.0 9.0 13.6



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.39 min Scan# 3469

Delta R.T. -0.02 min

Lab File: BM017734.D

Acq: 21 Nov 2018 16:57


Tgt Ion:264 Resp: 3279938

Ion Ratio Lower Upper

264 100

260 22.9 18.2 27.2

265 21.1 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E
Ion 260.00 (259.70 to 260.70): E
Ion 265.00 (264.70 to 265.70): E

