

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM112118\
 Data File : BM017737.D
 Acq On : 21 Nov 2018 18:46
 Operator : MJ/SJ
 Sample : J6023-04
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 111918-JETT-E-U-B

Quant Time: Nov 22 01:49:35 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM111218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 12 18:37:25 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	192545	20.00	ng	-0.02
21) Naphthalene-d8	10.36	136	794088	20.00	ng	-0.02
39) Acenaphthene-d10	14.24	164	508709	20.00	ng	-0.02
64) Phenanthrene-d10	17.00	188	1211766	20.00	ng	-0.02
76) Chrysene-d12	21.20	240	1326166	20.00	ng	-0.02
87) Perylene-d12	23.39	264	1228452	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.22	112	381652	33.45	ng	-0.02
7) Phenol-d6	6.78	99	325084	20.40	ng	-0.02
23) Nitrobenzene-d5	8.75	82	1319141	85.76	ng	-0.02
42) 2,4,6-Tribromophenol	15.74	330	614366	84.05	ng	-0.02
45) 2-Fluorobiphenyl	12.86	172	3281832	83.69	ng	-0.02
79) Terphenyl-d14	19.64	244	4570857	78.12	ng	-0.01
Target Compounds						
10) Phenol	6.81	94	48571	2.904	ng	Qvalue 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM112118\
Data File : BM017737.D
Acq On : 21 Nov 2018 18:46
Operator : MJ/SJ
Sample : J6023-04
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
111918-JETT-E-U-B

Quant Time: Nov 22 01:49:35 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM11218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 12 18:37:25 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.59 min Scan# 783
Delta R.T. -0.02 min
Lab File: BM017737.D
Acq: 21 Nov 2018 18:46

Instrument :
BNA_M
ClientSampleId :
111918-JETT-E-U-B

Tgt Ion:152 Resp: 192545
Ion Ratio Lower Upper
152 100
150 155.9 126.4 189.6
115 63.5 49.4 74.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5




2-Fluorophenol
Concen: 33.452 ng
RT: 5.22 min Scan# 380
Delta R.T. -0.02 min
Lab File: BM017737.D
Acq: 21 Nov 2018 18:46

Tgt Ion:112 Resp: 381652
Ion Ratio Lower Upper
112 100
64 55.9 49.3 73.9
63 31.5 26.2 39.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0









#7
 Phenol-d6
 Concen: 20.401 ng
 RT: 6.78 min Scan# 645
 Delta R.T. -0.02 min
 Lab File: BM017737.D
 Acq: 21 Nov 2018 18:46


Instrument :
 BNA_M
 ClientSampleId :
 111918-JETT-E-U-B


Tgt Ion: 99 Resp: 325084
 Ion Ratio Lower Upper
 99 100
 42 20.1 16.3 24.5
 71 40.3 29.8 44.8



#10
 Phenol
 Concen: 2.904 ng
 RT: 6.81 min Scan# 650
 Delta R.T. -0.02 min
 Lab File: BM017737.D
 Acq: 21 Nov 2018 18:46

Tgt Ion: 94 Resp: 48571
 Ion Ratio Lower Upper
 94 100
 65 27.7 11.4 51.4
 66 43.2 21.4 61.4





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.36 min Scan# 1254

Delta R.T. -0.02 min

Lab File: BM017737.D

Acq: 21 Nov 2018 18:46

Instrument :

BNA_M

ClientSampleId :

111918-JETT-E-U-B

Tgt Ion:136 Resp: 794088


Ion Ratio Lower Upper

136 100

137 10.9 8.6 12.8

54 7.4 7.0 10.6

68 5.7 4.9 7.3






Abundance Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BM

Ion 68.00 (67.70 to 68.70): BM



#23

Nitrobenzene-d5

Concen: 85.760 ng

RT: 8.75 min Scan# 980

Delta R.T. -0.02 min

Lab File: BM017737.D

Acq: 21 Nov 2018 18:46


Tgt Ion: 82 Resp: 1319141

Ion Ratio Lower Upper

82 100

128 41.4 33.0 49.4



54 47.5 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BM

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BM





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.24 min Scan# 1913

Delta R.T. -0.02 min

Lab File: BM017737.D

Acq: 21 Nov 2018 18:46

Instrument :

BNA_M

ClientSampleId :

111918-JETT-E-U-B


Tgt Ion:164 Resp: 508709

Ion Ratio Lower Upper

164 100

162 104.8 81.4 122.0




160 44.5 35.6 53.4



Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42

2,4,6-Tribromophenol

Concen: 84.051 ng

RT: 15.74 min Scan# 2169

Delta R.T. -0.02 min

Lab File: BM017737.D

Acq: 21 Nov 2018 18:46


Tgt Ion:330 Resp: 614366

Ion Ratio Lower Upper

330 100

332 96.9 77.9 116.9



141 37.5 27.5 41.3




Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 83.695 ng
 RT: 12.86 min Scan# 1678
 Delta R.T. -0.02 min
 Lab File: BM017737.D
 Acq: 21 Nov 2018 18:46




Instrument :
 BNA_M
 ClientSampleId :
 111918-JETT-E-U-B


Tgt Ion:172 Resp: 3281832
 Ion Ratio Lower Upper
 172 100
 171 35.0 28.7 43.1
 170 22.7 18.3 27.5



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 17.00 min Scan# 2382
 Delta R.T. -0.02 min
 Lab File: BM017737.D
 Acq: 21 Nov 2018 18:46

Tgt Ion:188 Resp: 1211766
 Ion Ratio Lower Upper
 188 100
 94 8.5 7.5 11.3
 80 9.6 8.6 13.0









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.20 min Scan# 3096
Delta R.T. -0.02 min
Lab File: BM017737.D
Acq: 21 Nov 2018 18:46

Instrument :
BNA_M
ClientSampleId :
111918-JETT-E-U-B

Tgt Ion:240 Resp: 1326166
Ion Ratio Lower Upper
240 100
120 9.8 8.5 12.7
236 24.7 20.4 30.6




Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E






#79
Terphenyl-d14
Concen: 78.116 ng
RT: 19.64 min Scan# 2832
Delta R.T. -0.01 min
Lab File: BM017737.D
Acq: 21 Nov 2018 18:46

Tgt Ion:244 Resp: 4570857
Ion Ratio Lower Upper
244 100
212 7.2 5.8 8.6
122 9.8 9.0 13.6



Abundance Ion 244.00 (243.70 to 244.70): E
Ion 212.00 (211.70 to 212.70): E
Ion 122.00 (121.70 to 122.70): E





#87
Perylene-d12
Concen: 20.000 ng
RT: 23.39 min Scan# 3468
Delta R.T. -0.02 min
Lab File: BM017737.D
Acq: 21 Nov 2018 18:46

Instrument :
BNA_M
ClientSampleId :
111918-JETT-E-U-B

Tgt Ion: 264 Resp: 1228452

Ion	Ratio	Lower	Upper
264	100		
260	22.3	18.2	27.2
265	21.5	17.5	26.3

