

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM112119\
 Data File : BM023854.D
 Acq On : 22 Nov 2019 06:44
 Operator : JU
 Sample : K5809-09
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 BFPT8

Quant Time: Nov 22 08:15:38 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111119MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Nov 21 16:09:32 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.52	152	459888	20.00	ng/ul	0.00
18) Naphthalene-d8	10.29	136	1737640	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.17	164	943681	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.93	188	1736713	20.00	ng/ul	0.00
78) Chrysene-d12	21.14	240	1912994	20.00	ng/ul	0.01
86) Perylene-d12	23.32	264	2556175	20.00	ng/ul	0.03

System Monitoring Compounds

3) 1,4-Dioxane-d8	0.00	96	0d	0.00	ng/uL
5) Phenol-d5	0.00	99	0d	0.00	ng/ul
7) Bis-(2-Chloroethyl)ether-d	0.00	67	0d	0.00	ng/ul
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul
13) 4-Methylphenol-d8	0.00	113	0d	0.00	ng/ul
19) Nitrobenzene-d5	0.00	128	0d	0.00	ng/ul
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul
26) 2,4-Dichlorophenol-d3	0.00	165	0d	0.00	ng/ul
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul
44) Dimethylphthalate-d6	0.00	166	0d	0.00	ng/ul
47) Acenaphthylene-d8	0.00	160	0d	0.00	ng/ul
52) 4-Nitrophenol-d4	0.00	143	0d	0.00	ng/ul
58) Fluorene-d10	0.00	176	0d	0.00	ng/ul
63) 4,6-Dinitro-2-methylphenol	0.00	200	0d	0.00	ng/ul
71) Anthracene-d10	0.00	188	0d	0.00	ng/ul
79) Pyrene-d10	0.00	212	0d	0.00	ng/ul
90) Benzo(a)pyrene-d12	0.00	264	0d	0.00	ng/ul

Target Compounds


				Ovalue
73) 1,2,3,4-Tetrachlorobenzene	12.96	216	32718	1.329 ng/uL


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM112119\
Data File : BM023854.D
Acq On : 22 Nov 2019 06:44
Operator : JU
Sample : K5809-09
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
BFPT8

Quant Time: Nov 22 08:15:38 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111119MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Nov 21 16:09:32 2019
Response via : Initial Calibration





#73

1,2,3,4-Tetrachlorobenzene

Concen: 1.329 ng/uL

RT: 12.96 min Scan# 1713

Delta R.T. -0.00 min

Lab File: BM023854.D

Acq: 22 Nov 2019 06:44

Instrument :

BNA_M

ClientSampleId :

BFPT8


Tot Ion:216 Resp: 32718

Ion Ratio Lower Upper

216 100

214 76.9 63.1 94.7

218 46.4 38.6 57.8



Abundance Ion 216.00 (215.70 to 216.70): E

Ion 214.00 (213.70 to 214.70): E

Ion 218.00 (217.70 to 218.70): E

