

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM112719\
 Data File : BM023926.D
 Acq On : 27 Nov 2019 23:21
 Operator : JU
 Sample : K5888-08
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 JLLQ6

Quant Time: Nov 28 00:22:22 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM112719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Nov 27 17:16:22 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.49	152	457234	20.00	ng/ul	0.00
18) Naphthalene-d8	10.26	136	1950645	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.15	164	1198612	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.90	188	2285894	20.00	ng/ul	0.00
78) Chrysene-d12	21.11	240	1751399	20.00	ng/ul	0.00
86) Perylene-d12	23.25	264	2124316	20.00	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.04	96	34151	3.32	ng/uL	0.00
5) Phenol-d5	6.68	99	643998	16.07	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.84	67	409022	17.55	ng/ul	0.00
9) 2-Chlorophenol-d4	7.03	132	530057	17.11	ng/ul	0.00
13) 4-Methylphenol-d8	8.20	113	489084	15.47	ng/ul	0.00
19) Nitrobenzene-d5	8.65	128	258503	17.07	ng/ul	0.00
22) 2-Nitrophenol-d4	9.36	143	292787	17.01	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.90	165	516843	15.86	ng/ul	0.00
29) 4-Chloroaniline-d4	10.41	131	661740	18.50	ng/ul	0.00
44) Dimethylphthalate-d6	13.57	166	1724717	18.52	ng/ul	0.00
47) Acenaphthylene-d8	13.84	160	1965721	18.01	ng/ul	0.00
52) 4-Nitrophenol-d4	14.39	143	146910	9.38	ng/ul	0.00
58) Fluorene-d10	15.15	176	1421657	18.14	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.29	200	156096	10.88	ng/ul	0.00
71) Anthracene-d10	17.00	188	2037024	18.66	ng/ul	0.00
79) Pyrene-d10	19.31	212	1958364	21.64	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.12	264	2147775	19.13	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	13.62	163	703041	7.712	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM112719\
Data File : BM023926.D
Acq On : 27 Nov 2019 23:21
Operator : JU
Sample : K5888-08
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
JLLQ6

Quant Time: Nov 28 00:22:22 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM112719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Nov 27 17:16:22 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 7.712 ng/ul

RT: 13.62 min Scan# 1825

Delta R.T. -0.00 min

Lab File: BM023926.D

Acq: 27 Nov 2019 23:21

Instrument :

BNA_M

ClientSampleId :

JLLQ6

Tot Ion:163 Resp: 703041

Ion Ratio Lower Upper

163 100

194 4.3 3.2 4.8

164 10.3 8.0 12.0

