

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM112719\
 Data File : BM023935.D
 Acq On : 28 Nov 2019 04:44
 Operator : JU
 Sample : K5888-16
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 JLLS7

Quant Time: Nov 28 06:10:36 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM112719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Nov 28 00:24:52 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.49	152	465571	20.00	ng/ul	0.00
18) Naphthalene-d8	10.26	136	1995209	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.15	164	1297720	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.90	188	2543513	20.00	ng/ul	0.00
78) Chrysene-d12	21.11	240	1752174	20.00	ng/ul	0.00
86) Perylene-d12	23.25	264	2049097	20.00	ng/ul	-0.01

System Monitoring Compounds	R.T.	QIon	Response	Conc	Units	Dev(Min)
3) 1,4-Dioxane-d8	3.04	96	32953	3.15	ng/uL	0.00
5) Phenol-d5	6.68	99	702691	17.22	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.84	67	445452	18.77	ng/ul	0.00
9) 2-Chlorophenol-d4	7.03	132	565534	17.93	ng/ul	0.00
13) 4-Methylphenol-d8	8.20	113	571590	17.75	ng/ul	0.00
19) Nitrobenzene-d5	8.64	128	287024	18.53	ng/ul	0.00
22) 2-Nitrophenol-d4	9.36	143	322587	18.33	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.89	165	578335	17.35	ng/ul	0.00
29) 4-Chloroaniline-d4	10.41	131	760550	20.79	ng/ul	0.00
44) Dimethylphthalate-d6	13.57	166	2012106	19.95	ng/ul	0.00
47) Acenaphthylene-d8	13.84	160	2239044	18.95	ng/ul	0.00
52) 4-Nitrophenol-d4	14.38	143	203197	11.99	ng/ul	0.00
58) Fluorene-d10	15.15	176	1649657	19.44	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.29	200	191180	11.97	ng/ul	0.00
71) Anthracene-d10	17.00	188	2362672	19.45	ng/ul	0.00
79) Pyrene-d10	19.30	212	2170898	23.98	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.12	264	2173252	20.06	ng/ul	0.00


Target Compounds	R.T.	QIon	Response	Conc	Units	Ovalue
45) Dimethylphthalate	13.62	163	620916	6.291	ng/ul	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM112719\
Data File : BM023935.D
Acq On : 28 Nov 2019 04:44
Operator : JU
Sample : K5888-16
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampled :
JLLS7

Quant Time: Nov 28 06:10:36 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM112719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Nov 28 00:24:52 2019
Response via : Initial Calibration





#45

Dimethylphthalate

Concen: 6.291 ng/ul

RT: 13.62 min Scan# 1824

Delta R.T. -0.01 min

Lab File: BM023935.D

Acq: 28 Nov 2019 04:44

Instrument :

BNA_M

ClientSampleId :

JLLS7


Tot Ion:163 Resp: 620916

Ion Ratio Lower Upper

163 100

194 4.2 3.2 4.8

164 10.3 8.0 12.0



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

