

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM112918\
 Data File : BM017804.D
 Acq On : 29 Nov 2018 20:10
 Operator : JU/SJ
 Sample : J6038-06
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 CB4J0

Quant Time: Nov 30 00:35:48 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Nov 29 00:55:29 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.59	152	168008	20.00	ng/ul	0.00
18) Naphthalene-d8	10.36	136	683192	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.23	164	431910	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.99	188	1000734	20.00	ng/ul	0.00
77) Chrysene-d12	21.19	240	965144	20.00	ng/ul	0.00
85) Perylene-d12	23.37	264	889920	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.28	96	241	0.07	ng/uL	0.10
5) Phenol-d5	0.00	99	0	0.00	ng/ul	
7) Bis-(2-Chloroethyl)ether-d	6.96	67	216	0.02	ng/ul	0.02
9) 2-Chlorophenol-d4	0.00	132	0	0.00	ng/ul	
13) 4-Methylphenol-d8	0.00	113	0	0.00	ng/ul	
19) Nitrobenzene-d5	0.00	128	0	0.00	ng/ul	
22) 2-Nitrophenol-d4	0.00	143	0	0.00	ng/ul	
26) 2,4-Dichlorophenol-d3	0.00	165	0	0.00	ng/ul	
29) 4-Chloroaniline-d4	10.47	131	1185	0.12	ng/ul	-0.04
43) Dimethylphthalate-d6	0.00	166	0	0.00	ng/ul	
46) Acenaphthylene-d8	0.00	160	0	0.00	ng/ul	
51) 4-Nitrophenol-d4	14.46	143	255	0.04	ng/ul	0.00
57) Fluorene-d10	15.24	176	2729	0.08	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	0.00	200	0	0.00	ng/ul	
70) Anthracene-d10	16.99	188	1000734	20.09	ng/ul	-0.11
78) Pyrene-d10	19.37	212	546	0.01	ng/ul	-0.02
89) Benzo(a)pyrene-d12	23.37	264	878199	18.20	ng/ul	0.13

Target Compounds


					Qvalue	
69) Phenanthrene	17.03	178	95896	1.676	ng/ul	96
71) Anthracene	17.03	178	95896	1.639	ng/ul	96
76) Fluoranthene	19.06	202	173599	2.579	ng/ul	99
79) Pyrene	19.42	202	105020	1.792	ng/ul	99
84) Chrysene	21.18	228	56044	1.001	ng/ul	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM112918\
Data File : BM017804.D
Acq On : 29 Nov 2018 20:10
Operator : JU/SJ
Sample : J6038-06
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
CB4J0

Quant Time: Nov 30 00:35:48 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Nov 29 00:55:29 2018
Response via : Initial Calibration





#69

Phenanthrene

Concen: 1.676 ng/ul

RT: 17.03 min Scan# 2388

Delta R.T. -0.00 min

Lab File: BM017804.D

Acq: 29 Nov 2018 20:10

Instrument :

BNA_M

ClientSampleId :

CB4J0


Tgt Ion:178 Resp: 95896

Ion Ratio Lower Upper

178 100

179 16.4 11.8 17.8


176 20.7 15.0 22.6





Abundance Ion 178.00 (177.70 to 178.70): E

Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E



Time--> 16.95 17.00 17.05 17.10



#71

Anthracene

Concen: 1.639 ng/ul

RT: 17.03 min Scan# 2388

Delta R.T. -0.09 min

Lab File: BM017804.D

Acq: 29 Nov 2018 20:10


Tgt Ion:178 Resp: 95896

Ion Ratio Lower Upper

178 100

179 16.4 12.4 18.6


176 20.7 14.8 22.2




Abundance Ion 178.00 (177.70 to 178.70): E


Ion 179.00 (178.70 to 179.70): E

Ion 176.00 (175.70 to 176.70): E



Time--> 16.95 17.00 17.05 17.10





#76

Fluoranthene

Concen: 2.579 ng/ul

RT: 19.06 min Scan# 2732

Delta R.T. -0.01 min

Lab File: BM017804.D

Acq: 29 Nov 2018 20:10

Instrument :

BNA_M

ClientSampleId :

CB4J0


Tgt Ion:202 Resp: 173599

Ion Ratio Lower Upper

202 100

101 10.8 8.4 12.6




100 7.7 6.6 9.8



Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B



#79

Pyrene

Concen: 1.792 ng/ul

RT: 19.42 min Scan# 2794

Delta R.T. -0.01 min

Lab File: BM017804.D

Acq: 29 Nov 2018 20:10


Tgt Ion:202 Resp: 105020

Ion Ratio Lower Upper

202 100

101 12.1 9.6 14.4



100 10.4 7.9 11.9




Abundance Ion 202.00 (201.70 to 202.70): E

Ion 101.00 (100.70 to 101.70): E

Ion 100.00 (99.70 to 100.70): B





#84

Chrysene

Concen: 1.001 ng/ul

RT: 21.18 min Scan# 3093

Delta R.T. -0.05 min

Lab File: BM017804.D


Acq: 29 Nov 2018 20:10

Instrument :

BNA_M

ClientSampleId :

CB4J0



Tgt Ion:228 Resp: 56044

Ion Ratio Lower Upper

228 100

226 25.3 23.7 35.5

229 22.8 15.8 23.8

