

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM120218\
 Data File : BM017872.D
 Acq On : 02 Dec 2018 01:07
 Operator : JU/SJ
 Sample : J6128-08
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 112718-TIPC-F-U-S

Quant Time: Dec 03 00:19:57 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM111218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 12 18:37:25 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	168648	20.00	ng	-0.04
21) Naphthalene-d8	10.35	136	727166	20.00	ng	-0.04
39) Acenaphthene-d10	14.23	164	431626	20.00	ng	-0.04
64) Phenanthrene-d10	16.99	188	973538	20.00	ng	-0.03
76) Chrysene-d12	21.19	240	914046	20.00	ng	-0.03
87) Perylene-d12	23.37	264	813826	20.00	ng	-0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.21	112	436515	43.68	ng	-0.03
7) Phenol-d6	6.77	99	346935	24.86	ng	-0.04
23) Nitrobenzene-d5	8.74	82	1383706	98.24	ng	-0.04
42) 2,4,6-Tribromophenol	15.73	330	606750	97.83	ng	-0.03
45) 2-Fluorobiphenyl	12.84	172	3384294	101.72	ng	-0.04
79) Terphenyl-d14	19.63	244	4675250	115.93	ng	-0.02
Target Compounds						
10) Phenol	6.79	94	32751	2.236	ng	Qvalue 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM120218\
Data File : BM017872.D
Acq On : 02 Dec 2018 01:07
Operator : JU/SJ
Sample : J6128-08
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
112718-TIPC-F-U-S

Quant Time: Dec 03 00:19:57 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM111218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 12 18:37:25 2018
Response via : Initial Calibration









#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.58 min Scan# 781
Delta R.T. -0.04 min
Lab File: BM017872.D
Acq: 02 Dec 2018 01:07

Instrument :
BNA_M
ClientSampleId :
112718-TIPC-F-U-S




Tgt Ion:152 Resp: 168648
Ion Ratio Lower Upper
152 100
150 155.9 126.4 189.6
115 60.2 49.4 74.0




#5

2-Fluorophenol
Concen: 43.682 ng
RT: 5.21 min Scan# 378
Delta R.T. -0.03 min
Lab File: BM017872.D
Acq: 02 Dec 2018 01:07

Tgt Ion:112 Resp: 436515
Ion Ratio Lower Upper
112 100
64 57.1 49.3 73.9
63 31.5 26.2 39.4





#7

Phenol-d6

Concen: 24.858 ng

RT: 6.77 min Scan# 643

Delta R.T. -0.04 min

Lab File: BM017872.D

Acq: 02 Dec 2018 01:07

Instrument :

BNA_M

ClientSampleId :

112718-TIPC-F-U-S


Tgt Ion: 99 Resp: 346935

Ion Ratio Lower Upper

99 100

42 17.9 16.3 24.5




71 36.6 29.8 44.8



Abundance Ion 99.00 (98.70 to 99.70): BM017872.D (-632) (-)

Ion 42.00 (41.70 to 42.70): BM017872.D (-632) (-)

Ion 71.00 (70.70 to 71.70): BM017872.D (-632) (-)



#10

Phenol

Concen: 2.236 ng

RT: 6.79 min Scan# 647

Delta R.T. -0.04 min

Lab File: BM017872.D

Acq: 02 Dec 2018 01:07


Tgt Ion: 94 Resp: 32751

Ion Ratio Lower Upper

94 100

65 27.4 11.4 51.4



66 45.3 21.4 61.4




Abundance Ion 94.00 (93.70 to 94.70): BM017872.D (-637) (-)

Ion 65.00 (64.70 to 65.70): BM017872.D (-637) (-)

Ion 66.00 (65.70 to 66.70): BM017872.D (-637) (-)





#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.35 min Scan# 1252

Delta R.T. -0.04 min

Lab File: BM017872.D

Acq: 02 Dec 2018 01:07

Instrument :

BNA_M

ClientSampleId :

112718-TIPC-F-U-S

Tgt Ion: 136 Resp: 727166


Ion Ratio Lower Upper

136 100

137 10.6 8.6 12.8

54 6.8 7.0 10.6#

68 5.4 4.9 7.3




Abundance Ion 136.00 (135.70 to 136.70): E


Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BM

Ion 68.00 (67.70 to 68.70): BM



Time-->



#23

Nitrobenzene-d5

Concen: 98.236 ng

RT: 8.74 min Scan# 978

Delta R.T. -0.04 min

Lab File: BM017872.D

Acq: 02 Dec 2018 01:07


Tgt Ion: 82 Resp: 1383706

Ion Ratio Lower Upper

82 100

128 42.1 33.0 49.4


54 46.0 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BM

Ion 128.00 (127.70 to 128.70): E

Ion 54.00 (53.70 to 54.70): BM




Time-->



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.23 min Scan# 1911
Delta R.T. -0.04 min
Lab File: BM017872.D
Acq: 02 Dec 2018 01:07

Instrument :
BNA_M
ClientSampleId :
112718-TIPC-F-U-S

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.6	81.4	122.0
160	44.4	35.6	53.4






Abundance

Ion 164.00 (163.70 to 164.70): E


Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E



#42
2,4,6-Tribromophenol
Concen: 97.834 ng
RT: 15.73 min Scan# 2167
Delta R.T. -0.03 min
Lab File: BM017872.D
Acq: 02 Dec 2018 01:07

Tgt Ion	Ratio	Lower	Upper
330	100		
332	96.0	77.9	116.9
141	35.1	27.5	41.3






Abundance

Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E









#45
 2-Fluorobiphenyl
 Concen: 101.721 ng
 RT: 12.84 min Scan# 1675
 Delta R.T. -0.04 min
 Lab File: BM017872.D
 Acq: 02 Dec 2018 01:07




Instrument :
 BNA_M
 ClientSampleId :
 112718-TIPC-F-U-S


Tgt Ion:172 Resp: 3384294
 Ion Ratio Lower Upper
 172 100
 171 36.0 28.7 43.1
 170 23.1 18.3 27.5



#64
 Phenanthrene-d10
 Concen: 20.000 ng
 RT: 16.99 min Scan# 2380
 Delta R.T. -0.03 min
 Lab File: BM017872.D
 Acq: 02 Dec 2018 01:07

Tgt Ion:188 Resp: 973538
 Ion Ratio Lower Upper
 188 100
 94 8.5 7.5 11.3
 80 9.9 8.6 13.0









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.19 min Scan# 3094
Delta R.T. -0.03 min
Lab File: BM017872.D
Acq: 02 Dec 2018 01:07




Instrument :
BNA_M
ClientSampleId :
112718-TIPC-F-U-S


Tgt Ion:240 Resp: 914046
Ion Ratio Lower Upper
240 100
120 10.4 8.5 12.7
236 25.0 20.4 30.6



#79
Terphenyl-d14
Concen: 115.925 ng
RT: 19.63 min Scan# 2830
Delta R.T. -0.02 min
Lab File: BM017872.D
Acq: 02 Dec 2018 01:07

Tgt Ion:244 Resp: 4675250
Ion Ratio Lower Upper
244 100
212 7.2 5.8 8.6
122 10.4 9.0 13.6





#87
Perylene-d12
Concen: 20.000 ng
RT: 23.37 min Scan# 3465
Delta R.T. -0.04 min
Lab File: BM017872.D
Acq: 02 Dec 2018 01:07

Instrument :
BNA_M
ClientSampleId :
112718-TIPC-F-U-S

Tgt Ion:	264	Resp:	813826
Ion	Ratio	Lower	Upper
264	100		
260	22.7	18.2	27.2
265	21.4	17.5	26.3

