

Data File : BM023975.D
Acq On : 03 Dec 2019 18:27
Operator : JU
Sample : K5914-06
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
JLNR5

Quant Time: Dec 04 04:51:27 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM112719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Dec 04 04:48:57 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.48	152	312138	20.00	ng/ul	0.00
18) Naphthalene-d8	10.25	136	1280424	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.15	164	793913	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.90	188	1701012	20.00	ng/ul	0.00
78) Chrysene-d12	21.11	240	1748610	20.00	ng/ul	0.00
86) Perylene-d12	23.25	264	2085012	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.03	96	32742	4.67	ng/uL	0.00
5) Phenol-d5	6.68	99	618951	22.62	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.83	67	384004	24.13	ng/ul	0.00
9) 2-Chlorophenol-d4	7.02	132	498188	23.56	ng/ul	0.00
13) 4-Methylphenol-d8	8.20	113	444074	20.57	ng/ul	0.00
19) Nitrobenzene-d5	8.63	128	239079	24.06	ng/ul	0.00
22) 2-Nitrophenol-d4	9.35	143	265348	23.49	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.89	165	481065	22.49	ng/ul	0.00
29) 4-Chloroaniline-d4	10.40	131	578078	24.63	ng/ul	0.00
44) Dimethylphthalate-d6	13.56	166	1553549	25.18	ng/ul	0.00
47) Acenaphthylene-d8	13.83	160	1849673	25.58	ng/ul	0.00
52) 4-Nitrophenol-d4	14.38	143	163010	15.72	ng/ul	0.00
58) Fluorene-d10	15.15	176	1346169	25.93	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.29	200	159266	14.91	ng/ul	0.00
71) Anthracene-d10	17.00	188	2073636	25.52	ng/ul	0.00
79) Pyrene-d10	19.30	212	2316481	25.64	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.12	264	2873293	26.07	ng/ul	0.00


Target Compounds					Qvalue
6) Phenol	6.70	94	54058	1.921	ng/ul 94
45) Dimethylphthalate	13.62	163	667849	11.060	ng/ul 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BM023975.D
Acq On : 03 Dec 2019 18:27
Operator : JU
Sample : K5914-06
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
JLNR5

Quant Time: Dec 04 04:51:27 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM112719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Dec 04 04:48:57 2019
Response via : Initial Calibration





#6

Phenol

Concen: 1.921 ng/ul

RT: 6.70 min Scan# 648

Delta R.T. -0.01 min

Lab File: BM023975.D

Acq: 03 Dec 2019 18:27

Instrument :

BNA_M

ClientSampleId :

JLNR5


Tgt Ion: 94 Resp: 54058

Ion Ratio Lower Upper

94 100

65 27.5 20.8 31.2




66 41.0 28.6 43.0



Abundance Ion 94.00 (93.70 to 94.70): BM023974.D (-642) (-)

Ion 65.00 (64.70 to 65.70): BM023974.D (-642) (-)

Ion 66.00 (65.70 to 66.70): BM023974.D (-642) (-)



#45

Dimethylphthalate

Concen: 11.060 ng/ul

RT: 13.62 min Scan# 1824

Delta R.T. -0.00 min

Lab File: BM023975.D

Acq: 03 Dec 2019 18:27


Tgt Ion: 163 Resp: 667849

Ion Ratio Lower Upper

163 100

194 3.9 3.2 4.8

164 9.8 8.0 12.0



Abundance Ion 163.00 (162.70 to 163.70): BM023974.D (-1818) (-)

Ion 194.00 (193.70 to 194.70): BM023974.D (-1818) (-)

Ion 164.00 (163.70 to 164.70): BM023974.D (-1818) (-)

