

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM120321\
 Data File : BM033289.D
 Acq On : 03 Dec 2021 16:49
 Operator : CG/JU
 Sample : M4798-04
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 SB-2-4.5

Quant Time: Dec 03 17:26:36 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM112421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 24 15:16:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.931	152	126251	20.000	ng	0.00
21) Naphthalene-d8	10.725	136	511103	20.000	ng	#-0.01
39) Acenaphthene-d10	14.554	164	307958	20.000	ng	0.00
64) Phenanthrene-d10	17.289	188	617550	20.000	ng	# 0.00
76) Chrysene-d12	21.447	240	602105	20.000	ng	# 0.00
86) Perylene-d12	23.782	264	607143	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.519	112	1282624	167.769	ng	0.01
7) Phenol-d6	7.113	99	1709599	166.968	ng	0.02
23) Nitrobenzene-d5	9.089	82	1187977	107.904	ng	-0.01
42) 2,4,6-Tribromophenol	16.042	330	470047	140.019	ng	0.00
45) 2-Fluorobiphenyl	13.177	172	2146670	98.307	ng	0.00
79) Terphenyl-d14	19.900	244	2944192	96.691	ng	0.00
Target Compounds						
38) 1-Methylnaphthalene	12.601	142	40788	2.278	ng	Qvalue 95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM120321\
Data File : BM033289.D
Acq On : 03 Dec 2021 16:49
Operator : CG/JU
Sample : M4798-04
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
SB-2-4.5

Quant Time: Dec 03 17:26:36 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM112421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 24 15:16:33 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.931 min Scan# 71
Delta R.T. -0.006 min
Lab File: BM033289.D
Acq: 03 Dec 2021 16:49




Instrument :
BNA_M
ClientSampleId :
SB-2-4.5


Tgt Ion:152 Resp: 126251
Ion Ratio Lower Upper
152 100
150 155.5 122.4 183.6
115 63.0 53.8 80.8



#5
2-Fluorophenol
Concen: 167.769 ng
RT: 5.519 min Scan# 371
Delta R.T. 0.011 min
Lab File: BM033289.D
Acq: 03 Dec 2021 16:49

Tgt Ion:112 Resp: 1282624
Ion Ratio Lower Upper
112 100
64 67.8 53.7 80.5
63 35.7 33.9 50.9









#7
Phenol-d6
Concen: 166.968 ng
RT: 7.113 min Scan# 642
Delta R.T. 0.017 min
Lab File: BM033289.D
Acq: 03 Dec 2021 16:49




Instrument :
BNA_M
ClientSampleId :
SB-2-4.5


Tgt Ion: 99 Resp: 1709599
Ion Ratio Lower Upper
99 100
42 21.4 23.0 34.6#
71 38.0 37.8 56.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.725 min Scan# 1256
Delta R.T. -0.012 min
Lab File: BM033289.D
Acq: 03 Dec 2021 16:49

Tgt Ion:136 Resp: 511103
Ion Ratio Lower Upper
136 100
137 10.7 8.7 13.1
54 10.6 7.4 11.0
68 7.9 3.8 5.8#









#23
Nitrobenzene-d5
Concen: 107.904 ng
RT: 9.089 min Scan# 91
Delta R.T. -0.012 min
Lab File: BM033289.D
Acq: 03 Dec 2021 16:49

Instrument :
BNA_M
ClientSampleId :
SB-2-4.5

Tgt Ion: 82 Resp: 1187977




Ion	Ratio	Lower	Upper
82	100		
128	38.4	29.0	43.6
54	54.3	45.8	68.8




#38
1-Methylnaphthalene
Concen: 2.278 ng
RT: 12.601 min Scan# 1575
Delta R.T. -0.006 min
Lab File: BM033289.D
Acq: 03 Dec 2021 16:49

Tgt Ion: 142 Resp: 40788

Ion	Ratio	Lower	Upper
142	100		
141	89.5	75.6	113.4
116	5.7	4.0	6.0









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.554 min Scan# 1907
Delta R.T. -0.006 min
Lab File: BM033289.D
Acq: 03 Dec 2021 16:49




Instrument :
BNA_M
ClientSampleId :
SB-2-4.5


Tgt Ion:164 Resp: 307958
Ion Ratio Lower Upper
164 100
162 100.6 80.6 121.0
160 44.3 35.1 52.7



#42
2,4,6-Tribromophenol
Concen: 140.019 ng
RT: 16.042 min Scan# 2160
Delta R.T. -0.000 min
Lab File: BM033289.D
Acq: 03 Dec 2021 16:49

Tgt Ion:330 Resp: 470047
Ion Ratio Lower Upper
330 100
332 95.9 75.7 113.5
141 44.7 50.7 76.1#









#45
2-Fluorobiphenyl
Concen: 98.307 ng
RT: 13.177 min Scan# 1
Delta R.T. -0.006 min
Lab File: BM033289.D
Acq: 03 Dec 2021 16:49




Instrument :
BNA_M
ClientSampleId :
SB-2-4.5


Tgt Ion:172 Resp: 2146670
Ion Ratio Lower Upper
172 100
171 34.7 28.1 42.1
170 22.9 18.6 27.8



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.289 min Scan# 2372
Delta R.T. -0.006 min
Lab File: BM033289.D
Acq: 03 Dec 2021 16:49

Tgt Ion:188 Resp: 617550
Ion Ratio Lower Upper
188 100
94 10.9 6.3 9.5#
80 13.2 7.3 10.9#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.447 min Scan# 30
Delta R.T. -0.006 min
Lab File: BM033289.D
Acq: 03 Dec 2021 16:49




Instrument :
BNA_M
ClientSampleId :
SB-2-4.5


Tgt Ion:240 Resp: 602105
Ion Ratio Lower Upper
240 100
120 12.1 7.8 11.6#
236 25.2 20.9 31.3



#79
Terphenyl-d14
Concen: 96.691 ng
RT: 19.900 min Scan# 2816
Delta R.T. -0.006 min
Lab File: BM033289.D
Acq: 03 Dec 2021 16:49


Tgt Ion:244 Resp: 2944192
Ion Ratio Lower Upper
244 100
212 7.4 6.5 9.7
122 11.5 8.7 13.1





#86
Perylene-d12
Concen: 20.000 ng
RT: 23.782 min Scan# 34
Delta R.T. -0.006 min
Lab File: BM033289.D
Acq: 03 Dec 2021 16:49

Instrument :
BNA_M
ClientSampleId :
SB-2-4.5



Tgt Ion:264 Resp: 607143

Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.3	28.9
265	22.3	18.3	27.5

