

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM120321\
 Data File : BM033293.D
 Acq On : 03 Dec 2021 19:14
 Operator : CG/JU
 Sample : M4908-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 TW-1

Quant Time: Dec 06 00:50:38 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM112421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 24 15:16:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.931	152	150769	20.000	ng	0.00
21) Naphthalene-d8	10.725	136	603352	20.000	ng	#-0.01
39) Acenaphthene-d10	14.554	164	373390	20.000	ng	0.00
64) Phenanthrene-d10	17.289	188	770672	20.000	ng	# 0.00
76) Chrysene-d12	21.447	240	749973	20.000	ng	# 0.00
86) Perylene-d12	23.777	264	750168	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.519	112	659196	72.202	ng	0.01
7) Phenol-d6	7.113	99	326728	26.721	ng	0.02
23) Nitrobenzene-d5	9.089	82	1459101	112.267	ng	-0.01
42) 2,4,6-Tribromophenol	16.042	330	546286	134.213	ng	0.00
45) 2-Fluorobiphenyl	13.177	172	2775905	104.847	ng	0.00
79) Terphenyl-d14	19.900	244	4073323	107.398	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM120321\
Data File : BM033293.D
Acq On : 03 Dec 2021 19:14
Operator : CG/JU
Sample : M4908-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
TW-1

Quant Time: Dec 06 00:50:38 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM112421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 24 15:16:33 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.931 min Scan# 71
Delta R.T. -0.006 min
Lab File: BM033293.D
Acq: 03 Dec 2021 19:14




Instrument :
BNA_M
ClientSampleId :
TW-1


Tgt Ion:152 Resp: 150769
Ion Ratio Lower Upper
152 100
150 156.5 122.4 183.6
115 62.0 53.8 80.8



#5
2-Fluorophenol
Concen: 72.202 ng
RT: 5.519 min Scan# 371
Delta R.T. 0.012 min
Lab File: BM033293.D
Acq: 03 Dec 2021 19:14

Tgt Ion:112 Resp: 659196
Ion Ratio Lower Upper
112 100
64 68.1 53.7 80.5
63 35.6 33.9 50.9









#7
Phenol-d6
Concen: 26.721 ng
RT: 7.113 min Scan# 64
Delta R.T. 0.017 min
Lab File: BM033293.D
Acq: 03 Dec 2021 19:14




Instrument :
BNA_M
ClientSampleId :
TW-1


Tgt Ion: 99 Resp: 326728
Ion Ratio Lower Upper
99 100
42 21.5 23.0 34.6#
71 36.8 37.8 56.8#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.725 min Scan# 1256
Delta R.T. -0.012 min
Lab File: BM033293.D
Acq: 03 Dec 2021 19:14

Tgt Ion: 136 Resp: 603352
Ion Ratio Lower Upper
136 100
137 10.5 8.7 13.1
54 10.8 7.4 11.0
68 6.9 3.8 5.8#









#23
Nitrobenzene-d5
Concen: 112.267 ng
RT: 9.089 min Scan# 91
Delta R.T. -0.012 min
Lab File: BM033293.D
Acq: 03 Dec 2021 19:14

Instrument :
BNA_M
ClientSampleId :
TW-1

Tgt Ion: 82 Resp: 1459101




Ion	Ratio	Lower	Upper
82	100		
128	37.1	29.0	43.6
54	54.6	45.8	68.8




#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.554 min Scan# 1907
Delta R.T. -0.006 min
Lab File: BM033293.D
Acq: 03 Dec 2021 19:14

Tgt Ion: 164 Resp: 373390

Ion	Ratio	Lower	Upper
164	100		
162	102.1	80.6	121.0
160	44.8	35.1	52.7









#42
2,4,6-Tribromophenol
Concen: 134.213 ng
RT: 16.042 min Scan# 2160
Delta R.T. -0.000 min
Lab File: BM033293.D
Acq: 03 Dec 2021 19:14




Instrument :
BNA_M
ClientSampleId :
TW-1


Tgt Ion:330 Resp: 546286
Ion Ratio Lower Upper
330 100
332 95.8 75.7 113.5
141 44.8 50.7 76.1#



#45
2-Fluorobiphenyl
Concen: 104.847 ng
RT: 13.177 min Scan# 1673
Delta R.T. -0.006 min
Lab File: BM033293.D
Acq: 03 Dec 2021 19:14

Tgt Ion:172 Resp: 2775905
Ion Ratio Lower Upper
172 100
171 34.8 28.1 42.1
170 23.3 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.289 min Scan# 21
Delta R.T. -0.006 min
Lab File: BM033293.D
Acq: 03 Dec 2021 19:14




Instrument :
BNA_M
ClientSampleId :
TW-1


Tgt Ion:188 Resp: 770672
Ion Ratio Lower Upper
188 100
94 10.2 6.3 9.5#
80 11.9 7.3 10.9#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.447 min Scan# 3079
Delta R.T. -0.006 min
Lab File: BM033293.D
Acq: 03 Dec 2021 19:14

Tgt Ion:240 Resp: 749973
Ion Ratio Lower Upper
240 100
120 11.7 7.8 11.6#
236 25.0 20.9 31.3









#79
 Terphenyl-d14
 Concen: 107.398 ng
 RT: 19.900 min Scan# 21
 Delta R.T. -0.006 min
 Lab File: BM033293.D
 Acq: 03 Dec 2021 19:14

Instrument :
 BNA_M
 ClientSampleId :
 TW-1

Tgt Ion:244 Resp: 4073323

Ion	Ratio	Lower	Upper
244	100		
212	7.3	6.5	9.7
122	11.9	8.7	13.1



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.777 min Scan# 3475
 Delta R.T. -0.012 min
 Lab File: BM033293.D
 Acq: 03 Dec 2021 19:14

Tgt Ion:264 Resp: 750168

Ion	Ratio	Lower	Upper
264	100		
260	23.8	19.3	28.9
265	22.8	18.3	27.5

