

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM120321\
 Data File : BM033296.D
 Acq On : 03 Dec 2021 21:02
 Operator : CG/JU
 Sample : M4917-03
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MW-16R

Quant Time: Dec 06 00:51:04 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM112421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 24 15:16:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.925	152	132728	20.000	ng	-0.01
21) Naphthalene-d8	10.725	136	515468	20.000	ng	#-0.01
39) Acenaphthene-d10	14.548	164	304235	20.000	ng	-0.01
64) Phenanthrene-d10	17.289	188	627515	20.000	ng	# 0.00
76) Chrysene-d12	21.447	240	632344	20.000	ng	# 0.00
86) Perylene-d12	23.783	264	643486	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.519	112	427088	53.137	ng	0.01
7) Phenol-d6	7.107	99	345571	32.103	ng	0.01
23) Nitrobenzene-d5	9.089	82	950289	85.584	ng	-0.01
42) 2,4,6-Tribromophenol	16.036	330	353314	106.534	ng	0.00
45) 2-Fluorobiphenyl	13.177	172	1691137	78.394	ng	0.00
79) Terphenyl-d14	19.900	244	2640657	82.575	ng	0.00
Target Compounds						
10) Phenol	7.137	94	39391	3.618	ng	Qvalue 92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM120321\
Data File : BM033296.D
Acq On : 03 Dec 2021 21:02
Operator : CG/JU
Sample : M4917-03
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MW-16R




Quant Time: Dec 06 00:51:04 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM112421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 24 15:16:33 2021
Response via : Initial Calibration








Instrument :
BNA_M
ClientSampleId :
MW-16R

Tgt	Ion:152	Resp:	132728
Ion	Ratio	Lower	Upper
152	100		
150	154.6	122.4	183.6
115	61.9	53.8	80.8



Tgt	Ion:112	Resp:	427088
Ion	Ratio	Lower	Upper
112	100		
64	67.2	53.7	80.5
63	36.1	33.9	50.9









#7
Phenol-d6
Concen: 32.103 ng
RT: 7.107 min Scan# 641
Delta R.T. 0.012 min
Lab File: BM033296.D
Acq: 03 Dec 2021 21:02




Instrument :
BNA_M
ClientSampleId :
MW-16R


Tgt Ion: 99 Resp: 345571
Ion Ratio Lower Upper
99 100
42 22.0 23.0 34.6#
71 38.0 37.8 56.8



#10
Phenol
Concen: 3.618 ng
RT: 7.137 min Scan# 646
Delta R.T. 0.017 min
Lab File: BM033296.D
Acq: 03 Dec 2021 21:02

Tgt Ion: 94 Resp: 39391
Ion Ratio Lower Upper
94 100
65 31.0 16.9 56.9
66 45.1 30.0 70.0









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.725 min Scan# 11
Delta R.T. -0.012 min
Lab File: BM033296.D
Acq: 03 Dec 2021 21:02




Instrument :
BNA_M
ClientSampleId :
MW-16R


Tgt Ion:136 Resp: 515468
Ion Ratio Lower Upper
136 100
137 11.3 8.7 13.1
54 10.7 7.4 11.0
68 7.2 3.8 5.8#



#23
Nitrobenzene-d5
Concen: 85.584 ng
RT: 9.089 min Scan# 978
Delta R.T. -0.012 min
Lab File: BM033296.D
Acq: 03 Dec 2021 21:02

Tgt Ion: 82 Resp: 950289
Ion Ratio Lower Upper
82 100
128 37.3 29.0 43.6
54 53.4 45.8 68.8









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.548 min Scan# 1906
Delta R.T. -0.012 min
Lab File: BM033296.D
Acq: 03 Dec 2021 21:02




Instrument :
BNA_M
ClientSampleId :
MW-16R


Tgt Ion:164 Resp: 304235
Ion Ratio Lower Upper
164 100
162 100.0 80.6 121.0
160 44.3 35.1 52.7



#42
2,4,6-Tribromophenol
Concen: 106.534 ng
RT: 16.036 min Scan# 2159
Delta R.T. -0.006 min
Lab File: BM033296.D
Acq: 03 Dec 2021 21:02

Tgt Ion:330 Resp: 353314
Ion Ratio Lower Upper
330 100
332 97.0 75.7 113.5
141 45.8 50.7 76.1#









#45
2-Fluorobiphenyl
Concen: 78.394 ng
RT: 13.177 min Scan# 1
Delta R.T. -0.006 min
Lab File: BM033296.D
Acq: 03 Dec 2021 21:02




Instrument :
BNA_M
ClientSampleId :
MW-16R


Tgt Ion:172 Resp: 1691137
Ion Ratio Lower Upper
172 100
171 35.0 28.1 42.1
170 22.8 18.6 27.8



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.289 min Scan# 2372
Delta R.T. -0.006 min
Lab File: BM033296.D
Acq: 03 Dec 2021 21:02

Tgt Ion:188 Resp: 627515
Ion Ratio Lower Upper
188 100
94 10.5 6.3 9.5#
80 12.9 7.3 10.9#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.447 min Scan# 3080
Delta R.T. -0.006 min
Lab File: BM033296.D
Acq: 03 Dec 2021 21:02




Instrument :
BNA_M
ClientSampleId :
MW-16R


Tgt Ion:240 Resp: 632344
Ion Ratio Lower Upper
240 100
120 12.3 7.8 11.6#
236 25.6 20.9 31.3



#79
Terphenyl-d14
Concen: 82.575 ng
RT: 19.900 min Scan# 2816
Delta R.T. -0.006 min
Lab File: BM033296.D
Acq: 03 Dec 2021 21:02

Tgt Ion:244 Resp: 2640657
Ion Ratio Lower Upper
244 100
212 7.1 6.5 9.7
122 11.7 8.7 13.1





#86
Perylene-d12
Concen: 20.000 ng
RT: 23.783 min Scan# 34
Delta R.T. -0.006 min
Lab File: BM033296.D
Acq: 03 Dec 2021 21:02

Instrument :
BNA_M
ClientSampleId :
MW-16R

Tgt Ion:264 Resp: 643486

Ion	Ratio	Lower	Upper
264	100		
260	23.6	19.3	28.9
265	21.9	18.3	27.5

