

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM120518\
 Data File : BM017933.D
 Acq On : 05 Dec 2018 10:12
 Operator : JU/SJ
 Sample : J6213-07RE
 Misc :
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 113018-TIPC-E-D-MRE

Quant Time: Dec 05 11:07:26 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM111218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 12 18:37:25 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.58	152	135772	20.00	ng	-0.04
21) Naphthalene-d8	10.35	136	545458	20.00	ng	-0.04
39) Acenaphthene-d10	14.23	164	299417	20.00	ng	-0.04
64) Phenanthrene-d10	16.99	188	643555	20.00	ng	-0.03
76) Chrysene-d12	21.19	240	695558	20.00	ng	-0.02
87) Perylene-d12	23.38	264	734321	20.00	ng	-0.03
System Monitoring Compounds						
5) 2-Fluorophenol	5.21	112	137404	17.08	ng	-0.03
7) Phenol-d6	6.77	99	103422	9.20	ng	-0.03
23) Nitrobenzene-d5	8.73	82	405247	38.35	ng	-0.04
42) 2,4,6-Tribromophenol	15.73	330	174485	40.56	ng	-0.03
45) 2-Fluorobiphenyl	12.84	172	1044609	45.26	ng	-0.04
79) Terphenyl-d14	19.63	244	1425825	46.46	ng	-0.02


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM120518\
Data File : BM017933.D
Acq On : 05 Dec 2018 10:12
Operator : JU/SJ
Sample : J6213-07RE
Misc :
ALS Vial : 24 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
113018-TIPC-E-D-MRE

Quant Time: Dec 05 11:07:26 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA M\METHODS\8270-BM111218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 12 18:37:25 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.58 min Scan# 781
Delta R.T. -0.04 min
Lab File: BM017933.D
Acq: 05 Dec 2018 10:12

Instrument :
BNA_M
ClientSampleId :
113018-TIPC-E-D-MRE

Tot Ion:152 Resp: 135772
Ion Ratio Lower Upper
152 100
150 148.4 126.4 189.6
115 58.6 49.4 74.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 17.079 ng
RT: 5.21 min Scan# 378
Delta R.T. -0.03 min
Lab File: BM017933.D
Acq: 05 Dec 2018 10:12

Tgt Ion:112 Resp: 137404
Ion Ratio Lower Upper
112 100
64 49.8 49.3 73.9
63 27.5 26.2 39.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 9.204 ng

RT: 6.77 min Scan# 644

Delta R.T. -0.03 min

Lab File: BM017933.D

Acq: 05 Dec 2018 10:12

Instrument :

BNA_M

ClientSampleId :

113018-TIPC-E-D-MRE


Tot Ion: 99 Resp: 103422

Ion Ratio Lower Upper

99 100

42 15.4 16.3 24.5#




71 33.5 29.8 44.8



Abundance Ion 99.00 (98.70 to 99.70): BM017613.D (-641) (-)

Ion 42.00 (41.70 to 42.70): BM017613.D (-641) (-)

Ion 71.00 (70.70 to 71.70): BM017613.D (-641) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.35 min Scan# 1252

Delta R.T. -0.04 min

Lab File: BM017933.D

Acq: 05 Dec 2018 10:12

Tgt Ion: 136 Resp: 545458


Ion Ratio Lower Upper

136 100

137 10.7 8.6 12.8

54 6.8 7.0 10.6#

68 5.3 4.9 7.3






Abundance Ion 136.00 (135.70 to 136.70): BM017613.D (-1250) (-)

Ion 137.00 (136.70 to 137.70): BM017613.D (-1250) (-)

Ion 54.00 (53.70 to 54.70): BM017613.D (-1250) (-)

Ion 68.00 (67.70 to 68.70): BM017613.D (-1250) (-)









#23
Nitrobenzene-d5
Concen: 38.355 ng
RT: 8.73 min Scan# 977
Delta R.T. -0.04 min
Lab File: BM017933.D
Acq: 05 Dec 2018 10:12




Instrument :
BNA_M
ClientSampleId :
113018-TIPC-E-D-MRE


Tot Ion	Ratio	Lower	Upper
82	100		
128	42.2	33.0	49.4
54	43.6	41.4	62.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.23 min Scan# 1911
Delta R.T. -0.04 min
Lab File: BM017933.D
Acq: 05 Dec 2018 10:12

Tgt Ion	Ratio	Lower	Upper
164	100		
162	105.6	81.4	122.0
160	44.1	35.6	53.4









#42
 2,4,6-Tribromophenol
 Concen: 40.557 ng
 RT: 15.73 min Scan# 2167
 Delta R.T. -0.03 min
 Lab File: BM017933.D
 Acq: 05 Dec 2018 10:12

Instrument :
 BNA_M
 ClientSampleId :
 113018-TIPC-E-D-MRE

Tot Ion	Ratio	Lower	Upper
330	100		
332	97.7	77.9	116.9
141	32.9	27.5	41.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 45.262 ng
 RT: 12.84 min Scan# 1675
 Delta R.T. -0.04 min
 Lab File: BM017933.D
 Acq: 05 Dec 2018 10:12

Tgt Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.7	43.1
170	22.2	18.3	27.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.99 min Scan# 2380
Delta R.T. -0.03 min
Lab File: BM017933.D
Acq: 05 Dec 2018 10:12




Instrument :
BNA_M
ClientSampleId :
113018-TIPC-E-D-MRE


Tot Ion:188 Resp: 643555
Ion Ratio Lower Upper
188 100
94 9.3 7.5 11.3
80 10.2 8.6 13.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.19 min Scan# 3095
Delta R.T. -0.02 min
Lab File: BM017933.D
Acq: 05 Dec 2018 10:12

Tgt Ion:240 Resp: 695558
Ion Ratio Lower Upper
240 100
120 9.9 8.5 12.7
236 24.0 20.4 30.6









#79
 Terphenyl-d14
 Concen: 46.459 ng
 RT: 19.63 min Scan# 2830
 Delta R.T. -0.02 min
 Lab File: BM017933.D
 Acq: 05 Dec 2018 10:12

Instrument :
 BNA_M
 ClientSampleId :
 113018-TIPC-E-D-MRE

Tot Ion:244 Resp: 1425825
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.8 8.6
 122 9.7 9.0 13.6



#87
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.38 min Scan# 3467
 Delta R.T. -0.03 min
 Lab File: BM017933.D
 Acq: 05 Dec 2018 10:12

Tgt Ion:264 Resp: 734321
 Ion Ratio Lower Upper
 264 100
 260 23.1 18.2 27.2
 265 22.0 17.5 26.3

