

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM120618\
 Data File : BM017941.D
 Acq On : 05 Dec 2018 18:49
 Operator : JU/SJ
 Sample : J6201-02
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 72-11932-72-11967

Quant Time: Dec 06 00:18:30 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM111218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 12 18:37:25 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.57	152	174377	20.00	ng	-0.05
21) Naphthalene-d8	10.33	136	625920	20.00	ng	-0.05
39) Acenaphthene-d10	14.22	164	330501	20.00	ng	-0.05
64) Phenanthrene-d10	16.97	188	680783	20.00	ng	-0.04
76) Chrysene-d12	21.18	240	705498	20.00	ng	-0.04
87) Perylene-d12	23.36	264	727298	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.20	112	916980	88.75	ng	-0.04
7) Phenol-d6	6.76	99	980292	67.93	ng	-0.05
23) Nitrobenzene-d5	8.72	82	863513	71.22	ng	-0.05
42) 2,4,6-Tribromophenol	15.72	330	524437	110.43	ng	-0.04
45) 2-Fluorobiphenyl	12.83	172	1850629	72.64	ng	-0.05
79) Terphenyl-d14	19.62	244	2573460	82.67	ng	-0.04


Target Compounds	Qvalue
------------------	--------

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM120618\
Data File : BM017941.D
Acq On : 05 Dec 2018 18:49
Operator : JU/SJ
Sample : J6201-02
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
72-11932-72-11967

Quant Time: Dec 06 00:18:30 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM111218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 12 18:37:25 2018
Response via : Initial Calibration






#1

1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.57 min Scan# 779
Delta R.T. -0.05 min
Lab File: BM017941.D
Acq: 05 Dec 2018 18:49

Instrument :
BNA_M
ClientSampleId :
72-11932-72-11967

Tgt Ion	Ratio	Lower	Upper
152	100		
150	152.6	126.4	189.6
115	56.9	49.4	74.0






Abundance

Ion 152.00 (151.70 to 152.70): E

Ion 150.00 (149.70 to 150.70): E


Ion 115.00 (114.70 to 115.70): E



#5

2-Fluorophenol
Concen: 88.747 ng
RT: 5.20 min Scan# 376
Delta R.T. -0.04 min
Lab File: BM017941.D
Acq: 05 Dec 2018 18:49

Tgt Ion	Ratio	Lower	Upper
112	100		
64	54.5	49.3	73.9
63	28.6	26.2	39.4






Abundance

Ion 112.00 (111.70 to 112.70): E

Ion 64.00 (63.70 to 64.70): BM0

Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 67.930 ng

RT: 6.76 min Scan# 641

Delta R.T. -0.05 min

Lab File: BM017941.D

Acq: 05 Dec 2018 18:49

Instrument :

BNA_M

ClientSampleId :

72-11932-72-11967


Tgt Ion: 99 Resp: 980292

Ion Ratio Lower Upper

99 100

42 16.3 16.3 24.5#

71 34.7 29.8 44.8






Abundance Ion 99.00 (98.70 to 99.70): BM017613.D (-641) (-)

Ion 42.00 (41.70 to 42.70): BM017613.D (-641) (-)

Ion 71.00 (70.70 to 71.70): BM017613.D (-641) (-)

6.76



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.33 min Scan# 1249

Delta R.T. -0.05 min

Lab File: BM017941.D

Acq: 05 Dec 2018 18:49

Tgt Ion: 136 Resp: 625920


Ion Ratio Lower Upper

136 100

137 11.0 8.6 12.8

54 7.1 7.0 10.6

68 5.9 4.9 7.3





Abundance Ion 136.00 (135.70 to 136.70): BM017613.D (-1250) (-)

Ion 137.00 (136.70 to 137.70): BM017613.D (-1250) (-)

Ion 54.00 (53.70 to 54.70): BM017613.D (-1250) (-)

Ion 68.00 (67.70 to 68.70): BM017613.D (-1250) (-)

10.33








#23
 Nitrobenzene-d5
 Concen: 71.222 ng
 RT: 8.72 min Scan# 975
 Delta R.T. -0.05 min
 Lab File: BM017941.D
 Acq: 05 Dec 2018 18:49




Instrument :
 BNA_M
 ClientSampleId :
 72-11932-72-11967

Tgt Ion	Ratio	Lower	Upper
82	100		
128	44.4	33.0	49.4
54	44.7	41.4	62.2



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 14.22 min Scan# 1909
 Delta R.T. -0.05 min
 Lab File: BM017941.D
 Acq: 05 Dec 2018 18:49

Tgt Ion	Ratio	Lower	Upper
164	100		
162	101.8	81.4	122.0
160	44.8	35.6	53.4









#42
 2,4,6-Tribromophenol
 Concen: 110.435 ng
 RT: 15.72 min Scan# 2165
 Delta R.T. -0.04 min
 Lab File: BM017941.D
 Acq: 05 Dec 2018 18:49

Instrument :
 BNA_M
 ClientSampleId :
 72-11932-72-11967

Tgt Ion	Ratio	Lower	Upper
330	100		
332	95.5	77.9	116.9
141	32.8	27.5	41.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E





#45
 2-Fluorobiphenyl
 Concen: 72.644 ng
 RT: 12.83 min Scan# 1673
 Delta R.T. -0.05 min
 Lab File: BM017941.D
 Acq: 05 Dec 2018 18:49

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.4	28.7	43.1
170	22.1	18.3	27.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 16.97 min Scan# 2378
Delta R.T. -0.04 min
Lab File: BM017941.D
Acq: 05 Dec 2018 18:49

Instrument :
BNA_M
ClientSampleId :
72-11932-72-11967

Tgt Ion:188 Resp: 680783
Ion Ratio Lower Upper
188 100
94 9.0 7.5 11.3
80 10.6 8.6 13.0




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BM
Ion 80.00 (79.70 to 80.70): BM






#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.18 min Scan# 3093
Delta R.T. -0.04 min
Lab File: BM017941.D
Acq: 05 Dec 2018 18:49

Tgt Ion:240 Resp: 705498
Ion Ratio Lower Upper
240 100
120 10.6 8.5 12.7
236 24.3 20.4 30.6



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 82.673 ng

RT: 19.62 min Scan# 2828

Delta R.T. -0.04 min

Lab File: BM017941.D

Acq: 05 Dec 2018 18:49

Instrument :

BNA_M

ClientSampleId :

72-11932-72-11967


Tgt Ion:244 Resp: 2573460

Ion Ratio Lower Upper

244 100

212 6.8 5.8 8.6




122 10.6 9.0 13.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.36 min Scan# 3464

Delta R.T. -0.05 min

Lab File: BM017941.D

Acq: 05 Dec 2018 18:49


Tgt Ion:264 Resp: 727298

Ion Ratio Lower Upper

264 100

260 23.2 18.2 27.2

265 22.4 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

