

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM120618\
 Data File : BM017944.D
 Acq On : 05 Dec 2018 20:38
 Operator : JU/SJ
 Sample : J6219-04
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 NM-342-135-120418

Quant Time: Dec 06 00:18:51 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM111218.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Nov 12 18:37:25 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	160844	20.00	ng	-0.05
21) Naphthalene-d8	10.33	136	586503	20.00	ng	-0.05
39) Acenaphthene-d10	14.22	164	305255	20.00	ng	-0.05
64) Phenanthrene-d10	16.97	188	617404	20.00	ng	-0.04
76) Chrysene-d12	21.18	240	644176	20.00	ng	-0.04
87) Perylene-d12	23.36	264	697851	20.00	ng	-0.05
System Monitoring Compounds						
5) 2-Fluorophenol	5.20	112	911551	95.64	ng	-0.04
7) Phenol-d6	6.76	99	1016427	76.36	ng	-0.05
23) Nitrobenzene-d5	8.72	82	812991	71.56	ng	-0.05
42) 2,4,6-Tribromophenol	15.72	330	460698	105.04	ng	-0.04
45) 2-Fluorobiphenyl	12.83	172	1743694	74.11	ng	-0.05
79) Terphenyl-d14	19.62	244	2313739	81.40	ng	-0.04


Target Compounds	Qvalue
------------------	--------


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA_M\DATA\BM120618\
Data File : BM017944.D
Acq On : 05 Dec 2018 20:38
Operator : JU/SJ
Sample : J6219-04
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
NM-342-135-120418

Quant Time: Dec 06 00:18:51 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\8270-BM111218.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Nov 12 18:37:25 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.56 min Scan# 778
Delta R.T. -0.05 min
Lab File: BM017944.D
Acq: 05 Dec 2018 20:38

Instrument :
BNA_M
ClientSampleId :
NM-342-135-120418

Tgt Ion:152 Resp: 160844
Ion Ratio Lower Upper
152 100
150 162.2 126.4 189.6
115 64.9 49.4 74.0




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 95.644 ng
RT: 5.20 min Scan# 376
Delta R.T. -0.04 min
Lab File: BM017944.D
Acq: 05 Dec 2018 20:38

Tgt Ion:112 Resp: 911551
Ion Ratio Lower Upper
112 100
64 54.9 49.3 73.9
63 29.1 26.2 39.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BM0
Ion 63.00 (62.70 to 63.70): BM0





#7

Phenol-d6

Concen: 76.360 ng

RT: 6.76 min Scan# 641

Delta R.T. -0.05 min

Lab File: BM017944.D

Acq: 05 Dec 2018 20:38

Instrument :

BNA_M

ClientSampleId :

NM-342-135-120418


Tgt Ion: 99 Resp: 1016427

Ion Ratio Lower Upper

99 100

42 16.6 16.3 24.5




71 36.2 29.8 44.8



Abundance Ion 99.00 (98.70 to 99.70): BM017613.D (-641) (-)

Ion 42.00 (41.70 to 42.70): BM017613.D (-641) (-)

Ion 71.00 (70.70 to 71.70): BM017613.D (-641) (-)



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 10.33 min Scan# 1249

Delta R.T. -0.05 min

Lab File: BM017944.D

Acq: 05 Dec 2018 20:38

Tgt Ion: 136 Resp: 586503


Ion Ratio Lower Upper

136 100

137 11.1 8.6 12.8

54 7.4 7.0 10.6

68 5.8 4.9 7.3






Abundance Ion 136.00 (135.70 to 136.70): BM017613.D (-1250) (-)

Ion 137.00 (136.70 to 137.70): BM017613.D (-1250) (-)

Ion 54.00 (53.70 to 54.70): BM017613.D (-1250) (-)

Ion 68.00 (67.70 to 68.70): BM017613.D (-1250) (-)









#23
Nitrobenzene-d5
Concen: 71.561 ng
RT: 8.72 min Scan# 975
Delta R.T. -0.05 min
Lab File: BM017944.D
Acq: 05 Dec 2018 20:38




Instrument :
BNA_M
ClientSampleId :
NM-342-135-120418


Tgt Ion	Ratio	Lower	Upper
82	100		
128	44.4	33.0	49.4
54	44.5	41.4	62.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 14.22 min Scan# 1909
Delta R.T. -0.05 min
Lab File: BM017944.D
Acq: 05 Dec 2018 20:38

Tgt Ion	Ratio	Lower	Upper
164	100		
162	102.7	81.4	122.0
160	44.9	35.6	53.4









#42
 2,4,6-Tribromophenol
 Concen: 105.036 ng
 RT: 15.72 min Scan# 2165
 Delta R.T. -0.04 min
 Lab File: BM017944.D
 Acq: 05 Dec 2018 20:38

Instrument :
 BNA_M
 ClientSampleId :
 NM-342-135-120418

Tgt Ion:330 Resp: 460698
 Ion Ratio Lower Upper
 330 100
 332 97.6 77.9 116.9
 141 33.1 27.5 41.3




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#45
 2-Fluorobiphenyl
 Concen: 74.107 ng
 RT: 12.83 min Scan# 1673
 Delta R.T. -0.05 min
 Lab File: BM017944.D
 Acq: 05 Dec 2018 20:38

Tgt Ion:172 Resp: 1743694
 Ion Ratio Lower Upper
 172 100
 171 34.6 28.7 43.1
 170 22.6 18.3 27.5



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 16.97 min Scan# 2378

Delta R.T. -0.04 min

Lab File: BM017944.D

Acq: 05 Dec 2018 20:38

Instrument :

BNA_M

ClientSampleId :

NM-342-135-120418





Tgt Ion:188 Resp: 617404

Ion Ratio Lower Upper

188 100

94 8.7 7.5 11.3

80 10.8 8.6 13.0



#76

Chrysene-d12

Concen: 20.000 ng

RT: 21.18 min Scan# 3093

Delta R.T. -0.04 min

Lab File: BM017944.D

Acq: 05 Dec 2018 20:38




Tgt Ion:240 Resp: 644176


Ion Ratio Lower Upper

240 100

120 10.2 8.5 12.7

236 24.8 20.4 30.6





#79

Terphenyl-d14

Concen: 81.405 ng

RT: 19.62 min Scan# 2828

Delta R.T. -0.04 min

Lab File: BM017944.D

Acq: 05 Dec 2018 20:38

Instrument :

BNA_M

ClientSampleId :

NM-342-135-120418


Tgt Ion:244 Resp: 2313739

Ion Ratio Lower Upper

244 100

212 7.0 5.8 8.6




122 10.1 9.0 13.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 23.36 min Scan# 3463

Delta R.T. -0.05 min

Lab File: BM017944.D

Acq: 05 Dec 2018 20:38


Tgt Ion:264 Resp: 697851

Ion Ratio Lower Upper

264 100

260 23.1 18.2 27.2

265 22.3 17.5 26.3



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

