

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM120619\
 Data File : BM024028.D
 Acq On : 06 Dec 2019 22:16
 Operator : JU
 Sample : K6007-18
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :

Quant Time: Dec 06 23:48:31 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM112719MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 06 22:30:13 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.48	152	345643	20.00	ng/ul	0.00
18) Naphthalene-d8	10.25	136	1386920	20.00	ng/ul	0.00
36) Acenaphthene-d10	14.13	164	828728	20.00	ng/ul	0.00
62) Phenanthrene-d10	16.89	188	1682285	20.00	ng/ul	0.00
78) Chrysene-d12	21.10	240	1632467	20.00	ng/ul	0.00
86) Perylene-d12	23.24	264	2034723	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.03	96	18874	2.43	ng/uL	0.00
5) Phenol-d5	6.67	99	378501	12.49	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.83	67	248559	14.11	ng/ul	0.00
9) 2-Chlorophenol-d4	7.02	132	312997	13.37	ng/ul	0.00
13) 4-Methylphenol-d8	8.19	113	267820	11.21	ng/ul	0.00
19) Nitrobenzene-d5	8.63	128	146064	13.57	ng/ul	0.00
22) 2-Nitrophenol-d4	9.35	143	147683	12.07	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.88	165	286510	12.37	ng/ul	0.00
29) 4-Chloroaniline-d4	10.40	131	357849	14.07	ng/ul	0.00
44) Dimethylphthalate-d6	13.56	166	936164	14.54	ng/ul	0.00
47) Acenaphthylene-d8	13.82	160	1095321	14.51	ng/ul	0.00
52) 4-Nitrophenol-d4	14.38	143	84050	7.76	ng/ul	0.01
58) Fluorene-d10	15.14	176	826494	15.25	ng/ul	0.00
63) 4,6-Dinitro-2-methylphenol	15.28	200	92836	8.79	ng/ul	0.00
71) Anthracene-d10	16.99	188	1285703	16.00	ng/ul	0.00
79) Pyrene-d10	19.29	212	1459214	17.30	ng/ul	0.00
90) Benzo(a)pyrene-d12	23.10	264	1828349	17.00	ng/ul	0.00


Target Compounds				Ovalue	
45) Dimethylphthalate	13.61	163	269350	4.273	ng/ul 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM120619\
Data File : BM024028.D
Acq On : 06 Dec 2019 22:16
Operator : JU
Sample : K6007-18
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :

Quant Time: Dec 06 23:48:31 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM112719MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 06 22:30:13 2019
Response via : Initial Calibration






#45
 Dimethylphthalate
 Concen: 4.273 ng/ul
 RT: 13.61 min Scan# 1823
 Delta R.T. 0.00 min
 Lab File: BM024028.D
 Acq: 06 Dec 2019 22:16

Instrument :
 BNA_M
 ClientSampleId :

Tot Ion	Ratio	Lower	Upper
163	100		
194	3.9	3.3	4.9
164	9.7	7.9	11.9



Abundance

Ion 163.00 (162.70 to 163.70): E

Ion 194.00 (193.70 to 194.70): E

Ion 164.00 (163.70 to 164.70): E

