

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM120621\
 Data File : BM033317.D
 Acq On : 06 Dec 2021 18:00
 Operator : CG/JU
 Sample : M4918-09
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 MW-44

Quant Time: Dec 07 03:08:18 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM112421.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 06 13:01:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.925	152	115966	20.000	ng	-0.01
21) Naphthalene-d8	10.719	136	449343	20.000	ng	#-0.02
39) Acenaphthene-d10	14.548	164	268027	20.000	ng	-0.01
64) Phenanthrene-d10	17.283	188	568994	20.000	ng	#-0.01
76) Chrysene-d12	21.447	240	601953	20.000	ng	0.00
86) Perylene-d12	23.777	264	618185	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.513	112	450438	64.143	ng	0.00
7) Phenol-d6	7.101	99	357142	37.974	ng	0.00
23) Nitrobenzene-d5	9.089	82	983801	101.640	ng	-0.01
42) 2,4,6-Tribromophenol	16.036	330	396239	135.617	ng	0.00
45) 2-Fluorobiphenyl	13.172	172	1776623	93.482	ng	-0.01
79) Terphenyl-d14	19.895	244	2442260	80.227	ng	-0.01


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_M\Data\BM120621\
Data File : BM033317.D
Acq On : 06 Dec 2021 18:00
Operator : CG/JU
Sample : M4918-09
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
MW-44

Quant Time: Dec 07 03:08:18 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_M\Methods\8270-BM112421.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon Dec 06 13:01:33 2021
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.925 min Scan# 71
 Delta R.T. -0.012 min
 Lab File: BM033317.D
 Acq: 06 Dec 2021 18:00




Instrument :
 BNA_M
 ClientSampleId :
 MW-44


Tgt Ion:152 Resp: 115966
 Ion Ratio Lower Upper
 152 100
 150 149.6 122.4 183.6
 115 61.3 53.8 80.8



#5
 2-Fluorophenol
 Concen: 64.143 ng
 RT: 5.513 min Scan# 370
 Delta R.T. 0.006 min
 Lab File: BM033317.D
 Acq: 06 Dec 2021 18:00

Tgt Ion:112 Resp: 450438
 Ion Ratio Lower Upper
 112 100
 64 67.2 53.7 80.5
 63 34.8 33.9 50.9









#7
Phenol-d6
Concen: 37.974 ng
RT: 7.101 min Scan# 64
Delta R.T. 0.006 min
Lab File: BM033317.D
Acq: 06 Dec 2021 18:00




Instrument :
BNA_M
ClientSampleId :
MW-44


Tgt Ion: 99 Resp: 357142
Ion Ratio Lower Upper
99 100
42 21.9 23.0 34.6#
71 37.9 37.8 56.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 10.719 min Scan# 1255
Delta R.T. -0.018 min
Lab File: BM033317.D
Acq: 06 Dec 2021 18:00

Tgt Ion: 136 Resp: 449343
Ion Ratio Lower Upper
136 100
137 11.2 8.7 13.1
54 10.7 7.4 11.0
68 7.7 3.8 5.8#





#23

Nitrobenzene-d5

Concen: 101.640 ng

RT: 9.089 min Scan# 91

Delta R.T. -0.012 min

Lab File: BM033317.D

Acq: 06 Dec 2021 18:00

Instrument :





BNA_M

ClientSampleId :

MW-44

Tgt Ion: 82 Resp: 983801

Ion	Ratio	Lower	Upper
82	100		
128	38.5	29.0	43.6
54	53.8	45.8	68.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 14.548 min Scan# 1906




Delta R.T. -0.012 min


Lab File: BM033317.D

Acq: 06 Dec 2021 18:00

Tgt Ion: 164 Resp: 268027

Ion	Ratio	Lower	Upper
164	100		
162	99.8	80.6	121.0
160	45.3	35.1	52.7









#42
2,4,6-Tribromophenol
Concen: 135.617 ng
RT: 16.036 min Scan# 2160
Delta R.T. -0.006 min
Lab File: BM033317.D
Acq: 06 Dec 2021 18:00




Instrument :
BNA_M
ClientSampleId :
MW-44


Tgt Ion:330 Resp: 396239
Ion Ratio Lower Upper
330 100
332 97.6 75.7 113.5
141 46.6 50.7 76.1#



#45
2-Fluorobiphenyl
Concen: 93.482 ng
RT: 13.172 min Scan# 1672
Delta R.T. -0.012 min
Lab File: BM033317.D
Acq: 06 Dec 2021 18:00

Tgt Ion:172 Resp: 1776623
Ion Ratio Lower Upper
172 100
171 34.7 28.1 42.1
170 22.9 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 17.283 min Scan# 21
Delta R.T. -0.012 min
Lab File: BM033317.D
Acq: 06 Dec 2021 18:00




Instrument :
BNA_M
ClientSampleId :
MW-44


Tgt Ion:188 Resp: 568994
Ion Ratio Lower Upper
188 100
94 10.6 6.3 9.5#
80 12.8 7.3 10.9#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 21.447 min Scan# 3079
Delta R.T. -0.006 min
Lab File: BM033317.D
Acq: 06 Dec 2021 18:00

Tgt Ion:240 Resp: 601953
Ion Ratio Lower Upper
240 100
120 11.6 7.8 11.6
236 24.9 20.9 31.3









#79
 Terphenyl-d14
 Concen: 80.227 ng
 RT: 19.895 min Scan# 21
 Delta R.T. -0.012 min
 Lab File: BM033317.D
 Acq: 06 Dec 2021 18:00

Instrument :
 BNA_M
 ClientSampleId :
 MW-44

Tgt Ion:244 Resp: 2442260
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.5 9.7
 122 12.2 8.7 13.1



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 23.777 min Scan# 3475
 Delta R.T. -0.012 min
 Lab File: BM033317.D
 Acq: 06 Dec 2021 18:00

Tgt Ion:264 Resp: 618185
 Ion Ratio Lower Upper
 264 100
 260 23.0 19.3 28.9
 265 22.4 18.3 27.5

