


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM120718\
Data File : BM017999.D
Acq On : 07 Dec 2018 14:46
Operator : JU/SJ
Sample : J6170-07DL 5X
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F9J04DL

Manual Integrations
APPROVED

Sohil
12/11/2018 8:40:01 AM

Quant Time: Dec 07 22:39:00 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 07 22:20:53 2018
Response via : Initial Calibration



Quantitation Report (Qedit)




Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM120718\
Data File : BM017999.D
Acq On : 07 Dec 2018 14:46
Operator : JU/SJ
Sample : J6170-07DL 5X
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F9J04DL

Manual Integrations
APPROVED

Sohil
12/11/2018 8:40:01 AM

Quant Time: Dec 07 22:23:34 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 07 22:20:53 2018
Response via : Initial Calibration



TIC: BM017999.D

(26) 2,4-Dichlorophenol-d3 (S)

9.992min (+0.041) 4.34ng/ul m> SJ 12/11/18

response 49212

Ion	Exp%	Act%
165.00	100	100
167.00	65.50	67.95
101.00	34.80	37.55
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM120718\
Data File : BM017999.D
Acq On : 07 Dec 2018 14:46
Operator : JU/SJ
Sample : J6170-07DL 5X
Misc :
ALS Vial : 38 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F9J04DL

Manual Integrations
APPROVED

Sohil
12/11/2018 8:40:01 AM

Quant Time: Dec 07 22:23:34 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 07 22:20:53 2018
Response via : Initial Calibration



TIC: BM017999.D

(29) 4-Chloroaniline-d4 (S)

10.522min (+0.041) 0.05ng/ul

response 526

Ion	Exp%	Act%
131.00	100	100
133.00	32.40	94.83#
69.00	18.90	105.70#
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM120718\
 Data File : BM017999.D
 Acq On : 07 Dec 2018 14:46
 Operator : JU/SJ
 Sample : J6170-07DL 5X
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F9J04DL

Manual Integrations
 APPROVED

Sohil
 12/11/2018 8:40:01 AM

Quant Time: Dec 07 22:23:34 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 07 22:20:53 2018
 Response via : Initial Calibration



TIC: BM017999.D

(29) 4-Chloroaniline-d4 (S)

10.533min (+0.053) 0.23ng/ul m} SJ 12/11/18

response 2196

Ion	Exp%	Act%
131.00	100	100
133.00	32.40	0.00#
69.00	18.90	36.38#
0.00	0.00	0.00

Quantitation Report (Qedit)




Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM120718\
 Data File : BM017999.D
 Acq On : 07 Dec 2018 14:46
 Operator : JU/SJ
 Sample : J6170-07DL 5X
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F9J04DL

Manual Integrations
 APPROVED

Sohil
 12/11/2018 8:40:01 AM

Quant Time: Dec 07 22:23:34 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 07 22:20:53 2018
 Response via : Initial Calibration



TIC: BM017999.D

(26) 2,4-Dichlorophenol-d3 (S)

9.992min (+0.041) 3.19ng/ul

response 36187

Ion	Exp%	Act%
165.00	100	100
167.00	65.50	67.95
101.00	34.80	37.55
0.00	0.00	0.00

Quantitation Report (QT/LSC Reviewed)

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM120718\
 Data File : BM017999.D
 Acq On : 07 Dec 2018 14:46
 Operator : JU/SJ
 Sample : J6170-07DL 5X
 Misc :
 ALS Vial : 38 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F9J04DL

Manual Integrations
 APPROVED

Sohil
 12/11/2018 8:40:01 AM

Quant Time: Dec 07 22:39:00 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 07 22:20:53 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.56	152	171441	20.00	ng/ul	0.00
18) Naphthalene-d8	10.32	136	676269	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.20	164	355086	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.96	188	747966	20.00	ng/ul	0.00
77) Chrysene-d12	21.18	240	802446	20.00	ng/ul	0.00
85) Perylene-d12	23.36	264	812697	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.17	96	1504	0.40	ng/uL	0.00
5) Phenol-d5	6.76	99	16257	1.04	ng/ul	0.02
7) Bis-(2-Chloroethyl) ether-d	6.91	67	48116	5.10	ng/ul	0.00
9) 2-Chlorophenol-d4	7.10	132	56206	4.59	ng/ul	0.00
13) 4-Methylphenol-d8	8.28	113	26012	2.03	ng/ul	0.01
19) Nitrobenzene-d5	8.72	128	27049	5.21	ng/ul	0.01
22) 2-Nitrophenol-d4	9.43	143	30913	5.19	ng/ul	0.01
26) 2,4-Dichlorophenol-d3	9.99	165	49212m	4.34	ng/ul	0.04
29) 4-Chloroaniline-d4	10.53	131	2196m	0.23	ng/ul	0.05
43) Dimethylphthalate-d6	13.63	166	189563	6.15	ng/ul	0.00
46) Acenaphthylene-d8	13.90	160	226311	6.07	ng/ul	0.00
51) 4-Nitrophenol-d4	0.00	143	0d	0.00	ng/ul	
57) Fluorene-d10	15.22	176	168831	6.35	ng/ul	0.01
62) 4,6-Dinitro-2-methylphenol	15.37	200	14096	2.64	ng/ul	0.02
70) Anthracene-d10	17.07	188	259373	6.97	ng/ul	0.00
78) Pyrene-d10	19.37	212	282957	7.29	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.21	264	301945	6.85	ng/ul	0.00

SJ 12/11/18

Target Compounds					Ovalue
28) Naphthalene	10.37	128	979868	27.810 ng/ul	99
74) Carbazole	17.40	167	44980	1.167 ng/ul	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed