

Data File : BM018083.D
Acq On : 12 Dec 2018 06:53
Operator : JU/SJ
Sample : J6171-07
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F9Y11

Quant Time: Dec 12 07:25:58 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Dec 12 06:24:35 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	192584	20.00	ng/ul	0.00
18) Naphthalene-d8	10.32	136	835091	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.20	164	441536	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.96	188	848976	20.00	ng/ul	0.00
77) Chrysene-d12	21.17	240	635928	20.00	ng/ul	0.00
85) Perylene-d12	23.35	264	705174	20.00	ng/ul	0.01

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.15	96	12093	2.87	ng/uL	0.00
5) Phenol-d5	6.74	99	246879	14.04	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.90	67	150684	14.21	ng/ul	0.00
9) 2-Chlorophenol-d4	7.09	132	227231	16.51	ng/ul	0.00
13) 4-Methylphenol-d8	8.26	113	207263	14.42	ng/ul	0.00
19) Nitrobenzene-d5	8.70	128	110296	17.20	ng/ul	0.00
22) 2-Nitrophenol-d4	9.42	143	113939	15.50	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.95	165	205277	14.67	ng/ul	0.00
29) 4-Chloroaniline-d4	10.47	131	247430	20.61	ng/ul	0.00
43) Dimethylphthalate-d6	13.62	166	660494	17.24	ng/ul	0.00
46) Acenaphthylene-d8	13.89	160	776104	16.74	ng/ul	0.00
51) 4-Nitrophenol-d4	14.46	143	50385	7.23	ng/ul	0.03
57) Fluorene-d10	15.20	176	547042	16.54	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.36	200	13075	2.15	ng/ul	0.01
70) Anthracene-d10	17.06	188	692186	16.38	ng/ul	0.00
78) Pyrene-d10	19.36	212	606186	19.70	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.21	264	596253	15.59	ng/ul	0.00


Target Compounds					Qvalue
6) Phenol	6.77	94	66326	3.778 ng/ul	95
44) Dimethylphthalate	13.67	163	279535	7.531 ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : BM018083.D
Acq On : 12 Dec 2018 06:53
Operator : JU/SJ
Sample : J6171-07
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F9Y11

Quant Time: Dec 12 07:25:58 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Dec 12 06:24:35 2018
Response via : Initial Calibration





#6

Phenol

Concen: 3.778 ng/ul

RT: 6.77 min Scan# 643

Delta R.T. 0.01 min

Lab File: BM018083.D

Acq: 12 Dec 2018 06:53

Instrument :

BNA_M

ClientSampleId :

F9Y11


Tgt Ion: 94 Resp: 66326

Ion Ratio Lower Upper

94 100

65 25.4 24.7 37.1




66 43.7 34.6 51.8



Abundance Ion 94.00 (93.70 to 94.70): BM018083.D (-608) (-)

Ion 65.00 (64.70 to 65.70): BM018083.D (-608) (-)

Ion 66.00 (65.70 to 66.70): BM018083.D (-608) (-)



#44

Dimethylphthalate

Concen: 7.531 ng/ul

RT: 13.67 min Scan# 1816

Delta R.T. -0.00 min

Lab File: BM018083.D

Acq: 12 Dec 2018 06:53


Tgt Ion: 163 Resp: 279535

Ion Ratio Lower Upper

163 100

194 4.5 3.4 5.0

164 10.2 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): BM018083.D (-1782) (-)

Ion 194.00 (193.70 to 194.70): BM018083.D (-1782) (-)

Ion 164.00 (163.70 to 164.70): BM018083.D (-1782) (-)

