

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121118\
 Data File : BM018064.D
 Acq On : 11 Dec 2018 19:12
 Operator : JU/SJ
 Sample : J6170-13
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F9M15

Manual Integrations
 APPROVED

Sohil
 12/12/2018 5:42:45 PM

Quant Time: Dec 12 01:25:52 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Dec 12 00:58:41 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	171404	20.00	ng/ul	0.00
18) Naphthalene-d8	10.32	136	735897	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.20	164	415088	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.96	188	883563	20.00	ng/ul	0.00
77) Chrysene-d12	21.17	240	685545	20.00	ng/ul	0.00
85) Perylene-d12	23.35	264	623013	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.16	96	6428	1.72	ng/uL	0.00
5) Phenol-d5	6.74	99	117125	7.48	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.90	67	305089	32.32	ng/ul	0.00
9) 2-Chlorophenol-d4	7.09	132	365949	29.88	ng/ul	0.00
13) 4-Methylphenol-d8	8.26	113	228144	17.84	ng/ul	0.00
19) Nitrobenzene-d5	8.70	128	222305	39.33	ng/ul	0.00
22) 2-Nitrophenol-d4	9.42	143	256753	39.64	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.95	165	405069	32.85	ng/ul	0.00
29) 4-Chloroaniline-d4	0.00	131	0d	0.00	ng/ul	
43) Dimethylphthalate-d6	13.62	166	1398892	38.84	ng/ul	0.00
46) Acenaphthylene-d8	13.89	160	1705744	39.13	ng/ul	0.00
51) 4-Nitrophenol-d4	14.47	143	33226m	5.07	ng/ul	0.03
57) Fluorene-d10	15.20	176	1184375	38.08	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.34	200	198943	31.50	ng/ul	0.00
70) Anthracene-d10	17.06	188	1768771	40.21	ng/ul	0.00
78) Pyrene-d10	19.37	212	1727951	52.09	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.21	264	1367406	40.47	ng/ul	0.00

Target Compounds				Ovalue
33) 4-Chloro-3-methylphenol	11.65	107	25583	1.935 ng/ul# 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121118\
Data File : BM018064.D
Acq On : 11 Dec 2018 19:12
Operator : JU/SJ
Sample : J6170-13
Misc :
ALS Vial : 15 Sample Multiplier: 1




Instrument :
BNA_M
ClientSampleId :
F9M15

Manual Integrations
APPROVED

Sohil
12/12/2018 5:42:45 PM

Quant Time: Dec 12 01:25:52 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM11918MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Dec 12 00:58:41 2018
Response via : Initial Calibration





#33
 4-Chloro-3-methylphenol
 Concen: 1.935 ng/ul
 RT: 11.65 min Scan# 1472
 Delta R.T. 0.02 min
 Lab File: BM018064.D
 Acq: 11 Dec 2018 19:12

Instrument :
 BNA_M
 ClientSampleId :
 F9M15

Tot Ion	Ratio	Lower	Upper
107	100		
144	35.1	21.1	31.7#
142	81.1	63.0	94.6

Manual Integrations
 APPROVED

Sohil
 12/12/2018 5:42:45 PM

