

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121118\
 Data File : BM018082.D
 Acq On : 12 Dec 2018 06:17
 Operator : JU/SJ
 Sample : J6171-03
 Misc :
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F9Y07

Manual Integrations
 APPROVED

Sohil
 12/12/2018 5:43:35 PM

Quant Time: Dec 12 07:15:36 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Wed Dec 12 06:24:35 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	176745	20.00	ng/ul	0.00
18) Naphthalene-d8	10.32	136	757670	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.20	164	417431	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.96	188	828558	20.00	ng/ul	0.00
77) Chrysene-d12	21.17	240	608640	20.00	ng/ul	0.00
85) Perylene-d12	23.35	264	641499	20.00	ng/ul	0.01
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.15	96	9721	2.52	ng/uL	0.00
5) Phenol-d5	6.75	99	240044	14.87	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.90	67	144148	14.81	ng/ul	0.00
9) 2-Chlorophenol-d4	7.09	132	214185	16.96	ng/ul	0.00
13) 4-Methylphenol-d8	8.26	113	179815	13.63	ng/ul	0.00
19) Nitrobenzene-d5	8.70	128	102286	17.58	ng/ul	0.00
22) 2-Nitrophenol-d4	9.42	143	108624	16.29	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.95	165	189264	14.91	ng/ul	0.00
29) 4-Chloroaniline-d4	10.47	131	164417	15.09	ng/ul	0.00
43) Dimethylphthalate-d6	13.62	166	664375	18.34	ng/ul	0.00
46) Acenaphthylene-d8	13.89	160	784297	17.89	ng/ul	0.00
51) 4-Nitrophenol-d4	14.46	143	62161m	9.44	ng/ul	0.02
57) Fluorene-d10	15.20	176	553032	17.68	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.36	200	9166	1.55	ng/ul	0.01
70) Anthracene-d10	17.06	188	742072	17.99	ng/ul	0.00
78) Pyrene-d10	19.36	212	631655	21.45	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.21	264	589375	16.94	ng/ul	0.01
Target Compounds						
6) Phenol	6.77	94	56956	3.535	ng/ul	97
44) Dimethylphthalate	13.67	163	218861	6.237	ng/ul	100

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121118\
Data File : BM018082.D
Acq On : 12 Dec 2018 06:17
Operator : JU/SJ
Sample : J6171-03
Misc :
ALS Vial : 32 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
F9Y07

Quant Time: Dec 12 07:15:36 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM11918MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Wed Dec 12 06:24:35 2018
Response via : Initial Calibration

Manual Integrations
APPROVED

Sohil
12/12/2018 5:43:35 PM





#6

Phenol

Concen: 3.535 ng/ul

RT: 6.77 min Scan# 643

Delta R.T. 0.01 min

Lab File: BM018082.D

Acq: 12 Dec 2018 06:17

Instrument :

BNA_M





ClientSampleId :

F9Y07

Tot Ion:	94	Resp:	56956
Ion	Ratio	Lower	Upper
94	100		
65	27.7	24.7	37.1
66	42.7	34.6	51.8

Manual Integrations
APPROVED

Sohil
12/12/2018 5:43:35 PM



#44

Dimethylphthalate

Concen: 6.237 ng/ul

RT: 13.67 min Scan# 1816

Delta R.T. -0.00 min

Lab File: BM018082.D

Acq: 12 Dec 2018 06:17

Tgt Ion:	163	Resp:	218861
Ion	Ratio	Lower	Upper
163	100		
194	4.2	3.4	5.0
164	9.9	8.1	12.1

