

Data File : BM018118.D
Acq On : 13 Dec 2018 06:31
Operator : JU/SJ
Sample : J6236-02
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F9E98

Quant Time: Dec 13 07:14:32 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Dec 13 03:40:23 2018
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.54	152	148052	20.00	ng/ul	0.00
18) Naphthalene-d8	10.31	136	662522	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.19	164	396323	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.95	188	892840	20.00	ng/ul	0.00
77) Chrysene-d12	21.17	240	1022019	20.00	ng/ul	0.00
85) Perylene-d12	23.34	264	971935	20.00	ng/ul	0.00

System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.15	96	9040	2.79	ng/uL	0.00
5) Phenol-d5	6.73	99	197181	14.58	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.89	67	124220	15.24	ng/ul	0.00
9) 2-Chlorophenol-d4	7.08	132	172045	16.26	ng/ul	0.00
13) 4-Methylphenol-d8	8.26	113	146142	13.23	ng/ul	0.00
19) Nitrobenzene-d5	8.70	128	88497	17.39	ng/ul	0.00
22) 2-Nitrophenol-d4	9.41	143	101021	17.32	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.95	165	154602	13.93	ng/ul	0.00
29) 4-Chloroaniline-d4	10.47	131	197775	20.76	ng/ul	0.00
43) Dimethylphthalate-d6	13.62	166	590226	17.16	ng/ul	0.00
46) Acenaphthylene-d8	13.88	160	705072	16.94	ng/ul	0.00
51) 4-Nitrophenol-d4	14.46	143	59552	9.53	ng/ul	0.02
57) Fluorene-d10	15.19	176	502556	16.92	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.34	200	52927	8.29	ng/ul	0.00
70) Anthracene-d10	17.05	188	757391	17.04	ng/ul	0.00
78) Pyrene-d10	19.36	212	853003	17.25	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.20	264	867357	16.45	ng/ul	0.00

Target Compounds				Qvalue		
6) Phenol	6.76	94	39518	2.928	ng/ul	98
44) Dimethylphthalate	13.66	163	82872	2.487	ng/ul	100


(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data File : BM018118.D

```
Acq On       : 13 Dec 2018   06:31
Operator    : JU/SJ
Sample      : J6236-02
Misc        :
ALS Vial     : 26      Sample Multip
```

Instrument :
BNA_M
ClientSampleId :
F9E98

Quant Time: Dec 13 07:14:32 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Dec 13 03:40:23 2018
Response via : Initial Calibration





#6

Phenol

Concen: 2.928 ng/ul

RT: 6.76 min Scan# 642

Delta R.T. 0.00 min

Lab File: BM018118.D

Acq: 13 Dec 2018 06:31

Instrument :

BNA_M

ClientSampleId :

F9E98


Tgt Ion: 94 Resp: 39518

Ion Ratio Lower Upper

94 100

65 30.7 24.7 37.1

66 45.2 34.6 51.8






Abundance Ion 94.00 (93.70 to 94.70): BM017824.D (-641) (-)

Ion 65.00 (64.70 to 65.70): BM017824.D (-641) (-)

Ion 66.00 (65.70 to 66.70): BM017824.D (-641) (-)

Time-->



#44

Dimethylphthalate

Concen: 2.487 ng/ul

RT: 13.66 min Scan# 1815

Delta R.T. 0.00 min

Lab File: BM018118.D

Acq: 13 Dec 2018 06:31


Tgt Ion:163 Resp: 82872

Ion Ratio Lower Upper

163 100

194 4.1 3.4 5.0

164 10.0 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): BM017824.D (-1815) (-)

Ion 194.00 (193.70 to 194.70): BM017824.D (-1815) (-)

Ion 164.00 (163.70 to 164.70): BM017824.D (-1815) (-)

Time-->

