

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121218\
 Data File : BM018096.D
 Acq On : 12 Dec 2018 17:15
 Operator : JU/SJ
 Sample : J6227-06
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F9E75

Manual Integrations
 APPROVED

Sohil
 12/13/2018 6:16:03 PM

Quant Time: Dec 13 02:56:40 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Dec 13 02:37:40 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.55	152	69642	20.00	ng/ul	0.00
18) Naphthalene-d8	10.31	136	334345	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.19	164	213541	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.96	188	513096	20.00	ng/ul	0.00
77) Chrysene-d12	21.17	240	665542	20.00	ng/ul	0.00
85) Perylene-d12	23.34	264	796372	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.15	96	3854	2.53	ng/uL	0.00
5) Phenol-d5	6.74	99	84393	13.27	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.90	67	53009	13.82	ng/ul	0.00
9) 2-Chlorophenol-d4	7.09	132	73505	14.77	ng/ul	0.00
13) 4-Methylphenol-d8	8.26	113	62946	12.11	ng/ul	0.00
19) Nitrobenzene-d5	8.70	128	36724	14.30	ng/ul	0.00
22) 2-Nitrophenol-d4	9.42	143	41719	14.18	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.96	165	66165m	11.81	ng/ul	0.02
29) 4-Chloroaniline-d4	10.48	131	63122	13.13	ng/ul	0.01
43) Dimethylphthalate-d6	13.62	166	289006	15.60	ng/ul	0.00
46) Acenaphthylene-d8	13.89	160	324688	14.48	ng/ul	0.00
51) 4-Nitrophenol-d4	14.48	143	31336m	9.30	ng/ul	0.04
57) Fluorene-d10	15.20	176	244152	15.26	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.35	200	36770	10.02	ng/ul	0.00
70) Anthracene-d10	17.05	188	393517	15.40	ng/ul	0.00
78) Pyrene-d10	19.36	212	452517	14.05	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.20	264	621829	14.40	ng/ul	0.00
Target Compounds						
6) Phenol	6.77	94	20561	3.239	ng/ul#	90
44) Dimethylphthalate	13.67	163	63438	3.534	ng/ul	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121218\
Data File : BM018096.D
Acq On : 12 Dec 2018 17:15
Operator : JU/SJ
Sample : J6227-06
Misc :
ALS Vial : 5 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
F9E75

Quant Time: Dec 13 02:56:40 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM11918MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Dec 13 02:37:40 2018
Response via : Initial Calibration

Manual Integrations
APPROVED

Sohil
12/13/2018 6:16:03 PM





#6

Phenol

Concen: 3.239 ng/ul

RT: 6.77 min Scan# 643

Delta R.T. 0.01 min

Lab File: BM018096.D

Acq: 12 Dec 2018 17:15

Instrument :

BNA_M





ClientSampleId :

F9E75

Tot Ion:	94	Resp:	20561
Ion Ratio	Lower	Upper	
94	100		
65	20.6	24.7	37.1#
66	40.9	34.6	51.8

Manual Integrations
APPROVED

Sohil
12/13/2018 6:16:03 PM



#44

Dimethylphthalate

Concen: 3.534 ng/ul

RT: 13.67 min Scan# 1816

Delta R.T. 0.00 min

Lab File: BM018096.D

Acq: 12 Dec 2018 17:15

Tgt Ion:	163	Resp:	63438
Ion Ratio	Lower	Upper	
163	100		
194	5.0	3.4	5.0
164	9.8	8.1	12.1

