

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121218\
 Data File : BM018110.D
 Acq On : 13 Dec 2018 01:43
 Operator : JU/SJ
 Sample : J6227-19
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F9E68

Manual Integrations
 APPROVED

Sohil
 12/13/2018 6:16:29 PM

Quant Time: Dec 13 03:44:31 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM111918MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Thu Dec 13 03:40:23 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.54	152	120419	20.00	ng/ul	0.00
18) Naphthalene-d8	10.31	136	541193	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.19	164	288011	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.95	188	672840	20.00	ng/ul	0.00
77) Chrysene-d12	21.16	240	831077	20.00	ng/ul	0.00
85) Perylene-d12	23.33	264	834132	20.00	ng/ul	0.00
System Monitoring Compounds						
3) 1,4-Dioxane-d8	3.15	96	6952	2.64	ng/uL	0.00
5) Phenol-d5	6.74	99	159939	14.54	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.90	67	104558	15.77	ng/ul	0.00
9) 2-Chlorophenol-d4	7.08	132	146354	17.01	ng/ul	0.00
13) 4-Methylphenol-d8	8.26	113	121055	13.47	ng/ul	0.00
19) Nitrobenzene-d5	8.70	128	74355	17.89	ng/ul	0.00
22) 2-Nitrophenol-d4	9.42	143	86319	18.12	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.95	165	142135m	15.68	ng/ul	0.00
29) 4-Chloroaniline-d4	10.47	131	103310	13.28	ng/ul	0.01
43) Dimethylphthalate-d6	13.62	166	454000	18.17	ng/ul	0.00
46) Acenaphthylene-d8	13.88	160	512680	16.95	ng/ul	0.00
51) 4-Nitrophenol-d4	14.46	143	58287m	12.83	ng/ul	0.02
57) Fluorene-d10	15.20	176	392006	18.17	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.34	200	67231	13.98	ng/ul	0.00
70) Anthracene-d10	17.05	188	582008	17.37	ng/ul	0.00
78) Pyrene-d10	19.36	212	666576	16.58	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.20	264	744842	16.46	ng/ul	0.00
Target Compounds						
6) Phenol	6.76	94	42434	3.865	ng/ul	95
44) Dimethylphthalate	13.66	163	155308	6.415	ng/ul	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121218\
Data File : BM018110.D
Acq On : 13 Dec 2018 01:43
Operator : JU/SJ
Sample : J6227-19
Misc :
ALS Vial : 18 Sample Multiplier: 1


Instrument :
BNA_M
ClientSampleId :
F9E68

Manual Integrations
APPROVED

Sohil
12/13/2018 6:16:29 PM

Quant Time: Dec 13 03:44:31 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM11918MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Thu Dec 13 03:40:23 2018
Response via : Initial Calibration





#6

Phenol

Concen: 3.865 ng/ul

RT: 6.76 min Scan# 642

Delta R.T. 0.00 min

Lab File: BM018110.D

Acq: 13 Dec 2018 01:43

Instrument :

BNA_M





ClientSampled :

F9E68

Tot Ion:	94	Resp:	42434
Ion	Ratio	Lower	Upper
94	100		
65	27.1	24.7	37.1
66	41.0	34.6	51.8

Manual Integrations
APPROVED

Sohil
12/13/2018 6:16:29 PM



#44

Dimethylphthalate

Concen: 6.415 ng/ul

RT: 13.66 min Scan# 1815

Delta R.T. 0.00 min

Lab File: BM018110.D

Acq: 13 Dec 2018 01:43

Tgt Ion:	163	Resp:	155308
Ion	Ratio	Lower	Upper
163	100		
194	4.5	3.4	5.0
164	11.2	8.1	12.1

