

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121318\
 Data File : BM018162.D
 Acq On : 14 Dec 2018 11:13
 Operator : JU/SJ
 Sample : J6236-17
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 BNA_M
 ClientSampleId :
 F9F17

Quant Time: Dec 14 12:50:15 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121318MA.M
 Quant Title : SVOA CALIBRATION
 QLast Update : Fri Dec 14 05:30:21 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	7.51	152	158752	20.00	ng/ul	0.00
18) Naphthalene-d8	10.27	136	707497	20.00	ng/ul	0.00
35) Acenaphthene-d10	14.16	164	411002	20.00	ng/ul	0.00
61) Phenanthrene-d10	16.93	188	913288	20.00	ng/ul	0.00
77) Chrysene-d12	21.14	240	956544	20.00	ng/ul	0.00
85) Perylene-d12	23.30	264	798167	20.00	ng/ul	0.00

System Monitoring Compounds

3) 1,4-Dioxane-d8	3.10	96	12618	3.79	ng/uL	0.00
5) Phenol-d5	6.70	99	255783	16.77	ng/ul	0.00
7) Bis-(2-Chloroethyl)ether-d	6.86	67	159399	19.48	ng/ul	0.00
9) 2-Chlorophenol-d4	7.05	132	210734	17.47	ng/ul	0.00
13) 4-Methylphenol-d8	8.23	113	161788	13.07	ng/ul	0.00
19) Nitrobenzene-d5	8.66	128	108516	18.67	ng/ul	0.00
22) 2-Nitrophenol-d4	9.37	143	123583	17.96	ng/ul	0.00
26) 2,4-Dichlorophenol-d3	9.91	165	198488	16.69	ng/ul	0.00
29) 4-Chloroaniline-d4	10.43	131	227828	21.68	ng/ul	0.00
43) Dimethylphthalate-d6	13.59	166	694093	19.09	ng/ul	0.00
46) Acenaphthylene-d8	13.85	160	790537	17.84	ng/ul	0.00
51) 4-Nitrophenol-d4	14.42	143	84263	12.84	ng/ul	0.00
57) Fluorene-d10	15.17	176	573369	18.98	ng/ul	0.00
62) 4,6-Dinitro-2-methylphenol	15.32	200	64411	9.26	ng/ul	0.00
70) Anthracene-d10	17.02	188	811163	17.58	ng/ul	0.00
78) Pyrene-d10	19.33	212	905672	19.75	ng/ul	0.00
89) Benzo(a)pyrene-d12	23.17	264	788922	17.84	ng/ul	0.00

Target Compounds


				Ovalue	
6) Phenol	6.73	94	51948	3.463	ng/ul# 92
44) Dimethylphthalate	13.63	163	121373	3.506	ng/ul 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA M\DATA\BM121318\
Data File : BM018162.D
Acq On : 14 Dec 2018 11:13
Operator : JU/SJ
Sample : J6236-17
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
BNA_M
ClientSampleId :
F9F17

Quant Time: Dec 14 12:50:15 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_M\METHODS\SOM-EPA-BM121318MA.M
Quant Title : SVOA CALIBRATION
QLast Update : Fri Dec 14 05:30:21 2018
Response via : Initial Calibration





#6

Phenol

Concen: 3.463 ng/ul

RT: 6.73 min Scan# 653

Delta R.T. -0.01 min

Lab File: BM018162.D

Acq: 14 Dec 2018 11:13

Instrument :

BNA_M

ClientSampleId :

F9F17


Tot Ion: 94 Resp: 51948

Ion Ratio Lower Upper

94 100

65 27.1 22.0 33.0




66 45.7 30.3 45.5#



Abundance Ion 94.00 (93.70 to 94.70): BM018149.D (-646) (-)

Ion 65.00 (64.70 to 65.70): BM018149.D (-646) (-)

Ion 66.00 (65.70 to 66.70): BM018149.D (-646) (-)



#44

Dimethylphthalate

Concen: 3.506 ng/ul

RT: 13.63 min Scan# 1827

Delta R.T. -0.00 min

Lab File: BM018162.D

Acq: 14 Dec 2018 11:13


Tgt Ion:163 Resp: 121373

Ion Ratio Lower Upper

163 100

194 4.2 3.7 5.5

164 10.4 8.2 12.4



Abundance Ion 163.00 (162.70 to 163.70): BM018149.D (-1821) (-)

Ion 194.00 (193.70 to 194.70): BM018149.D (-1821) (-)

Ion 164.00 (163.70 to 164.70): BM018149.D (-1821) (-)

